

CUPRINS:

- **VALORILE EMISIILOR DIN JUMATATE IN JUMATATE DE ORA SI VALORILE EMISIILOR MEDII ZILNICE PE CELE DOUA LINII DE INCINERARE HP 1250 SI HP 1500.**

HP 1250

Valori inregistrate MIR-IS HP-1250

Data:02/1/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 09:41	1.43	3.05	113.28	15.35	1.70	2.61
VMJH 10:11	0.87	3.11	112.48	15.90	1.63	2.53
VMJH 10:41	1.17	3.16	115.20	15.51	1.72	2.61
VMJH 11:11	1.20	3.02	114.19	15.30	1.62	2.56
VMJH 11:41	0.97	3.01	112.99	15.80	1.69	2.58
VMJH 12:11	1.40	3.10	113.79	15.70	1.65	2.60
VMJH 12:41	0.53	2.96	113.23	15.25	1.61	2.53
VMJH 13:11	1.03	3.18	112.43	15.03	1.69	2.61
VMJH 13:41	0.50	3.19	117.50	14.96	1.70	2.58
VMJH 14:11	1.30	3.02	111.94	15.20	1.71	2.58
VMJH 14:41	1.57	2.85	111.11	15.09	1.71	2.46
VMJH 15:11	1.63	2.89	114.27	15.66	1.68	2.56
VMJH 15:41	0.43	3.04	113.80	15.91	1.72	2.55
VMJH 16:11	0.17	3.13	114.65	15.55	1.61	2.56
VMJH 16:41	0.10	3.08	110.98	15.41	1.63	2.63
VMJH 16:45	0.50	3.30	112.33	15.47	1.58	2.54
VMZ	0.95	3.06	113.44	15.44	1.67	2.57

Valori inregistrate MIR-IS HP-1250

Data:03/1/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	11:17	1.10	3.02	113.30	15.32	1.65	2.54
VMJH	11:47	0.70	2.86	111.77	15.76	1.65	2.52
VMJH	12:17	1.03	3.15	110.38	15.33	1.64	2.57
VMJH	12:47	0.97	3.06	115.46	15.25	1.66	2.56
VMJH	13:17	0.70	3.00	111.32	15.35	1.72	2.54
VMJH	13:47	0.63	3.00	115.26	15.34	1.65	2.60
VMJH	14:12	0.76	3.00	111.75	15.09	1.68	2.57
VMZ		0.84	3.01	112.77	15.36	1.67	2.56

Valori inregistrate MIR-IS HP-1250

Data:04/1/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 07:29	0.50	3.07	114.95	15.47	1.62	2.61
VMJH 07:59	0.40	3.00	112.86	15.75	1.61	2.56
VMJH 08:29	0.40	3.02	113.71	15.78	1.71	2.58
VMJH 08:59	0.53	3.22	110.58	16.05	1.63	2.63
VMJH 09:29	0.80	3.03	111.92	16.00	1.66	2.56
VMJH 09:59	0.40	3.06	115.66	15.90	1.64	2.57
VMJH 10:29	0.67	3.17	112.45	15.48	1.62	2.58
VMJH 10:59	0.53	3.03	111.13	15.40	1.69	2.59
VMJH 11:29	0.43	3.25	114.35	15.52	1.65	2.54
VMJH 11:59	0.60	3.09	115.17	15.38	1.56	2.58
VMJH 12:29	0.67	3.11	112.80	16.12	1.75	2.54
VMJH 12:59	0.80	3.14	115.95	15.86	1.67	2.57
VMJH 13:29	0.80	3.06	111.91	15.64	1.69	2.58
VMJH 13:59	0.97	3.12	112.23	15.42	1.68	2.54
VMJH 14:10	0.36	3.21	113.85	16.05	1.63	2.56
VMZ	0.60	3.10	113.28	15.71	1.66	2.57

Valori inregistrate MIR-IS HP-1250

Data:05/1/2023

	Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:29	0.80	3.02	114.14	15.34	1.72	2.52
VMJH	07:59	0.40	3.01	111.81	15.57	1.66	2.55
VMJH	08:29	0.50	3.08	116.73	16.03	1.65	2.60
VMJH	08:59	0.13	3.28	111.89	15.21	1.70	2.53
VMJH	09:29	1.33	3.16	113.44	15.64	1.66	2.58
VMJH	09:59	1.40	2.87	112.82	15.16	1.65	2.55
VMJH	10:29	1.13	3.12	112.09	16.13	1.71	2.48
VMJH	10:59	1.30	3.05	112.94	15.50	1.67	2.58
VMJH	11:29	1.23	3.13	112.21	15.58	1.60	2.62
VMJH	11:59	0.13	3.09	111.56	15.39	1.62	2.61
VMJH	12:29	0.90	3.17	110.53	15.67	1.71	2.59
VMJH	12:59	0.90	4.18	132.16	16.86	2.17	2.63
VMJH	13:29	0.87	6.41	167.00	19.17	3.26	2.89
VMJH	13:59	1.13	6.25	168.14	18.55	3.22	2.88
VMJH	14:28	0.97	6.22	166.14	18.95	3.20	2.86
VMZ		0.88	3.80	124.82	16.31	2.01	2.63

Valori inregistrate MIR-IS HP-1250

Data:06/1/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	08:00	0.77	6.34	165.85	19.11	3.19	2.85
VMJH	08:30	0.37	6.32	165.79	18.91	3.20	2.79
VMJH	09:00	0.47	6.24	166.46	18.46	3.20	2.81
VMJH	09:30	0.37	6.32	170.76	18.84	3.15	2.91
VMJH	10:00	0.83	6.32	168.75	18.67	3.18	2.88
VMJH	10:30	0.70	6.29	165.98	19.18	3.18	2.72
VMJH	11:00	0.43	6.28	168.27	19.22	3.21	2.83
VMJH	11:30	0.57	6.24	168.79	18.88	3.19	2.71
VMJH	12:00	0.37	6.25	166.73	18.93	3.15	2.94
VMJH	12:30	0.80	6.35	167.69	19.21	3.18	2.85
VMJH	13:00	0.67	6.35	165.62	19.35	3.19	2.82
VMJH	13:30	0.50	6.24	169.88	18.86	3.17	3.02
VMJH	14:00	0.57	6.35	167.15	18.39	3.16	2.86
VMJH	14:30	0.57	6.31	168.22	19.32	3.14	2.78
VMJH	15:00	0.60	6.30	166.01	19.70	3.20	2.84
VMJH	15:30	0.53	6.27	169.35	18.58	3.22	2.96
VMJH	16:00	0.13	6.27	165.14	18.73	3.16	2.91
VMJH	16:30	0.73	6.24	169.65	18.92	3.18	2.96
VMJH	17:00	1.83	6.27	167.80	18.61	3.21	2.88
VMJH	17:30	2.00	6.22	167.85	18.44	3.19	2.81
VMJH	18:00	1.67	6.34	166.22	18.87	3.16	2.83
VMJH	18:30	0.53	6.24	164.76	18.95	3.15	2.87
VMJH	19:00	0.77	6.24	169.34	19.14	3.18	2.67
VMJH	19:30	1.00	6.36	166.59	19.24	3.18	2.91
VMJH	20:00	0.33	6.30	168.44	19.47	3.21	2.88
VMJH	20:30	0.20	6.35	167.17	18.55	3.18	2.83
VMJH	21:00	0.70	6.19	167.84	19.15	3.16	2.93
VMJH	21:30	1.63	6.37	168.98	18.36	3.18	2.83
VMJH	21:48	0.44	6.42	166.88	19.02	3.14	2.78
VMZ		0.73	6.29	167.52	18.93	3.18	2.85

Valori inregistrate MIR-IS HP-1250

Data:09/1/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 11:44	0.90	6.29	167.16	18.85	3.20	2.82
VMJH 12:14	0.73	6.17	166.95	19.20	3.17	2.93
VMJH 12:44	0.40	6.24	166.64	18.95	3.15	2.88
VMJH 13:14	0.90	6.27	168.83	19.24	3.19	2.91
VMJH 13:44	0.63	6.24	166.27	18.51	3.20	2.85
VMJH 14:14	1.40	6.39	167.48	19.11	3.17	2.78
VMJH 14:44	1.73	6.26	170.39	18.83	3.19	2.91
VMJH 15:14	1.27	6.33	166.93	19.28	3.23	2.77
VMJH 15:44	1.37	6.37	166.43	19.31	3.19	2.85
VMJH 16:14	1.63	6.28	167.93	18.16	3.15	2.91
VMJH 16:44	2.03	6.12	169.57	18.59	3.15	2.85
VMJH 17:14	1.20	6.29	168.29	19.34	3.17	2.88
VMJH 17:42	1.50	6.22	167.73	19.09	3.22	2.82
VMZ	1.21	6.27	167.74	18.96	3.18	2.86

Valori inregistrate MIR-IS HP-1250

Data:10/1/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	08:49	2.00	6.28	165.44	19.31	3.18	2.89
VMJH	09:19	2.37	6.33	167.58	19.05	3.19	2.90
VMJH	09:49	2.00	6.30	167.05	18.84	3.17	2.79
VMJH	10:19	1.03	5.00	144.30	17.81	2.52	2.71
VMJH	10:49	0.73	4.61	140.67	17.14	2.37	2.73
VMJH	11:19	1.20	4.73	141.59	17.01	2.43	2.73
VMJH	11:49	0.47	4.70	140.25	17.24	2.39	2.70
VMJH	12:19	1.63	4.70	141.13	17.31	2.44	2.77
VMJH	12:49	2.30	4.60	140.62	16.79	2.41	2.76
VMJH	13:19	0.87	4.61	141.17	17.62	2.42	2.70
VMJH	13:49	0.87	4.55	138.98	16.96	2.42	2.69
VMJH	14:19	0.43	4.64	139.97	17.04	2.42	2.73
VMJH	14:49	0.70	4.81	139.87	17.40	2.46	2.73
VMJH	15:19	0.50	4.66	140.05	17.04	2.47	2.66
VMJH	15:49	0.53	4.68	141.34	17.18	2.39	2.81
VMJH	16:12	0.78	4.62	139.08	17.30	2.42	2.71
VMZ		1.16	4.99	145.66	17.57	2.57	2.75

Valori inregistrate MIR-IS HP-1250

Data:11/1/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	08:59	0.97	4.64	139.59	17.56	2.44	2.74
VMJH	09:29	1.37	4.71	140.34	17.27	2.40	2.70
VMJH	09:59	1.30	4.63	139.91	17.13	2.42	2.76
VMJH	10:29	1.27	4.63	140.77	17.07	2.40	2.75
VMJH	10:59	1.00	4.61	141.16	17.09	2.43	2.75
VMJH	11:29	1.63	4.71	138.93	17.17	2.39	2.76
VMJH	11:59	1.37	4.67	139.06	17.14	2.36	2.70
VMJH	12:29	1.27	4.75	139.98	17.31	2.42	2.65
VMJH	12:59	0.97	4.66	141.72	17.24	2.41	2.72
VMJH	13:29	0.87	4.75	140.71	17.54	2.41	2.74
VMJH	13:59	0.83	4.68	139.90	17.05	2.43	2.68
VMJH	14:29	0.53	4.70	139.65	16.87	2.41	2.68
VMJH	14:59	0.83	4.74	140.63	17.35	2.38	2.70
VMJH	15:29	1.03	4.77	139.61	17.49	2.44	2.70
VMJH	16:00	0.77	4.72	139.03	17.00	2.41	2.70
VMZ		1.07	4.69	140.06	17.22	2.41	2.71

Valori inregistrate MIR-IS HP-1250

Data:12/1/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 08:51	1.27	4.73	139.56	17.79	2.40	2.71
VMJH 09:21	0.67	4.65	140.47	17.63	2.42	2.69
VMJH 09:51	0.60	4.64	137.39	17.21	2.46	2.70
VMJH 10:21	0.93	4.82	139.69	17.14	2.44	2.71
VMJH 10:51	2.00	4.66	138.31	16.77	2.40	2.67
VMJH 11:21	0.57	4.66	140.61	16.99	2.39	2.69
VMJH 11:51	1.93	4.67	140.45	17.22	2.39	2.64
VMJH 12:21	0.47	4.68	140.00	17.46	2.48	2.69
VMJH 12:51	1.63	4.68	140.95	17.00	2.43	2.75
VMJH 13:21	2.17	4.69	139.25	16.73	2.48	2.69
VMJH 13:51	1.97	4.60	138.83	17.10	2.44	2.70
VMJH 14:21	1.03	4.68	141.84	16.96	2.43	2.66
VMJH 14:51	2.47	4.71	139.80	17.25	2.40	2.70
VMJH 15:21	2.20	4.68	141.40	17.31	2.45	2.70
VMJH 15:51	2.13	4.74	139.88	17.17	2.42	2.68
VMJH 16:05	2.14	4.71	140.51	17.03	2.40	2.68
VMZ	1.49	4.69	139.91	17.18	2.43	2.69

Valori inregistrate MIR-IS HP-1250

Data:13/1/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10
VMJH 08:59	1.37	4.71	141.60	17.44	2.39	2.68
VMJH 09:29	1.43	4.70	139.80	16.75	2.42	2.68
VMJH 09:59	0.00	4.67	141.57	16.98	2.45	2.68
VMJH 10:29	2.03	4.79	141.96	16.96	2.41	2.70
VMJH 10:59	1.80	4.57	137.45	17.71	2.40	2.67
VMJH 11:29	0.27	3.93	112.94	14.14	2.18	2.62
VMJH 11:59	1.20	3.83	111.59	14.36	2.13	2.64
VMJH 12:29	1.60	4.17	113.14	14.23	2.20	2.64
VMJH 12:59	0.53	3.73	113.58	14.28	2.30	2.57
VMJH 13:29	2.10	3.73	111.74	14.55	2.25	2.57
VMJH 13:59	1.43	3.85	111.42	14.23	2.34	2.60
VMJH 14:29	2.13	3.89	114.65	14.54	2.00	2.57
VMJH 14:59	1.97	3.89	114.45	14.27	2.24	2.63
VMJH 15:29	0.87	4.00	113.70	14.15	2.09	2.70
VMJH 15:59	1.93	4.00	114.31	14.16	2.23	2.66
VMJH 16:06	1.43	4.10	114.02	14.00	2.30	2.69
VMZ	1.38	4.16	122.12	15.23	2.27	2.64

Valori inregistrate MIR-IS HP-1250

Data:16/1/2023

	Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	10:59	2.20	3.58	115.42	14.23	2.11	2.59
VMJH	11:29	2.93	4.07	113.43	14.25	2.08	2.68
VMJH	11:59	1.17	4.02	112.83	14.23	2.11	2.68
VMJH	12:29	1.20	3.94	115.55	14.22	2.18	2.57
VMJH	12:59	1.97	4.11	113.70	13.82	2.28	2.60
VMJH	13:29	1.30	4.24	113.04	14.36	2.09	2.65
VMJH	13:59	1.73	3.68	113.58	14.17	2.18	2.71
VMJH	14:29	1.80	4.24	116.44	14.80	2.23	2.59
VMJH	14:59	1.63	4.29	111.75	14.28	2.05	2.75
VMJH	15:29	1.33	3.88	114.12	14.27	2.09	2.70
VMJH	15:59	1.93	3.69	114.28	14.40	2.24	2.69
VMJH	16:29	1.50	3.98	115.40	14.22	2.07	2.66
VMJH	16:59	1.93	3.78	116.29	14.11	2.30	2.65
VMJH	17:29	2.03	3.94	114.25	14.36	2.16	2.66
VMJH	17:59	2.30	3.64	115.88	14.51	2.00	2.72
VMJH	18:29	2.53	3.76	116.36	14.06	2.15	2.67
VMJH	18:59	2.23	4.18	114.19	14.15	2.22	2.67
VMJH	19:29	1.70	3.48	114.00	14.24	2.10	2.69
VMJH	19:59	1.80	3.85	112.42	14.29	2.24	2.63
VMJH	20:29	2.77	3.90	115.22	14.16	2.11	2.71
VMJH	20:59	1.83	4.07	117.31	14.00	2.27	2.67
VMJH	21:29	1.57	3.64	112.30	14.36	2.14	2.66
VMJH	21:59	1.33	3.76	111.42	14.20	2.29	2.64
VMJH	22:08	1.78	4.18	113.49	14.49	2.16	2.58
VMZ		1.86	3.90	114.30	14.25	2.16	2.66

Valori inregistrate MIR-IS HP-1250

Data:17/1/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 06:49	1.93	3.77	111.86	14.38	2.28	2.60
VMJH 07:19	1.90	3.62	113.32	13.80	2.34	2.61
VMJH 07:49	1.70	3.79	111.23	14.33	2.39	2.57
VMJH 08:19	1.13	3.65	112.40	14.11	2.50	2.65
VMJH 08:49	1.73	3.72	112.93	14.16	2.06	2.65
VMJH 09:19	1.87	4.04	114.99	14.55	2.18	2.61
VMJH 09:49	1.43	3.55	115.10	14.33	2.22	2.68
VMJH 10:19	1.03	3.80	113.13	14.26	2.28	2.67
VMJH 10:49	1.43	3.78	112.87	14.33	2.09	2.62
VMJH 11:19	1.83	3.86	112.70	14.32	2.02	2.70
VMJH 11:49	2.07	4.02	113.75	14.49	2.12	2.63
VMJH 12:19	1.90	3.84	114.02	14.31	2.33	2.58
VMJH 12:49	2.00	3.57	112.26	14.14	2.18	2.66
VMJH 13:19	1.87	4.10	115.16	14.07	2.32	2.65
VMJH 13:49	2.30	6.01	147.74	16.05	2.78	2.80
VMJH 14:18	1.45	7.10	167.47	17.20	3.19	2.95
VMZ	1.72	4.13	118.71	14.55	2.33	2.66

Valori inregistrate MIR-IS HP-1250

Data:18/1/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	07:29	1.33		7.11		168.21		17.43		3.19		2.91	
VMJH	07:59	2.13		7.10		166.67		17.44		3.19		2.81	
VMJH	08:29	1.60		6.98		168.53		17.38		3.18		2.95	
VMJH	08:59	2.37		7.03		167.58		17.38		3.18		2.74	
VMJH	09:29	2.53		7.14		167.68		17.45		3.16		2.99	
VMJH	09:59	1.90		7.17		166.08		17.32		3.14		2.87	
VMJH	10:29	2.30		7.09		168.09		17.58		3.18		2.76	
VMJH	10:59	2.50		7.24		168.34		17.17		3.18		2.81	
VMJH	11:29	1.30		7.39		166.28		17.22		3.18		2.78	
VMJH	11:59	2.07		7.31		166.63		16.98		3.19		2.74	
VMJH	12:29	2.13		7.06		168.53		17.29		3.21		2.83	
VMJH	12:59	1.77		7.11		170.21		17.48		3.22		2.86	
VMJH	13:29	2.13		7.30		169.58		17.82		3.20		2.83	
VMJH	13:59	0.80		7.24		167.66		17.09		3.17		2.86	
VMJH	14:24	1.68		7.20		165.80		17.27		3.18		2.88	
VMZ		1.91		7.16		167.75		17.35		3.18		2.84	

Valori inregistrate MIR-IS HP-1250

Data:19/1/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	06:49	1.90	6.90	168.10	17.32	3.18	2.84
VMJH	07:19	1.60	7.40	165.66	17.22	3.17	2.74
VMJH	07:49	1.30	7.12	166.27	17.24	3.20	2.85
VMJH	08:19	1.70	7.28	167.10	17.19	3.20	2.99
VMJH	08:49	1.43	7.06	166.30	17.32	3.15	2.80
VMJH	09:19	1.77	7.10	168.41	17.09	3.21	2.89
VMJH	09:49	1.80	7.33	168.47	17.29	3.16	2.83
VMJH	10:19	1.90	7.14	169.08	17.70	3.20	2.84
VMJH	10:49	1.93	7.00	168.73	17.40	3.19	2.87
VMJH	11:19	0.73	7.43	167.91	16.71	3.16	2.83
VMJH	11:49	2.43	7.13	166.05	17.23	3.17	2.83
VMJH	12:19	1.60	7.18	166.58	17.15	3.17	2.77
VMJH	12:49	1.23	7.07	166.48	17.77	3.19	2.84
VMJH	13:19	1.67	7.00	166.49	17.32	3.19	2.84
VMJH	13:49	0.33	7.06	166.18	17.42	3.20	2.87
VMJH	14:20	2.87	7.05	167.64	17.15	3.19	2.85
VMZ		1.64	7.14	167.22	17.28	3.18	2.84

Valori inregistrate MIR-IS HP-1250

Data:20/1/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 07:29	1.97	7.07	167.48	17.24	3.14	2.74
VMJH 07:59	1.57	7.02	170.50	17.02	3.15	2.91
VMJH 08:29	1.13	6.88	168.98	16.81	3.17	2.89
VMJH 08:59	1.77	7.10	166.99	17.41	3.19	2.86
VMJH 09:29	1.50	7.19	166.24	17.36	3.21	2.77
VMJH 09:59	1.43	7.15	167.76	17.48	3.18	2.88
VMJH 10:29	1.43	7.07	166.35	17.36	3.14	2.83
VMJH 10:59	1.20	7.09	165.51	17.52	3.20	2.75
VMJH 11:29	1.47	7.21	168.73	17.23	3.11	2.86
VMJH 11:59	1.10	7.27	167.82	17.38	3.25	2.71
VMJH 12:29	1.50	6.91	169.54	17.38	3.18	2.87
VMJH 12:59	1.47	7.33	169.04	17.64	3.13	2.88
VMJH 13:29	1.30	7.07	168.59	17.29	3.14	2.79
VMJH 13:59	0.93	7.18	168.93	17.15	3.24	2.79
VMJH 14:29	1.20	7.33	166.68	17.71	3.20	2.87
VMJH 14:36	3.00	7.14	172.56	17.37	3.26	2.66
VMZ	1.42	7.13	168.02	17.33	3.18	2.82

Valori inregistrate MIR-IS HP-1250

Data:23/1/2023

	Ora	Pulberi mg/Nm ²		SO ₂ L2 mg/Nm ³		NO _x L2 mg/Nm ³		CO L2 mg/Nm ³		COT L2 mg/Nm ³		HCL L2 mg/Nm ³	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	11:59	1.03		4.61		126.60		12.78		2.34		2.84	
VMJH	12:29	2.03		3.30		104.82		10.90		2.16		3.00	
VMJH	12:59	2.67		3.21		104.93		11.48		2.16		2.92	
VMJH	13:29	2.30		2.99		108.07		11.19		2.18		2.79	
VMJH	13:59	2.17		3.26		108.33		11.05		1.98		2.92	
VMJH	14:29	2.43		3.09		107.96		11.29		2.08		2.78	
VMJH	14:59	1.73		3.29		102.90		11.42		2.03		2.89	
VMJH	15:29	1.80		2.89		107.03		10.99		2.07		2.88	
VMJH	15:59	1.53		2.95		106.33		10.82		2.13		2.92	
VMJH	16:29	1.63		3.37		103.13		11.23		2.10		2.85	
VMJH	16:59	1.87		3.00		106.60		10.57		1.98		2.96	
VMJH	17:29	2.27		2.89		108.66		11.51		2.10		3.02	
VMJH	17:59	2.40		2.71		108.37		11.67		2.05		2.91	
VMJH	18:29	1.37		3.27		108.13		11.76		2.07		2.87	
VMJH	18:59	1.03		3.17		105.48		11.37		2.19		2.98	
VMJH	19:29	1.53		3.27		106.31		10.96		2.08		2.96	
VMJH	19:59	1.97		3.08		106.61		11.12		2.12		2.79	
VMJH	20:29	1.80		2.77		107.20		11.28		2.02		2.89	
VMJH	20:59	2.23		2.76		108.00		11.10		2.02		3.03	
VMJH	21:29	1.30		3.25		109.06		11.15		2.04		3.02	
VMJH	21:59	1.43		3.11		107.93		11.44		2.20		2.97	
VMJH	22:20	1.10		2.85		106.52		11.15		2.07		2.80	
VMZ		1.81		3.14		107.70		11.28		2.10		2.91	

Valori inregistrate MIR-IS HP-1250

Data:24/1/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 07:29	1.17	3.11	107.60	11.26	2.08	2.78
VMJH 07:59	1.23	3.02	108.32	11.31	2.01	2.89
VMJH 08:29	1.40	3.10	105.89	10.55	2.29	2.84
VMJH 08:59	1.20	3.12	104.59	11.52	2.13	2.87
VMJH 09:29	1.43	3.29	106.17	11.37	2.29	2.88
VMJH 09:59	1.30	3.18	104.09	11.60	2.08	2.93
VMJH 10:29	1.57	2.97	105.89	11.28	2.11	2.87
VMJH 10:59	0.80	3.01	109.41	11.03	2.12	2.89
VMJH 11:29	0.93	3.57	106.06	11.11	2.07	2.88
VMJH 11:59	1.50	3.00	104.29	11.11	2.12	2.82
VMJH 12:29	1.80	3.15	107.93	11.20	2.17	2.90
VMJH 12:45	0.69	3.13	106.69	10.82	2.05	2.98
VMZ	1.27	3.14	106.40	11.19	2.13	2.87

Valori inregistrate MIR-IS HP-1250

Data:25/1/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:53	1.83	3.24	102.87	11.23	2.09	2.86
VMJH	15:23	1.30	3.22	105.27	10.85	2.13	2.86
VMJH	15:53	1.00	3.14	106.78	11.38	2.02	2.91
VMJH	16:23	2.20	2.71	109.32	11.41	1.99	2.73
VMJH	16:53	1.77	3.12	104.18	11.25	2.05	2.83
VMJH	17:23	2.23	3.35	107.38	11.50	2.05	2.84
VMJH	17:53	2.07	2.95	109.02	11.32	2.11	2.79
VMJH	18:23	0.77	3.46	105.91	11.24	2.05	2.92
VMJH	18:53	1.00	2.77	106.89	11.39	2.13	2.95
VMJH	19:23	2.30	3.03	106.49	10.82	2.13	3.03
VMJH	19:53	2.40	2.96	108.48	10.87	2.08	2.91
VMJH	20:23	1.90	3.27	107.30	11.18	2.03	2.74
VMJH	20:53	1.97	3.37	107.45	10.99	2.05	2.96
VMJH	21:23	1.57	3.12	104.45	11.08	2.13	2.84
VMJH	21:53	1.37	3.23	107.38	10.84	2.09	2.85
VMJH	22:10	2.12	5.03	159.44	18.07	3.49	3.83
VMZ		1.73	3.20	108.58	11.41	2.13	2.90

Valori inregistrate MIR-IS HP-1250

Data:26/1/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:29	2.00	5.30	172.05	18.55	3.87	3.83
VMJH	07:59	2.13	5.38	171.76	18.98	3.82	3.53
VMJH	08:29	1.63	5.41	170.55	18.85	3.75	3.50
VMJH	08:59	2.33	5.40	167.52	18.85	3.86	3.64
VMJH	09:29	2.10	5.46	169.12	19.35	3.71	3.90
VMJH	09:59	1.43	5.19	167.72	18.99	3.88	3.45
VMJH	10:29	1.90	5.54	170.47	19.45	3.80	3.61
VMJH	10:59	1.90	5.42	171.25	19.35	3.85	3.71
VMJH	11:29	1.80	5.45	168.94	19.57	4.04	3.62
VMJH	11:59	2.00	5.06	169.59	19.18	3.79	3.72
VMJH	12:29	1.30	5.37	171.02	19.05	3.86	3.73
VMJH	12:59	1.43	5.21	168.30	19.48	3.89	3.77
VMJH	13:29	1.13	5.32	172.13	18.96	3.83	3.67
VMJH	13:59	2.93	5.45	171.94	19.23	3.76	3.65
VMJH	14:29	1.33	5.49	169.58	18.53	3.95	3.82
VMJH	14:45	1.06	5.19	167.04	19.52	3.87	3.60
VMZ		1.80	5.36	170.02	19.11	3.84	3.67

Valori inregistrate MIR-IS HP-1250

Data:27/1/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:12	1.37	5.43	170.59	18.99	3.91	3.63
VMJH	14:42	1.47	5.15	168.60	18.35	3.89	4.02
VMJH	15:12	1.40	5.04	168.83	19.20	3.74	3.78
VMJH	15:42	1.23	5.41	170.09	18.99	3.94	3.71
VMJH	16:12	1.60	5.37	171.75	19.23	3.95	3.93
VMJH	16:42	1.27	5.21	172.39	19.31	3.78	3.56
VMJH	17:12	1.40	5.25	170.39	18.64	3.83	3.32
VMJH	17:42	1.03	5.24	172.11	18.86	3.96	3.61
VMJH	18:12	1.23	5.30	172.47	19.00	3.79	3.65
VMJH	18:42	1.33	5.08	169.01	19.10	3.98	3.72
VMJH	19:12	1.13	5.34	171.07	19.01	3.87	3.65
VMJH	19:42	1.50	5.12	170.84	19.05	3.76	3.58
VMJH	20:12	1.83	5.30	170.79	18.09	3.81	3.69
VMJH	20:42	1.80	5.31	164.81	18.52	3.68	3.90
VMJH	21:12	1.70	5.37	170.74	19.50	3.85	3.45
VMJH	21:42	1.90	5.35	170.89	18.60	3.93	3.36
VMJH	22:12	2.07	5.44	169.98	19.73	3.89	3.55
VMJH	22:28	3.19	5.25	170.85	19.28	3.65	3.48
VMZ		1.54	5.28	170.33	18.96	3.85	3.65

Valori inregistrate MIR-IS HP-1250

Data:30/1/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	07:29	2.30		5.26		168.86		19.47		3.94		3.73	
VMJH	07:59	1.47		5.24		172.75		19.11		3.90		3.56	
VMJH	08:29	0.73		5.32		169.78		18.62		3.87		3.39	
VMJH	08:59	1.83		5.49		168.33		18.76		3.90		3.66	
VMJH	09:29	1.83		5.13		170.36		19.28		3.70		3.71	
VMJH	09:59	2.80		5.41		168.84		18.97		3.97		3.71	
VMJH	10:29	2.13		5.40		171.17		19.23		3.82		3.28	
VMJH	10:59	2.70		5.38		168.55		18.92		3.86		3.81	
VMJH	11:29	1.93		5.38		172.51		18.81		3.84		3.68	
VMJH	11:59	3.47		5.42		170.11		18.62		3.94		3.72	
VMJH	12:29	2.00		5.52		168.89		18.57		3.88		3.58	
VMJH	12:59	3.17		5.43		168.65		18.42		3.81		3.52	
VMJH	13:29	2.43		5.54		168.96		19.49		3.88		3.75	
VMJH	13:59	3.43		5.32		168.38		19.86		3.92		3.79	
VMJH	14:29	2.07		4.72		151.11		16.98		3.35		3.31	
VMJH	14:59	3.43		4.17		137.02		14.96		3.08		3.28	
VMJH	15:29	2.43		3.98		138.06		15.14		2.99		3.22	
VMJH	15:59	1.97		4.31		138.33		15.19		2.94		3.28	
VMJH	16:29	2.53		4.21		137.22		15.05		2.92		3.24	
VMJH	16:59	3.10		4.21		137.76		15.43		3.05		3.30	
VMJH	17:29	3.13		4.12		138.64		15.16		2.87		3.40	
VMJH	17:59	3.17		4.19		138.85		14.76		2.79		3.34	
VMJH	18:29	1.80		3.98		137.54		15.27		3.02		3.30	
VMJH	18:59	2.63		4.14		138.70		15.20		2.96		3.21	
VMJH	19:29	3.47		4.25		138.69		15.07		2.94		3.25	
VMJH	19:59	2.63		4.22		140.03		15.48		2.94		3.41	
VMJH	20:29	2.97		4.08		137.54		14.59		2.90		3.34	
VMJH	20:59	2.13		4.31		138.96		15.29		2.97		3.29	
VMJH	21:29	2.57		4.17		138.84		14.96		3.07		3.23	
VMJH	21:59	2.30		4.10		139.18		15.33		3.01		3.27	
VMJH	22:05	1.33		4.29		135.64		14.27		2.99		3.19	
VMZ		2.48		4.74		153.29		16.98		3.40		3.45	

Valori inregistrate MIR-IS HP-1250

Data:31/1/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:59	2.23	4.26	135.47	15.16	3.00	3.25
VMJH	09:29	1.77	4.03	136.90	14.89	2.98	3.23
VMJH	09:59	2.77	4.05	139.03	15.34	2.97	3.33
VMJH	10:29	2.47	4.21	137.31	15.10	3.02	3.19
VMJH	10:59	2.53	4.01	136.57	15.20	2.98	3.17
VMJH	11:29	2.87	4.16	136.48	15.08	3.05	3.27
VMJH	11:59	2.70	4.29	136.40	15.31	2.92	3.39
VMJH	12:29	2.50	4.32	138.45	14.85	2.87	3.29
VMJH	12:59	1.53	4.31	139.87	15.11	2.93	3.36
VMJH	13:29	2.73	4.34	138.90	15.11	2.97	3.25
VMJH	13:59	2.10	4.02	136.62	15.02	3.00	3.28
VMJH	14:10	4.09	4.26	142.70	15.25	2.96	3.42
VMZ		2.44	4.18	137.63	15.11	2.97	3.28

Valori inregistrate MIR-IS HP-1250

Data:01/2/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:59	1.37	4.47	138.18	15.51	2.99	3.27
VMJH	08:29	2.00	4.25	139.34	15.03	3.01	3.25
VMJH	08:59	1.77	4.40	138.98	15.31	2.96	3.32
VMJH	09:29	2.87	4.36	139.08	15.02	2.96	3.20
VMJH	09:59	1.63	4.20	139.05	15.39	2.96	3.20
VMJH	10:29	0.90	4.32	136.81	15.16	2.87	3.17
VMJH	10:59	1.07	4.20	136.33	15.10	2.92	3.23
VMJH	11:29	1.27	4.04	139.10	15.53	2.97	3.27
VMJH	11:59	1.30	4.26	136.63	15.74	2.91	3.31
VMJH	12:29	1.07	4.15	138.23	15.11	2.95	3.18
VMJH	12:59	0.87	4.11	137.92	14.91	3.04	3.29
VMJH	13:29	0.70	4.15	140.44	14.83	2.93	3.15
VMJH	13:59	0.60	4.30	136.16	15.61	3.04	3.29
VMJH	14:29	1.13	4.17	136.92	15.42	3.05	3.31
VMJH	14:54	0.92	3.98	137.89	14.97	3.07	3.30
VMZ		1.30	4.23	138.07	15.25	2.97	3.25

Valori inregistrate MIR-IS HP-1250

Data:02/2/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 08:29	0.93	4.29	139.18	14.85	3.09	3.33
VMJH 08:59	0.97	4.37	137.87	14.98	3.03	3.21
VMJH 09:29	0.43	4.09	139.43	15.24	2.88	3.37
VMJH 09:59	1.50	4.26	138.34	14.74	2.95	3.29
VMJH 10:29	0.77	4.40	136.94	14.86	2.83	3.19
VMJH 10:59	0.80	4.07	137.57	14.88	2.99	3.25
VMJH 11:29	0.60	2.66	140.80	14.63	2.55	3.08
VMJH 11:59	0.93	2.57	142.46	14.53	2.52	3.12
VMJH 12:29	1.70	2.53	142.73	14.06	2.61	3.11
VMJH 12:59	1.80	2.60	142.30	14.53	2.55	3.01
VMJH 13:29	1.63	2.59	140.24	14.74	2.51	3.08
VMJH 13:59	1.63	2.62	141.99	14.68	2.50	3.15
VMJH 14:29	2.67	2.57	143.62	14.90	2.57	3.12
VMJH 14:48	1.16	2.65	143.26	14.57	2.62	3.06
VMZ	1.25	3.32	140.41	14.73	2.73	3.17

Valori inregistrate MIR-IS HP-1250

Data:03/2/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:29	1.23	2.52	144.08	14.67	2.65	3.11
VMJH	08:59	0.77	2.62	140.68	14.18	2.50	3.08
VMJH	09:29	1.40	2.59	142.81	14.31	2.57	3.15
VMJH	09:59	2.53	2.54	143.17	14.67	2.61	3.16
VMJH	10:29	1.53	2.58	140.57	14.48	2.58	3.18
VMJH	10:59	2.03	2.60	140.09	14.89	2.51	3.05
VMJH	11:29	1.20	2.56	142.23	14.53	2.51	3.20
VMJH	11:59	1.13	2.52	142.45	14.81	2.57	3.12
VMJH	12:29	1.70	2.55	143.63	14.68	2.53	3.00
VMJH	12:59	2.97	2.56	142.09	14.65	2.51	3.08
VMJH	13:29	1.00	2.60	141.40	14.63	2.43	3.04
VMJH	13:59	2.63	2.56	140.25	14.35	2.63	3.04
VMJH	14:29	0.87	2.60	142.00	14.56	2.56	3.09
VMJH	14:59	1.70	2.50	139.88	14.56	2.57	3.03
VMJH	15:29	1.80	2.63	142.60	14.39	2.59	3.12
VMJH	15:59	2.03	2.55	142.65	14.79	2.57	3.20
VMJH	16:29	1.27	2.58	140.68	14.74	2.57	3.15
VMJH	16:59	1.13	2.60	143.48	14.32	2.62	2.97
VMJH	17:29	2.13	2.60	141.72	14.66	2.52	3.15
VMJH	17:59	1.30	2.62	142.91	14.42	2.60	3.15
VMJH	18:30	1.61	2.67	141.33	14.20	2.60	2.98
VMZ		1.62	2.58	141.94	14.55	2.56	3.10

Valori inregistrate MIR-IS HP-1250

Data:06/2/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	11:19	1.93	2.65	140.96	14.49	2.58	3.16					
VMJH	11:49	1.00	2.65	142.22	14.88	2.52	3.08					
VMJH	12:19	0.83	2.60	142.01	14.54	2.53	3.11					
VMJH	12:49	1.47	2.57	140.84	14.60	2.59	3.21					
VMJH	13:19	1.10	2.56	142.87	14.39	2.54	3.04					
VMJH	13:49	1.57	2.57	142.44	14.59	2.56	3.15					
VMJH	14:19	1.50	2.62	141.35	14.33	2.58	3.02					
VMJH	14:49	1.27	2.55	142.53	14.42	2.54	3.16					
VMJH	15:19	1.17	2.60	140.76	14.35	2.63	3.14					
VMJH	15:49	1.43	2.53	141.82	14.56	2.59	3.14					
VMJH	16:19	1.17	2.59	143.33	14.76	2.57	3.09					
VMJH	16:49	0.83	2.58	141.94	13.94	2.51	2.99					
VMJH	17:19	2.27	2.61	141.13	14.30	2.60	3.12					
VMJH	17:49	0.70	2.61	142.09	14.76	2.57	3.11					
VMJH	18:19	0.47	2.50	141.10	14.91	2.62	3.05					
VMJH	18:49	0.93	2.57	143.21	14.99	2.45	3.11					
VMJH	19:19	1.03	2.59	141.55	14.74	2.57	2.99					
VMJH	19:49	1.20	2.65	142.32	14.70	2.55	3.07					
VMJH	20:19	0.87	2.58	142.28	14.63	2.53	3.11					
VMJH	20:49	1.87	3.11	161.18	16.67	2.80	3.26					
VMJH	21:19	0.70	3.47	175.33	18.10	3.06	3.34					
VMJH	21:49	1.13	3.53	173.97	17.35	3.04	3.28					
VMJH	22:12	0.96	3.30	172.26	17.46	3.06	3.17					
VMZ		1.19	2.72	146.68	15.04	2.63	3.13					

Valori inregistrate MIR-IS HP-1250

Data:07/2/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 14:37	0.87	3.51	173.84	18.09	3.05	3.27
VMJH 15:07	0.97	3.54	176.04	17.98	3.03	3.31
VMJH 15:37	1.00	3.45	171.75	17.93	3.08	3.04
VMJH 16:07	1.47	3.52	172.94	17.80	3.06	3.39
VMJH 16:37	1.07	3.57	172.23	17.75	3.06	3.40
VMJH 17:07	0.53	3.49	174.39	17.67	3.05	3.28
VMJH 17:37	1.00	3.50	173.69	17.58	3.05	3.24
VMJH 18:07	1.17	3.45	171.79	17.59	3.07	3.25
VMJH 18:37	1.07	3.47	173.15	17.25	3.04	3.33
VMJH 19:07	1.10	3.46	171.51	17.29	3.06	3.14
VMJH 19:37	1.63	3.46	171.45	17.72	3.08	3.24
VMJH 20:07	1.60	3.47	173.62	17.57	3.04	3.37
VMJH 20:37	1.67	3.53	171.91	17.89	3.04	3.29
VMJH 21:07	3.33	3.49	169.23	17.43	3.05	3.36
VMJH 21:37	2.37	3.50	171.09	17.94	3.06	3.30
VMJH 22:07	1.90	3.42	173.20	18.01	3.05	3.45
VMJH 22:11	0.75	3.61	177.21	16.65	2.96	3.22
VMZ	1.41	3.49	172.66	17.71	3.05	3.29

Valori inregistrate MIR-IS HP-1250

Data:08/2/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 06:49	1.03	3.51	173.40	17.65	3.02	3.49
VMJH 07:19	1.73	3.46	173.20	17.26	3.09	3.35
VMJH 07:49	2.03	3.47	173.41	18.17	3.02	3.28
VMJH 08:19	1.93	3.50	171.96	17.79	3.08	3.19
VMJH 08:49	0.80	3.46	172.88	17.92	3.03	3.26
VMJH 09:19	1.10	3.56	171.76	17.58	3.07	3.26
VMJH 09:49	0.67	3.51	173.35	17.87	3.04	3.07
VMJH 10:19	1.00	3.49	172.70	17.32	3.06	3.38
VMJH 10:49	1.00	3.41	172.70	17.61	3.08	3.21
VMJH 11:19	1.07	3.52	175.35	17.89	3.07	3.25
VMJH 11:49	1.17	3.49	174.85	18.19	3.05	3.22
VMJH 12:19	0.90	3.56	173.91	17.97	3.04	3.24
VMJH 12:49	0.87	3.50	172.78	17.84	3.02	3.01
VMJH 13:19	0.80	3.56	173.09	17.60	3.02	3.19
VMJH 13:49	1.17	3.46	172.22	17.69	3.03	3.27
VMJH 14:20	0.48	3.43	172.48	17.70	3.04	3.26
VMZ	1.11	3.49	173.13	17.75	3.05	3.25

Valori inregistrate MIR-IS HP-1250

Data:09/2/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	06:58	0.70		3.47		169.89		17.73		3.05		3.30	
VMJH	07:28	0.73		3.44		169.09		17.98		3.05		3.15	
VMJH	07:58	1.00		3.50		171.80		17.91		3.07		3.30	
VMJH	08:28	0.83		3.48		171.86		17.47		3.06		3.31	
VMJH	08:58	0.73		3.48		173.55		17.75		3.01		3.28	
VMJH	09:28	0.57		3.51		173.11		17.76		3.03		3.20	
VMJH	09:58	1.13		3.56		171.31		18.06		3.05		3.32	
VMJH	10:28	1.50		3.51		176.50		17.36		3.01		3.18	
VMJH	10:58	1.60		3.51		171.34		17.60		3.08		3.21	
VMJH	11:28	2.00		3.46		172.68		17.72		3.04		3.11	
VMJH	11:58	1.60		3.54		171.28		17.82		3.03		3.37	
VMJH	12:28	1.17		3.52		173.22		17.68		3.06		3.18	
VMJH	12:58	1.10		2.56		138.38		13.73		2.44		3.13	
VMJH	13:28	1.17		1.73		111.08		10.88		2.13		2.93	
VMJH	13:58	0.90		1.75		112.85		10.98		2.00		2.94	
VMJH	14:28	0.93		1.63		112.00		10.84		2.14		2.91	
VMJH	14:33	0.80		1.53		114.98		11.11		1.90		2.88	
VMZ		1.10		3.08		158.22		16.14		2.82		3.17	

Valori inregistrate MIR-IS HP-1250

Data:10/2/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:53	0.83	1.73	110.94	11.38	2.13	3.06
VMJH	15:23	1.50	1.73	108.55	10.88	2.16	2.83
VMJH	15:53	1.03	1.63	108.90	10.73	2.01	3.02
VMJH	16:23	0.97	1.59	111.06	11.29	2.03	2.92
VMJH	16:53	0.97	1.71	109.85	11.37	2.09	2.88
VMJH	17:23	0.53	1.62	111.39	11.36	2.00	2.94
VMJH	17:53	0.83	1.64	113.37	11.50	2.24	2.84
VMJH	18:23	0.90	1.70	110.76	11.14	2.01	2.88
VMJH	18:53	1.27	1.71	114.33	11.09	2.09	3.01
VMJH	19:23	1.17	1.71	113.49	10.77	2.19	2.94
VMJH	19:53	1.47	1.67	113.68	11.58	2.14	2.99
VMJH	20:23	1.43	1.66	111.43	11.18	2.13	2.92
VMJH	20:53	1.50	1.67	109.85	11.43	2.17	2.90
VMJH	21:23	1.63	1.61	110.88	10.97	2.16	2.84
VMJH	21:53	1.00	1.71	108.68	10.84	2.20	2.97
VMJH	22:07	1.43	1.71	112.52	11.76	2.00	2.85
VMZ		1.15	1.67	111.18	11.19	2.11	2.93

Valori inregistrate MIR-IS HP-1250

Data:13/2/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	11:29	0.97		1.65		110.84		11.53		2.05		3.00	
VMJH	11:59	1.37		1.71		110.34		11.00		2.02		2.94	
VMJH	12:29	0.93		1.61		109.66		11.10		2.24		2.93	
VMJH	12:59	1.10		1.58		111.75		10.99		2.23		2.83	
VMJH	13:29	1.40		1.64		111.45		10.84		2.04		3.04	
VMJH	13:59	1.07		1.70		110.68		11.16		1.99		2.76	
VMJH	14:29	0.70		1.69		111.19		11.20		2.00		2.77	
VMJH	14:59	1.17		1.69		111.62		11.64		2.15		2.96	
VMJH	15:29	1.37		1.70		112.42		10.98		2.10		2.95	
VMJH	15:59	1.20		1.72		113.77		10.55		1.96		2.93	
VMJH	16:29	1.00		1.70		113.39		11.25		2.01		2.75	
VMJH	16:59	0.83		1.63		111.42		11.61		2.07		2.81	
VMJH	17:29	1.60		1.60		111.40		11.23		1.95		2.97	
VMJH	17:59	1.27		1.68		111.18		11.14		2.07		2.83	
VMJH	18:29	0.73		1.65		113.29		11.18		2.28		3.00	
VMJH	18:59	1.07		1.68		112.30		11.39		2.09		2.85	
VMJH	19:29	1.60		1.70		111.04		11.13		2.05		2.85	
VMJH	19:59	1.50		1.68		111.72		11.05		2.07		2.86	
VMJH	20:29	0.83		1.68		111.41		11.54		2.14		2.87	
VMJH	20:59	1.37		1.60		114.76		11.10		2.07		2.97	
VMJH	21:29	1.60		1.55		112.72		11.36		2.19		2.79	
VMJH	21:59	1.53		1.62		110.05		10.92		2.02		2.94	
VMJH	22:20	1.29		1.66		112.19		10.43		2.08		2.91	
VMZ		1.19		1.66		111.76		11.15		2.08		2.89	

Valori inregistrate MIR-IS HP-1250

Data:14/2/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:11	0.77	1.66	114.68	11.20	2.10	2.93
VMJH	14:41	0.87	1.66	113.55	11.28	2.00	2.88
VMJH	15:11	1.37	1.67	111.77	11.66	1.95	2.90
VMJH	15:41	1.63	1.59	109.21	10.71	2.04	2.89
VMJH	16:11	1.63	1.62	111.12	11.01	2.06	2.90
VMJH	16:41	2.00	1.71	109.22	11.49	2.08	2.82
VMJH	17:11	1.07	3.51	134.84	15.74	2.74	2.74
VMJH	17:41	2.13	3.79	137.77	16.90	2.72	2.69
VMJH	18:11	2.63	3.68	138.31	16.84	2.77	2.69
VMJH	18:41	2.20	3.70	137.96	17.00	2.72	2.75
VMJH	19:11	0.40	3.61	138.51	16.62	2.87	2.67
VMJH	19:41	0.20	3.82	138.33	17.09	2.79	2.78
VMJH	20:11	0.23	3.85	137.58	16.67	2.82	2.70
VMJH	20:41	0.33	3.86	137.92	16.83	2.87	2.73
VMJH	21:11	0.40	3.89	137.65	16.99	2.82	2.78
VMJH	21:41	0.37	3.70	138.34	16.86	2.78	2.76
VMJH	22:12	0.45	3.81	137.87	16.69	2.78	2.76
VMZ		1.10	3.01	128.53	14.80	2.52	2.79

Valori inregistrate MIR-IS HP-1250

Data:15/2/2023

	Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	15:01	0.30	3.87	137.54	16.72	2.67	2.71
VMJH	15:31	0.73	3.83	137.55	16.75	2.85	2.74
VMJH	16:01	1.30	3.84	138.20	16.03	2.81	2.82
VMJH	16:31	0.50	3.84	137.92	17.06	2.73	2.70
VMJH	17:01	0.33	3.61	137.46	17.04	2.82	2.70
VMJH	17:31	0.23	3.60	138.73	16.96	2.75	2.71
VMJH	18:01	1.00	3.67	138.15	17.12	2.72	2.68
VMJH	18:31	0.93	3.71	138.03	16.55	2.74	2.69
VMJH	19:01	1.27	3.67	138.35	16.98	2.72	2.75
VMJH	19:31	1.13	3.67	137.91	16.64	2.73	2.79
VMJH	20:01	0.83	3.85	138.58	16.68	2.83	2.66
VMJH	20:31	1.33	3.79	138.80	16.94	2.85	2.73
VMJH	21:01	0.67	3.58	137.90	16.72	2.67	2.80
VMJH	21:31	1.17	3.60	138.28	16.58	2.71	2.74
VMJH	22:01	1.13	3.65	137.57	16.78	2.87	2.76
VMJH	22:28	1.89	3.83	137.67	16.80	2.82	2.80
VMZ		0.92	3.72	138.04	16.77	2.77	2.74

Valori inregistrate MIR-IS HP-1250

Data:16/2/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:34	1.27	3.78	138.08	17.06	2.77	2.74
VMJH	15:04	1.20	3.75	138.35	16.60	2.80	2.69
VMJH	15:34	1.97	3.70	138.28	17.06	2.76	2.77
VMJH	16:04	1.70	3.78	138.66	16.71	2.73	2.76
VMJH	16:34	0.80	3.84	137.76	16.52	2.81	2.75
VMJH	17:04	1.53	3.75	137.60	16.51	2.87	2.80
VMJH	17:34	1.27	3.74	138.28	16.80	2.74	2.70
VMJH	18:04	1.37	3.77	137.80	16.68	2.82	2.80
VMJH	18:34	0.93	3.68	138.04	16.64	2.80	2.72
VMJH	19:04	1.00	3.67	138.18	16.92	2.84	2.74
VMJH	19:34	0.93	3.77	138.04	16.86	2.72	2.73
VMJH	20:04	1.27	3.72	137.90	16.44	2.70	2.76
VMJH	20:34	0.63	3.80	137.52	16.48	2.72	2.72
VMJH	21:04	1.47	3.82	137.53	16.78	2.75	2.72
VMJH	21:34	1.67	3.72	137.71	16.52	2.64	2.66
VMJH	22:04	1.07	3.94	137.22	16.67	2.74	2.74
VMJH	22:26	1.18	3.73	139.00	17.08	2.81	2.81
VMZ		1.25	3.76	137.98	16.72	2.77	2.74

Valori inregistrate MIR-IS HP-1250

Data:17/2/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 14:23	1.17	3.27	140.07	16.35	2.66	3.09
VMJH 14:53	1.03	3.28	141.04	15.97	2.65	3.12
VMJH 15:23	0.53	3.21	139.67	16.25	2.66	2.96
VMJH 15:53	1.13	3.24	139.90	16.18	2.71	3.11
VMJH 16:23	1.37	3.26	141.21	15.83	2.61	2.99
VMJH 16:53	1.57	3.09	141.12	15.95	2.58	2.95
VMJH 17:23	1.43	3.21	140.86	16.32	2.65	3.00
VMJH 17:53	1.27	3.01	139.64	16.10	2.60	2.96
VMJH 18:23	1.60	3.16	138.92	16.49	2.71	2.98
VMJH 18:53	1.63	3.20	140.63	16.88	2.59	3.00
VMJH 19:23	0.80	3.10	140.06	16.59	2.61	2.99
VMJH 19:53	1.33	3.19	139.70	16.69	2.57	3.02
VMJH 20:23	0.93	3.16	138.73	16.47	2.70	2.99
VMJH 20:53	1.00	3.23	141.38	16.57	2.62	3.04
VMJH 21:23	0.90	3.26	140.16	16.82	2.61	3.05
VMJH 21:53	1.30	3.29	141.21	16.28	2.59	2.96
VMJH 22:12	1.68	3.26	139.07	16.18	2.66	2.96
VMZ	1.21	3.20	140.22	16.35	2.63	3.01

Valori inregistrate MIR-IS HP-1250

Data:18/2/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 07:29	1.17	3.68	138.71	17.12	2.69	2.76
VMJH 07:59	1.43	3.82	138.53	16.53	2.80	2.73
VMJH 08:29	1.70	3.81	137.61	17.19	2.82	2.73
VMJH 08:59	1.47	3.76	138.48	17.09	2.80	2.75
VMJH 09:29	1.53	3.35	139.31	16.53	2.74	2.88
VMJH 09:59	1.07	3.17	140.53	16.10	2.65	2.97
VMJH 10:29	1.70	3.12	140.30	16.88	2.63	3.02
VMJH 10:59	1.67	3.22	140.98	16.27	2.62	3.02
VMJH 11:29	1.23	3.20	139.95	16.38	2.61	2.91
VMJH 11:59	1.40	3.22	141.41	16.45	2.66	2.99
VMJH 12:29	1.43	3.33	139.97	16.51	2.64	2.99
VMJH 12:59	0.90	3.12	139.26	16.28	2.60	3.03
VMJH 13:29	1.23	3.16	141.29	16.44	2.62	2.95
VMJH 13:59	1.13	3.26	140.40	16.51	2.65	2.94
VMJH 14:15	1.25	3.29	138.06	15.78	2.57	2.95
VMZ	1.36	3.37	139.70	16.56	2.68	2.91

Valori inregistrate MIR-IS HP-1250

Data:20/2/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	07:29	0.43		3.15		140.74		16.04		2.64		2.94	
VMJH	07:59	0.57		3.10		139.97		16.35		2.62		2.96	
VMJH	08:29	1.67		3.32		141.03		16.00		2.57		3.00	
VMJH	08:59	0.93		3.25		140.67		16.33		2.64		3.05	
VMJH	09:29	0.70		3.15		139.42		16.40		2.60		2.99	
VMJH	09:59	0.40		3.14		140.22		16.04		2.64		2.95	
VMJH	10:29	0.60		3.10		141.21		15.99		2.64		2.93	
VMJH	10:59	0.40		3.17		140.11		16.75		2.59		2.94	
VMJH	11:29	0.83		3.10		140.66		16.75		2.62		2.98	
VMJH	11:59	0.47		3.22		139.47		16.51		2.62		3.06	
VMJH	12:29	0.33		3.22		138.96		16.31		2.60		3.05	
VMJH	12:59	1.17		3.30		140.63		16.71		2.65		3.06	
VMJH	13:29	0.93		3.24		140.35		16.32		2.63		2.97	
VMJH	13:59	0.90		3.26		139.50		16.12		2.65		3.02	
VMJH	14:29	0.57		3.32		140.80		16.19		2.54		3.03	
VMJH	14:59	0.27		3.17		140.17		16.07		2.63		3.08	
VMJH	15:29	0.50		3.16		140.61		16.57		2.61		3.03	
VMJH	15:59	0.33		3.17		140.77		16.45		2.63		3.07	
VMJH	16:29	0.47		3.24		139.84		16.37		2.59		3.00	
VMJH	16:59	0.80		3.21		140.26		16.32		2.60		3.06	
VMJH	17:29	1.00		3.29		140.83		15.89		2.68		2.93	
VMJH	17:59	0.97		2.96		122.94		13.08		2.29		2.77	
VMJH	18:29	1.20		2.88		117.03		12.30		2.01		2.66	
VMJH	18:59	1.17		2.90		115.64		12.53		2.18		2.59	
VMJH	19:29	0.70		2.92		116.86		12.05		2.11		2.69	
VMJH	19:59	1.43		2.95		115.74		12.19		2.21		2.69	
VMJH	20:29	1.93		2.94		116.25		12.38		2.04		2.64	
VMJH	20:59	2.90		3.01		117.77		12.40		2.06		2.58	
VMJH	21:29	2.53		2.93		117.45		12.36		2.13		2.66	
VMJH	21:58	1.66		2.86		117.79		12.10		2.19		2.71	
VMZ		0.96		3.12		133.47		15.13		2.47		2.90	

Valori inregistrate MIR-IS HP-1250

Data:21/2/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:19	1.23	2.88	117.69	12.07	2.01	2.62
VMJH	14:49	2.00	2.91	115.96	12.39	1.99	2.68
VMJH	15:19	2.00	3.05	116.71	12.32	2.14	2.62
VMJH	15:49	1.50	2.91	117.20	11.84	2.14	2.64
VMJH	16:19	1.73	3.00	117.15	12.44	2.02	2.74
VMJH	16:49	2.20	2.77	117.43	11.82	2.21	2.70
VMJH	17:19	1.50	2.88	116.35	12.26	2.15	2.61
VMJH	17:49	1.47	2.93	117.07	12.39	2.15	2.75
VMJH	18:19	1.97	2.75	116.57	12.24	2.12	2.67
VMJH	18:49	2.63	2.84	115.62	12.48	2.22	2.63
VMJH	19:19	1.53	2.97	117.25	12.15	2.12	2.64
VMJH	19:49	2.47	2.96	116.14	12.07	2.20	2.70
VMJH	20:19	2.67	2.88	115.93	11.87	2.25	2.67
VMJH	20:49	2.90	2.78	117.07	12.34	2.32	2.67
VMJH	21:19	2.33	2.94	118.01	11.89	2.26	2.71
VMJH	21:49	2.43	2.90	116.74	12.13	2.17	2.64
VMJH	22:05	2.06	2.65	117.43	11.94	2.43	2.55
VMZ		2.04	2.89	116.83	12.16	2.16	2.67

Valori inregistrate MIR-IS HP-1250

Data:22/2/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:46	2.23	2.89	117.60	12.26	2.27	2.74
VMJH	15:16	1.70	2.83	117.36	12.88	2.29	2.69
VMJH	15:46	2.27	2.86	117.13	12.30	2.14	2.68
VMJH	16:16	2.67	2.77	117.52	12.23	2.14	2.63
VMJH	16:46	1.57	3.02	117.98	11.99	2.29	2.70
VMJH	17:16	3.20	2.90	117.06	12.51	2.09	2.59
VMJH	17:46	2.37	2.91	114.87	12.40	2.33	2.65
VMJH	18:16	2.67	2.87	118.30	12.28	2.33	2.68
VMJH	18:46	2.10	2.71	116.80	12.16	2.12	2.69
VMJH	19:16	1.60	2.75	117.33	12.29	2.14	2.64
VMJH	19:46	1.37	2.88	116.08	11.84	2.15	2.64
VMJH	20:16	1.33	3.01	116.61	12.60	2.12	2.61
VMJH	20:46	1.53	3.06	117.97	12.41	2.30	2.63
VMJH	21:16	1.27	2.89	118.11	12.39	2.08	2.69
VMJH	21:46	1.93	2.89	117.43	12.34	2.05	2.66
VMJH	22:12	1.38	2.91	117.30	11.89	2.11	2.66
VMZ		1.95	2.88	117.22	12.30	2.19	2.66

Valori inregistrate MIR-IS HP-1250

Data:23/2/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	14:11	1.57		2.85		117.70		12.22		2.19		2.70	
VMJH	14:41	1.77		2.84		116.87		12.10		2.23		2.72	
VMJH	15:11	1.77		2.85		116.33		11.93		2.02		2.69	
VMJH	15:41	2.80		3.04		117.51		12.49		2.12		2.64	
VMJH	16:11	1.57		3.12		116.40		12.32		2.16		2.68	
VMJH	16:41	2.00		2.99		116.70		12.01		2.20		2.66	
VMJH	17:11	1.70		3.07		120.67		12.79		2.37		2.72	
VMJH	17:41	2.73		4.47		168.07		17.49		4.02		3.19	
VMJH	18:11	2.03		4.59		168.08		17.99		4.03		3.17	
VMJH	18:41	1.77		4.61		165.39		18.11		4.14		3.13	
VMJH	19:11	1.70		4.57		167.68		17.66		4.09		3.02	
VMJH	19:41	1.40		4.57		166.99		17.98		4.28		3.18	
VMJH	20:11	1.80		4.41		167.63		17.75		3.94		3.08	
VMJH	20:41	1.63		4.59		168.18		17.92		4.28		3.11	
VMJH	21:11	1.63		4.43		167.17		17.67		4.02		3.12	
VMJH	21:41	1.43		4.52		165.91		18.08		4.19		3.17	
VMJH	22:11	1.33		4.48		167.92		18.13		4.45		3.07	
VMJH	22:25	1.29		4.33		165.63		17.69		4.47		3.12	
VMZ		1.79		3.89		147.30		15.63		3.37		2.95	

Valori inregistrate MIR-IS HP-1250

Data:24/2/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:29	1.87	4.50	166.53	18.28	3.95	3.08
VMJH	07:59	1.77	4.40	167.55	17.41	4.15	3.11
VMJH	08:29	1.63	4.41	167.48	17.99	3.90	3.02
VMJH	08:59	1.50	4.42	167.84	17.70	4.26	3.26
VMJH	09:29	2.20	4.55	166.95	17.57	3.92	3.11
VMJH	09:59	1.90	4.43	167.55	17.86	4.20	3.08
VMJH	10:29	1.47	4.53	167.96	17.41	4.07	3.09
VMJH	10:59	1.40	4.46	166.09	17.99	4.09	3.21
VMJH	11:29	2.17	4.56	167.30	17.79	4.11	3.12
VMJH	11:59	1.23	4.51	166.03	18.50	4.18	3.21
VMJH	12:29	1.20	4.35	167.64	17.93	4.11	3.22
VMJH	12:59	1.43	4.47	167.89	17.56	4.22	3.18
VMJH	13:29	1.53	4.47	167.09	18.26	4.09	3.18
VMJH	13:59	1.97	4.56	167.51	17.66	4.30	3.10
VMJH	14:29	1.97	4.48	168.29	17.41	4.07	3.16
VMJH	14:59	1.47	4.62	167.53	17.63	4.10	3.31
VMJH	15:29	2.13	4.40	169.08	17.65	4.11	3.26
VMJH	15:59	1.60	4.53	167.30	18.26	4.12	3.02
VMJH	16:29	1.33	4.60	167.38	17.43	4.02	3.16
VMJH	16:59	1.10	4.47	168.18	17.68	3.91	3.13
VMJH	17:29	1.40	4.48	167.36	17.73	3.91	3.07
VMJH	17:59	1.23	4.52	166.82	17.85	4.11	3.19
VMJH	18:29	1.70	4.49	168.94	17.83	4.06	2.98
VMJH	18:59	1.13	4.54	167.85	17.62	4.00	3.13
VMJH	19:29	2.07	4.54	167.36	17.54	4.22	3.05
VMJH	19:59	1.80	4.38	167.18	17.78	4.21	3.17
VMJH	20:29	1.70	4.54	167.51	17.72	4.26	3.09
VMJH	20:59	1.20	4.43	167.64	17.87	4.10	3.03
VMJH	21:29	0.97	4.49	167.14	17.61	4.17	3.11
VMJH	21:59	1.03	4.48	167.60	17.29	3.95	2.98
VMJH	22:10	1.18	4.35	165.51	17.59	4.04	3.20
VMZ		1.57	4.48	167.46	17.76	4.10	3.13

Valori inregistrate MIR-IS HP-1250

Data:25/2/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:29	1.47	4.39	167.59	17.41	4.46	3.22
VMJH	07:59	1.17	4.48	167.93	17.53	4.31	3.20
VMJH	08:29	1.40	4.62	167.65	17.73	3.98	3.11
VMJH	08:59	1.17	4.60	166.38	18.02	4.03	3.10
VMJH	09:29	1.30	4.46	166.36	17.95	4.30	3.19
VMJH	09:59	1.10	4.50	167.67	17.58	4.09	3.15
VMJH	10:29	1.20	4.43	167.35	18.07	4.34	3.30
VMJH	10:59	0.67	3.76	143.68	15.27	3.16	2.86
VMJH	11:29	1.20	3.80	143.69	14.96	3.14	2.95
VMJH	11:59	0.93	3.68	142.10	14.84	3.29	2.91
VMJH	12:29	1.67	3.83	142.55	15.06	3.23	2.87
VMJH	12:52	1.13	3.66	142.37	15.05	3.15	2.86
VMZ		1.20	4.19	157.39	16.65	3.80	3.06

Valori inregistrate MIR-IS HP-1250

Data:27/2/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	11:29	0.93	3.66	141.75	14.97	3.25	2.86
VMJH	11:59	1.93	3.78	141.61	14.81	3.14	2.84
VMJH	12:29	1.67	3.71	141.87	15.03	3.14	2.90
VMJH	12:59	2.10	3.76	142.12	15.09	3.19	2.86
VMJH	13:29	1.40	3.74	141.72	14.86	3.05	2.94
VMJH	13:59	1.13	3.70	142.74	15.09	3.23	2.97
VMJH	14:29	1.30	3.66	141.88	14.92	3.13	2.80
VMJH	14:59	1.23	3.62	142.34	15.43	3.11	2.95
VMJH	15:29	2.37	3.63	143.37	14.82	3.09	2.94
VMJH	15:59	1.43	3.68	142.77	15.26	2.96	2.82
VMJH	16:29	1.37	3.66	143.44	15.01	3.38	2.90
VMJH	16:59	1.87	3.73	141.97	14.78	3.20	2.85
VMJH	17:29	1.37	3.67	142.81	15.09	3.26	2.92
VMJH	17:59	1.33	3.68	141.39	15.19	3.27	2.91
VMJH	18:29	1.43	3.71	142.69	14.82	3.17	2.88
VMJH	18:59	1.60	3.69	141.64	15.00	3.07	2.95
VMJH	19:29	1.10	3.62	141.65	14.93	3.30	2.91
VMJH	19:59	2.27	3.67	142.11	14.91	3.08	2.88
VMJH	20:29	1.60	3.70	140.44	15.06	3.20	2.97
VMJH	20:59	1.53	3.69	142.31	14.88	3.17	2.91
VMJH	21:29	1.13	3.68	142.96	15.10	2.96	2.96
VMJH	21:59	1.27	3.63	142.70	14.62	3.24	2.98
VMJH	22:15	1.56	3.73	141.88	14.75	3.15	2.90
VMZ		1.52	3.69	142.19	14.98	3.16	2.90

Valori inregistrate MIR-IS HP-1250

Data:28/2/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 06:44	1.83	3.71	142.35	14.94	3.05	2.87
VMJH 07:14	1.17	3.67	142.37	14.72	3.12	2.95
VMJH 07:44	1.57	3.65	139.93	15.02	3.23	2.92
VMJH 08:14	1.67	3.73	143.66	14.97	3.22	2.90
VMJH 08:44	1.50	3.70	142.34	14.91	3.20	2.91
VMJH 09:14	1.67	3.72	142.95	15.18	3.18	2.86
VMJH 09:44	2.03	3.62	142.43	15.15	3.13	2.95
VMJH 10:14	1.40	3.76	141.67	14.99	3.24	2.84
VMJH 10:44	1.53	3.57	141.37	15.30	3.25	2.93
VMJH 11:14	1.17	3.62	142.05	15.06	3.04	2.96
VMJH 11:44	1.90	3.69	141.97	15.12	3.13	2.92
VMJH 12:14	2.83	3.59	141.80	14.95	3.11	2.98
VMJH 12:44	1.07	3.63	142.99	14.83	3.00	2.97
VMJH 13:14	2.27	3.69	142.92	15.07	3.02	2.87
VMJH 13:44	0.00	3.60	142.82	15.19	3.16	2.82
VMJH 14:15	2.16	3.64	141.41	15.12	3.19	2.92
VMZ	1.61	3.66	142.19	15.03	3.14	2.91

Valori inregistrate MIR-IS HP-1250

Data:01/3/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 06:51	0.30	3.59	143.33	15.04	3.27	2.88
VMJH 07:21	0.17	3.74	142.52	14.46	3.20	2.93
VMJH 07:51	0.00	3.72	143.01	15.01	3.37	2.86
VMJH 08:21	0.17	3.70	142.39	15.09	3.17	2.91
VMJH 08:51	0.20	3.32	136.70	14.99	3.02	3.04
VMJH 09:21	0.77	2.26	118.54	15.54	2.20	3.27
VMJH 09:51	0.20	3.23	128.15	14.85	2.48	3.12
VMJH 10:21	1.17	4.40	138.03	15.14	2.98	3.27
VMJH 10:51	0.97	4.46	138.43	15.16	2.97	3.15
VMJH 11:21	0.43	4.23	138.62	15.25	2.95	3.31
VMJH 11:51	0.77	4.40	140.22	15.20	2.98	3.24
VMJH 12:21	1.13	4.18	137.96	15.21	2.86	3.23
VMJH 12:51	1.23	4.29	136.12	15.14	2.96	3.17
VMJH 13:21	0.10	4.14	137.61	15.18	2.97	3.24
VMJH 13:51	0.53	4.15	138.58	15.73	2.83	3.24
VMJH 14:21	0.27	4.10	136.52	15.23	2.94	3.34
VMJH 14:30	0.33	4.06	136.89	15.45	3.17	3.05
VMZ	0.52	3.87	137.29	15.15	2.95	3.14

Valori inregistrate MIR-IS HP-1250

Data:02/3/2022

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	06:49	0.47	4.23	138.88	14.91	2.99	3.25
VMJH	07:19	0.67	4.15	138.84	14.85	2.96	3.17
VMJH	07:49	0.57	4.20	139.03	15.57	3.07	3.28
VMJH	08:19	0.60	4.20	135.64	15.51	2.98	3.22
VMJH	08:49	1.10	4.13	137.21	14.97	3.10	3.41
VMJH	09:19	1.40	4.27	139.57	14.86	3.08	3.34
VMJH	09:49	1.20	4.34	137.23	15.12	3.02	3.17
VMJH	10:19	0.47	4.13	140.43	15.04	2.89	3.36
VMJH	10:49	0.20	4.25	138.08	14.83	2.96	3.33
VMJH	11:19	0.63	4.40	136.31	14.93	2.84	3.19
VMJH	11:49	0.00	4.01	138.05	14.76	2.98	3.22
VMJH	12:19	0.50	1.95	142.06	16.49	3.06	3.10
VMJH	12:49	0.13	1.54	140.90	16.59	3.01	3.08
VMJH	13:19	0.30	1.59	140.99	17.30	2.97	3.16
VMJH	13:49	0.13	1.51	142.51	16.69	2.89	3.25
VMJH	14:19	0.37	1.55	141.83	17.09	3.04	3.22
VMJH	14:30	0.27	1.53	142.41	17.12	3.23	3.00
VMZ		0.54	3.36	139.30	15.63	3.00	3.23

Valori inregistrate MIR-IS HP-1250

Data:03/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	06:49	0.53	1.54	142.43	17.25	2.98	3.09
VMJH	07:19	0.47	1.58	141.93	17.50	3.02	3.28
VMJH	07:49	0.50	1.56	142.56	16.93	3.14	3.15
VMJH	08:19	0.67	1.52	141.01	16.50	2.99	3.13
VMJH	08:49	0.67	1.56	141.30	17.35	2.99	3.09
VMJH	09:19	2.00	1.54	140.21	17.47	3.09	3.17
VMJH	09:49	0.50	1.59	141.49	17.35	3.09	3.12
VMJH	10:19	1.10	1.58	141.38	17.20	3.10	3.19
VMJH	10:49	0.43	1.53	143.35	17.05	3.13	3.23
VMJH	11:19	0.43	1.56	142.48	16.77	2.94	3.22
VMJH	11:49	0.20	1.62	142.23	17.16	2.92	3.31
VMJH	12:19	0.03	1.53	140.97	17.54	3.06	3.10
VMJH	12:49	0.47	1.51	141.27	17.08	2.95	3.17
VMJH	13:19	1.27	1.59	141.61	16.81	3.01	3.13
VMJH	13:49	0.47	1.54	141.79	17.48	2.92	3.25
VMJH	14:10	0.33	1.58	143.33	17.37	3.03	3.16
VMZ		0.63	1.56	141.81	17.17	3.02	3.17

Valori inregistrate MIR-IS HP-1250

Data:06/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	11:29	0.43	1.52	142.09	17.15	3.03	3.06
VMJH	11:59	0.23	1.57	140.90	16.75	3.00	3.16
VMJH	12:29	0.40	1.50	140.40	17.41	3.02	3.09
VMJH	12:59	0.07	1.54	141.38	16.97	2.98	3.03
VMJH	13:29	1.33	1.56	141.50	17.32	2.92	3.19
VMJH	13:59	0.20	1.53	141.15	16.69	2.94	3.10
VMJH	14:29	0.20	1.47	141.64	17.52	2.98	3.21
VMJH	14:59	0.43	1.55	141.60	17.42	3.03	3.15
VMJH	15:29	0.33	1.54	141.05	17.30	2.95	3.12
VMJH	15:59	0.27	1.57	142.63	17.66	3.01	3.09
VMJH	16:29	0.53	1.51	141.90	17.57	3.10	3.18
VMJH	16:59	0.63	1.53	140.36	17.34	3.11	3.09
VMJH	17:29	0.90	1.54	141.47	16.97	3.02	3.13
VMJH	17:59	0.97	1.57	141.03	16.63	2.92	3.23
VMJH	18:29	0.60	1.55	141.48	16.84	3.00	3.20
VMJH	18:59	0.67	1.49	140.75	17.03	3.16	3.16
VMJH	19:29	0.63	1.50	142.73	17.29	2.98	3.07
VMJH	19:59	0.93	1.55	142.25	17.34	3.08	3.11
VMJH	20:29	0.57	1.58	141.09	17.05	2.94	3.23
VMJH	20:59	0.20	1.57	141.59	17.35	2.90	3.26
VMJH	21:29	0.70	1.48	142.45	17.39	3.16	3.18
VMJH	21:59	0.43	1.55	142.85	17.47	3.07	3.09
VMJH	22:15	0.44	1.55	141.82	17.59	3.03	3.07
VMZ		0.53	1.54	141.57	17.21	3.01	3.14

Valori inregistrate MIR-IS HP-1250

Data:07/3/2023

	Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:17	0.37	1.51	142.69	17.10	2.95	3.12
VMJH	14:47	0.20	1.55	143.59	17.20	2.94	3.19
VMJH	15:17	0.27	1.55	141.43	17.06	3.01	3.16
VMJH	15:47	0.43	1.62	143.68	17.07	3.12	3.20
VMJH	16:17	1.57	1.99	152.19	18.88	3.45	3.29
VMJH	16:47	1.43	2.34	165.31	20.79	3.85	3.25
VMJH	17:17	0.50	2.38	166.28	19.71	3.80	3.34
VMJH	17:47	0.27	2.34	167.92	20.44	3.85	3.31
VMJH	18:17	0.57	2.25	163.36	20.69	3.71	3.24
VMJH	18:47	0.90	2.30	164.99	22.56	3.89	3.31
VMJH	19:17	1.20	2.22	165.47	20.40	3.75	3.15
VMJH	19:47	1.63	2.37	167.99	20.89	3.92	3.34
VMJH	20:17	1.23	2.29	166.22	21.45	3.92	3.24
VMJH	20:47	0.17	2.23	166.40	20.55	3.89	3.13
VMJH	21:17	0.83	2.20	166.57	20.52	3.98	3.20
VMJH	21:47	0.50	2.43	166.34	22.43	3.95	3.20
VMJH	22:14	2.70	2.24	165.55	21.19	3.95	3.30
VMZ		0.86	2.11	159.73	19.93	3.64	3.23

Valori inregistrate MIR-IS HP-1250

Data:10/3/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 14:31	0.17	2.37	165.67	21.12	3.71	3.17
VMJH 15:01	0.40	2.34	165.64	20.35	4.11	3.31
VMJH 15:31	0.47	2.34	168.15	20.86	4.17	3.21
VMJH 16:01	0.40	1.02	128.01	14.69	2.47	3.26
VMJH 16:31	0.13	0.76	117.52	12.89	2.18	3.05
VMJH 17:01	0.47	0.78	117.99	13.24	2.19	3.14
VMJH 17:31	0.27	0.79	117.26	13.01	2.17	3.35
VMJH 18:01	0.27	0.79	118.06	12.99	2.26	3.30
VMJH 18:31	0.53	0.80	118.10	13.20	2.02	3.11
VMJH 19:01	0.40	0.87	117.42	13.01	2.26	3.14
VMJH 19:31	0.17	0.72	117.20	14.01	2.10	3.07
VMJH 20:01	0.30	0.72	118.41	13.53	2.03	3.09
VMJH 20:31	0.83	0.77	119.57	13.38	2.14	3.19
VMJH 21:01	1.33	0.74	116.91	12.80	2.27	3.18
VMJH 21:31	0.97	0.72	119.57	12.91	2.22	3.24
VMJH 22:01	0.90	0.78	119.71	13.19	2.20	3.16
VMJH 22:32	0.58	0.81	117.97	13.10	1.98	3.07
VMZ	0.50	1.07	127.23	14.60	2.50	3.18

Valori inregistrate MIR-IS HP-1250

Data:13/3/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	12:53	0.47	0.77	116.19	13.86	2.23	3.16
VMJH	13:23	1.40	0.72	115.93	13.20	2.22	3.19
VMJH	13:53	0.40	0.77	118.42	13.46	2.21	3.16
VMJH	14:23	0.00	0.81	119.42	13.35	2.23	3.14
VMJH	14:53	1.03	0.80	118.00	13.27	2.20	2.99
VMJH	15:23	0.27	0.76	116.19	13.55	2.32	3.02
VMJH	15:53	0.40	0.76	118.65	13.21	2.09	3.20
VMJH	16:23	0.57	0.78	115.96	13.49	2.06	3.11
VMJH	16:53	0.50	0.83	115.55	13.53	2.18	3.17
VMJH	17:23	0.57	0.83	117.74	13.64	2.30	3.13
VMJH	17:53	0.40	0.80	117.78	13.05	2.16	3.02
VMJH	18:23	1.97	0.80	116.42	12.98	2.11	3.13
VMJH	18:53	1.80	0.72	118.68	13.45	2.24	3.03
VMJH	19:23	1.37	0.69	117.17	13.22	2.14	3.17
VMJH	19:53	0.37	0.70	117.78	13.33	2.06	3.09
VMJH	20:23	1.00	0.73	117.58	12.81	2.06	2.97
VMJH	20:53	0.40	0.79	118.34	13.02	2.10	3.19
VMJH	21:23	1.30	0.83	117.85	13.65	2.15	3.06
VMJH	21:53	0.87	0.76	116.08	13.07	2.21	3.13
VMJH	22:03	0.80	0.84	120.41	13.37	2.17	3.10
VMZ		0.79	0.77	117.41	13.32	2.17	3.11

Valori inregistrate MIR-IS HP-1250

Data:14/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:59	0.77	0.76	118.59	13.90	2.17	3.25
VMJH	08:29	0.93	0.78	115.76	13.06	2.31	3.27
VMJH	08:59	0.87	0.72	118.99	13.06	2.00	3.09
VMJH	09:29	1.10	0.80	117.29	13.58	2.11	2.97
VMJH	09:59	1.53	0.67	118.25	13.40	2.13	2.89
VMJH	10:29	1.70	0.91	118.53	13.30	2.18	3.15
VMJH	10:59	1.10	0.71	117.54	13.27	2.18	3.15
VMJH	11:29	1.53	0.69	115.27	13.37	2.13	3.08
VMJH	11:59	1.03	0.71	118.74	13.08	2.11	3.02
VMJH	12:29	1.33	0.80	118.10	13.01	2.07	3.16
VMJH	12:59	0.80	0.82	115.80	13.03	1.99	3.10
VMJH	13:29	1.80	0.83	117.78	13.52	2.15	3.33
VMJH	13:59	1.27	0.76	115.43	13.23	2.08	3.02
VMJH	14:29	0.90	0.71	116.38	13.25	2.19	3.06
VMJH	14:40	0.73	0.87	122.11	13.89	2.01	3.30
VMZ		1.18	0.77	117.45	13.31	2.13	3.12

Valori inregistrate MIR-IS HP-1250

Data:15/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	15:11	0.97	1.52	115.38	13.26	2.10	3.10
VMJH	15:41	1.77	2.21	113.94	12.88	2.14	2.85
VMJH	16:11	1.50	2.02	112.62	12.49	2.25	2.83
VMJH	16:41	1.27	2.10	117.42	12.78	2.23	2.95
VMJH	17:11	1.33	2.12	113.76	12.58	2.23	2.90
VMJH	17:41	1.53	2.01	114.31	12.74	2.11	2.85
VMJH	18:11	0.93	2.19	116.54	12.16	2.40	2.88
VMJH	18:41	1.63	2.15	114.84	12.54	2.14	2.97
VMJH	19:11	1.07	2.08	113.01	12.93	2.32	2.93
VMJH	19:41	1.47	2.08	117.03	13.09	2.30	2.94
VMJH	20:11	0.90	2.05	115.54	12.38	2.01	2.97
VMJH	20:41	1.10	2.24	118.62	12.89	1.98	2.99
VMJH	21:11	1.20	2.09	113.28	12.93	2.32	2.98
VMJH	21:41	1.30	2.11	116.92	12.51	2.22	3.00
VMJH	22:11	1.40	2.00	116.79	13.08	2.21	2.96
VMJH	22:41	1.10	2.08	112.85	12.91	2.29	2.88
VMJH	22:48	1.86	2.29	112.37	12.91	2.27	2.94
VMZ		1.29	2.07	115.13	12.76	2.20	2.94

Valori inregistrate MIR-IS HP-1250

Data:16/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:59	1.40	2.00	113.27	12.77	2.10	2.91
VMJH	08:29	1.50	2.21	111.28	12.84	2.26	2.94
VMJH	08:59	1.03	2.01	115.45	12.89	2.23	3.01
VMJH	09:29	1.13	2.19	113.74	12.87	2.27	2.95
VMJH	09:59	1.13	1.97	115.26	12.52	2.19	2.85
VMJH	10:29	0.90	2.05	114.74	12.71	2.23	2.76
VMJH	10:59	1.57	2.13	113.58	13.05	2.16	3.02
VMJH	11:29	0.67	2.08	116.71	12.17	2.29	2.98
VMJH	11:59	0.90	2.23	111.65	13.41	2.05	2.88
VMJH	12:29	1.13	2.09	113.81	12.88	2.22	2.93
VMJH	12:59	1.70	1.97	115.47	12.51	2.24	3.05
VMJH	13:29	1.50	2.12	115.29	12.72	2.28	3.04
VMJH	13:59	0.97	2.06	114.22	13.03	2.14	2.92
VMJH	14:29	1.30	2.13	114.62	12.77	2.20	2.99
VMJH	14:44	1.13	2.17	113.85	12.25	2.32	2.97
VMZ		1.20	2.09	114.21	12.78	2.21	2.95

Valori inregistrate MIR-IS HP-1250

Data:17/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:29	1.50	2.05	118.26	12.51	2.19	2.97
VMJH	07:59	0.83	2.02	115.46	12.59	2.09	2.81
VMJH	08:29	0.43	2.15	112.75	12.31	1.97	3.01
VMJH	08:59	1.77	2.08	114.80	12.87	2.41	2.92
VMJH	09:29	1.33	2.07	115.22	12.97	2.35	2.96
VMJH	09:59	1.30	2.17	114.18	12.44	2.45	2.83
VMJH	10:29	1.50	2.13	115.86	13.31	2.18	3.02
VMJH	10:59	1.37	2.13	114.81	12.33	2.30	2.92
VMJH	11:29	1.87	2.03	114.61	13.18	2.25	2.98
VMJH	11:59	1.07	2.14	112.88	12.89	2.27	2.91
VMJH	12:29	1.53	2.08	114.06	13.01	2.11	3.02
VMJH	12:59	1.27	2.19	115.48	12.64	2.30	2.85
VMJH	13:29	1.57	2.09	118.39	12.68	2.29	2.95
VMJH	13:59	1.53	2.10	115.77	12.89	2.24	2.91
VMJH	14:29	2.23	2.20	114.02	12.92	2.25	2.91
VMJH	14:59	0.93	2.05	115.99	12.73	2.21	2.94
VMJH	15:29	1.03	2.17	112.89	12.40	2.27	2.85
VMJH	15:59	1.73	2.42	133.26	13.64	2.85	3.02
VMJH	16:29	1.30	3.45	164.30	17.69	3.84	3.18
VMJH	16:59	1.63	3.54	165.17	18.27	3.98	3.17
VMJH	17:29	0.80	3.33	166.22	17.66	3.87	3.13
VMJH	17:59	1.07	3.51	166.89	17.88	3.77	2.92
VMJH	18:29	0.93	3.54	166.15	17.78	3.99	3.14
VMJH	18:59	1.03	3.47	164.95	17.70	3.81	3.20
VMJH	19:29	1.03	3.48	165.15	18.10	4.12	3.22
VMJH	19:59	1.13	3.45	165.67	17.70	3.79	3.26
VMJH	20:29	1.13	3.48	165.37	17.46	3.78	3.18
VMJH	20:59	1.00	3.53	163.18	17.20	3.67	3.12
VMJH	21:29	1.67	3.43	164.12	17.82	3.94	3.16
VMJH	21:59	0.70	3.47	165.59	17.59	3.89	3.19
VMJH	22:04	0.60	3.39	166.91	18.87	4.10	3.23
VMZ		1.27	2.67	135.92	14.80	2.92	3.02

Valori inregistrate MIR-IS HP-1250

Data:18/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:29	1.27	3.46	167.24	17.82	3.93	3.16
VMJH	07:59	1.20	3.41	166.49	17.87	3.88	3.31
VMJH	08:29	1.33	3.56	168.08	17.78	3.85	3.29
VMJH	08:59	1.50	3.43	164.86	18.01	3.89	3.18
VMJH	09:29	0.97	3.47	166.88	17.76	3.94	3.12
VMJH	09:59	1.33	3.54	165.47	18.29	3.87	3.19
VMJH	10:29	1.00	3.51	166.95	17.37	3.94	3.28
VMJH	10:59	1.43	3.42	165.59	18.21	3.75	3.22
VMJH	11:29	1.03	3.45	165.66	17.50	3.82	3.11
VMJH	11:59	1.03	3.60	166.86	18.42	3.93	3.14
VMJH	12:29	0.57	3.45	167.53	18.02	3.97	2.98
VMJH	12:59	1.13	3.43	167.40	17.95	3.94	3.22
VMJH	13:29	1.40	3.51	166.20	17.56	3.78	3.00
VMJH	13:59	1.53	3.52	170.16	18.06	3.84	3.25
VMJH	14:15	1.69	3.42	168.77	17.67	4.24	3.19
VMZ		1.21	3.48	166.89	17.89	3.90	3.18

Valori inregistrate MIR-IS HP-1250

Data:20/3/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3	COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA VMJH		VMA VMJH		VMA VMJH		VMA	VMA VMJH		VMA VMJH	
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	11:05	1.40		3.47		165.95		17.98		3.77		3.03
VMJH	11:35	1.73		3.45		165.48		17.55		3.90		3.12
VMJH	12:05	2.07		3.52		166.51		17.91		3.78		3.18
VMJH	12:35	0.80		3.51		166.76		17.53		3.82		3.27
VMJH	13:05	1.33		3.40		165.29		17.77		3.74		3.10
VMJH	13:35	1.53		3.38		166.09		17.69		3.84		3.02
VMJH	14:05	1.17		3.45		164.74		17.86		3.89		3.08
VMJH	14:35	1.13		3.46		165.96		17.88		3.79		3.00
VMJH	15:05	0.97		3.40		165.10		18.05		3.91		3.18
VMJH	15:35	0.73		3.57		165.79		17.73		3.94		3.28
VMJH	16:05	1.20		3.57		165.13		18.30		3.81		3.25
VMJH	16:35	0.67		3.40		168.29		17.83		3.83		3.08
VMJH	17:05	1.73		3.45		165.89		17.59		3.77		3.04
VMJH	17:35	1.47		3.40		164.97		18.16		3.79		3.12
VMJH	18:05	1.30		3.41		165.05		17.75		3.89		3.21
VMJH	18:35	0.80		3.48		165.56		17.47		3.83		3.21
VMJH	19:05	1.53		3.33		165.62		17.80		3.81		3.20
VMJH	19:35	1.50		3.49		166.51		17.95		4.01		3.20
VMJH	20:05	1.57		3.40		165.07		17.65		3.64		3.15
VMJH	20:35	1.40		3.30		163.56		17.58		3.76		3.25
VMJH	21:05	1.30		3.47		165.54		17.18		4.04		3.20
VMJH	21:35	1.87		2.74		141.01		15.28		3.04		2.98
VMJH	22:05	1.20		2.75		140.79		15.43		3.06		3.04
VMZ		1.32		3.38		163.51		17.56		3.77		3.14

Valori inregistrate MIR-IS HP-1250

Data:21/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	06:44	1.63	2.78	139.98	15.12	3.11	3.02
VMJH	07:14	1.10	2.86	140.80	15.31	3.00	3.06
VMJH	07:44	1.50	2.76	140.06	15.64	3.05	3.06
VMJH	08:14	1.43	2.83	140.44	15.46	3.12	3.06
VMJH	08:44	1.30	2.72	140.67	15.13	3.03	3.02
VMJH	09:14	1.33	2.81	141.16	15.33	3.01	3.02
VMJH	09:44	1.33	2.77	140.05	15.33	3.00	3.00
VMJH	10:14	0.90	2.84	140.95	15.09	2.94	3.01
VMJH	10:44	1.03	2.76	141.50	15.29	2.95	3.09
VMJH	11:14	1.67	2.78	143.01	15.21	2.96	3.09
VMJH	11:44	1.33	2.69	139.54	15.41	3.09	3.09
VMJH	12:14	1.03	2.76	142.37	15.37	2.93	2.97
VMJH	12:44	1.67	2.72	140.81	15.27	3.14	3.11
VMJH	13:14	1.17	2.80	138.79	15.27	3.05	3.11
VMJH	13:44	1.20	2.80	141.00	15.36	2.87	3.15
VMJH	14:14	1.10	2.82	140.58	15.00	3.06	3.08
VMJH	14:25	1.00	2.77	140.60	16.02	2.95	3.15
VMZ		1.29	2.78	140.73	15.30	3.02	3.06

Valori inregistrate MIR-IS HP-1250

Data:22/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	06:49	1.20	2.75	141.01	15.10	3.07	3.05
VMJH	07:19	0.80	2.83	141.02	15.36	3.01	2.96
VMJH	07:49	1.37	2.86	142.08	15.10	3.08	3.04
VMJH	08:19	2.03	2.82	139.76	15.53	2.92	2.96
VMJH	08:49	0.73	2.78	139.83	15.17	2.91	3.01
VMJH	09:19	1.77	2.76	140.02	15.34	3.07	2.98
VMJH	09:49	1.00	2.71	140.89	15.48	3.04	3.07
VMJH	10:19	1.43	2.71	140.05	15.40	3.04	2.96
VMJH	10:49	1.60	2.72	140.89	15.01	3.17	3.08
VMJH	11:19	1.53	2.73	143.41	15.25	2.97	2.97
VMJH	11:49	2.00	2.74	139.72	15.33	3.01	3.07
VMJH	12:19	1.63	2.78	141.29	15.52	3.18	3.07
VMJH	12:49	1.70	2.85	141.95	15.49	3.09	2.93
VMJH	13:19	1.07	2.83	140.09	15.12	3.11	3.07
VMJH	13:49	0.43	2.74	140.50	15.33	2.95	3.09
VMJH	14:19	1.23	2.74	140.18	15.42	2.92	3.06
VMJH	14:49	1.43	2.74	140.58	15.27	2.92	2.97
VMJH	15:19	1.73	2.72	141.18	15.10	3.17	3.03
VMJH	15:49	0.07	2.75	141.56	15.26	3.05	3.05
VMJH	16:19	0.33	2.77	141.17	15.21	3.18	2.91
VMJH	16:49	2.10	2.77	141.40	15.63	3.02	3.13
VMJH	17:18	0.84	2.70	139.43	15.20	3.19	2.97
VMJH	17:49	1.27	2.72	141.69	15.39	3.10	3.05
VMJH	18:19	0.83	2.75	141.54	15.25	3.01	3.05
VMJH	18:49	1.03	2.76	141.07	15.32	3.00	3.02
VMJH	19:19	1.20	2.75	139.34	15.05	2.87	2.97
VMJH	19:49	1.07	2.81	142.07	15.11	2.99	3.04
VMJH	20:19	1.37	2.79	142.01	14.96	3.03	2.95
VMJH	20:49	1.23	2.81	139.85	15.24	3.00	3.06
VMJH	21:19	1.03	2.93	142.76	15.41	2.92	3.08
VMJH	21:49	1.00	3.19	143.30	15.80	2.64	2.97
VMJH	22:15	1.19	3.15	141.82	15.49	2.62	2.98
VMZ		1.22	2.79	141.04	15.30	3.01	3.02

Valori inregistrate MIR-IS HP-1250

Data:23/3/2023

	Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	06:44	1.03	3.18	142.96	15.35	2.67	2.97
VMJH	07:14	1.30	3.12	141.43	15.47	2.60	3.01
VMJH	07:44	0.40	3.09	141.11	15.72	2.67	2.99
VMJH	08:14	1.53	3.26	143.14	15.22	2.59	2.99
VMJH	08:44	1.67	3.19	142.25	15.37	2.71	2.91
VMJH	09:14	1.87	3.20	142.09	15.53	2.57	2.92
VMJH	09:44	0.43	3.16	141.32	15.37	2.60	2.97
VMJH	10:14	1.57	3.23	141.75	15.89	2.61	3.05
VMJH	10:44	1.30	3.14	142.78	15.57	2.60	3.07
VMJH	11:14	0.60	3.16	141.38	15.44	2.60	3.02
VMJH	11:44	2.33	3.24	141.12	15.40	2.66	2.98
VMJH	12:14	0.27	3.21	143.24	15.22	2.66	2.99
VMJH	12:44	1.50	3.12	142.56	15.50	2.66	2.95
VMJH	13:14	1.87	3.19	141.77	15.49	2.61	2.99
VMJH	13:44	1.23	3.19	142.65	15.63	2.63	3.01
VMJH	14:14	1.00	3.01	142.95	15.64	2.62	2.98
VMJH	14:44	1.33	3.32	143.15	15.27	2.70	2.89
VMJH	15:14	0.73	3.24	141.00	15.71	2.60	2.96
VMJH	15:38	1.25	3.23	143.03	15.55	2.69	2.90
VMZ		1.22	3.18	142.19	15.49	2.63	2.98

Valori inregistrate MIR-IS HP-1250

Data:24/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10
VMJH	06:44	1.03	3.13	141.39	15.23	2.73	2.95
VMJH	07:14	0.93	3.36	143.10	15.75	2.59	2.95
VMJH	07:44	0.67	3.07	142.22	15.69	2.71	3.01
VMJH	08:14	0.73	3.08	142.19	15.22	2.62	2.97
VMJH	08:44	0.77	3.25	141.17	15.48	2.64	3.01
VMJH	09:14	0.77	3.21	141.96	15.47	2.61	2.91
VMJH	09:44	1.27	3.02	141.35	15.44	2.66	2.99
VMJH	10:14	1.00	3.25	140.51	15.65	2.70	2.98
VMJH	10:44	1.13	3.24	140.32	15.33	2.55	2.91
VMJH	11:14	1.73	3.22	142.28	15.48	2.71	2.88
VMJH	11:44	1.50	3.18	141.69	15.41	2.72	2.99
VMJH	12:14	1.20	3.08	142.33	15.80	2.67	2.91
VMJH	12:44	1.07	3.04	142.05	15.24	2.59	3.02
VMJH	13:14	0.57	3.21	142.71	15.66	2.67	2.91
VMJH	13:44	0.80	3.07	141.63	15.56	2.73	2.97
VMJH	14:14	1.20	3.28	139.66	15.89	2.66	3.02
VMJH	14:44	0.30	3.26	142.66	15.43	2.68	2.95
VMJH	15:14	0.40	3.11	143.48	15.37	2.63	2.91
VMJH	15:44	0.50	3.09	142.20	15.64	2.64	2.88
VMJH	16:14	0.30	3.28	140.55	15.33	2.62	2.85
VMJH	16:44	0.43	3.21	143.77	15.73	2.63	3.04
VMJH	17:14	0.50	3.13	141.88	15.85	2.66	2.88
VMJH	17:44	0.57	3.09	143.27	15.60	2.68	2.88
VMJH	18:14	0.63	3.22	142.11	15.10	2.59	2.98
VMJH	18:44	0.80	3.29	144.13	15.98	2.71	2.97
VMJH	19:14	1.27	3.14	142.32	15.92	2.63	2.98
VMJH	19:44	0.73	3.23	143.05	15.53	2.59	3.03
VMJH	20:14	1.07	5.21	168.37	19.40	3.93	3.61
VMJH	20:44	0.67	5.49	170.23	19.05	3.79	3.48
VMJH	21:14	0.70	5.59	172.07	19.84	3.96	3.58
VMJH	21:44	0.60	5.37	169.65	19.41	4.04	3.94
VMJH	22:07	0.70	5.51	168.52	19.59	4.20	3.57
VMZ		0.83	3.51	146.24	16.13	2.85	3.06

Valori inregistrate MIR-IS HP-1250

Data:27/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	11:29	0.86	5.36	169.05	19.46	4.00	3.75
VMJH	11:59	0.53	5.30	169.81	19.84	4.02	3.70
VMJH	12:29	0.39	5.59	170.24	19.62	4.07	3.66
VMJH	12:59	1.14	5.44	170.27	19.49	3.74	3.71
VMJH	13:29	0.44	5.28	169.46	19.30	3.85	3.60
VMJH	13:59	0.64	5.49	170.16	20.03	3.84	3.72
VMJH	14:29	0.83	5.32	171.07	20.19	3.99	3.41
VMJH	14:59	0.47	5.58	171.77	19.74	4.08	3.58
VMJH	15:29	0.50	5.37	169.75	19.51	4.07	3.73
VMJH	15:59	0.64	5.34	170.60	19.65	3.91	3.48
VMJH	16:29	0.69	5.33	171.94	19.97	3.90	3.68
VMJH	16:59	1.00	5.57	169.99	19.54	3.97	3.70
VMJH	17:29	0.64	5.15	171.30	19.38	4.10	3.90
VMJH	17:59	0.78	5.43	171.93	19.21	4.12	3.42
VMJH	18:29	0.58	5.43	171.19	19.61	4.02	3.64
VMJH	18:59	0.72	5.37	170.47	19.29	3.98	3.60
VMJH	19:29	0.36	5.34	171.59	19.65	4.00	3.58
VMJH	19:59	0.58	5.24	170.82	19.47	4.03	3.55
VMJH	20:29	0.67	5.32	170.83	19.41	3.91	3.43
VMJH	20:59	0.72	5.18	172.14	19.88	3.87	4.08
VMJH	21:29	0.47	4.60	154.60	17.32	3.35	3.27
VMJH	21:59	0.56	4.22	147.32	16.17	3.08	3.31
VMJH	22:20	0.64	4.23	147.81	16.47	2.97	3.31
VMZ		0.65	5.25	168.27	19.26	3.87	3.60

Valori inregistrate MIR-IS HP-1250

Data:28/3/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3	COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	11:22	0.63		4.21		143.74		15.55		3.05		3.46
VMJH	11:52	0.63		4.22		144.19		16.41		3.02		3.31
VMJH	12:22	1.27		4.32		144.68		15.94		3.06		3.31
VMJH	12:52	0.90		4.38		145.54		16.50		3.07		3.14
VMJH	13:22	0.50		4.24		144.32		16.86		3.06		3.26
VMJH	13:52	0.26		4.19		146.57		16.21		3.06		3.26
VMJH	14:22	0.70		4.26		145.96		15.97		2.96		3.33
VMJH	14:52	0.58		4.29		145.67		16.27		3.03		3.21
VMJH	15:22	0.96		4.28		145.88		15.94		3.06		3.26
VMJH	15:52	0.72		4.16		147.19		16.26		3.04		3.21
VMJH	16:22	0.74		4.16		144.85		16.24		3.00		3.26
VMJH	16:52	0.88		4.26		145.83		16.05		2.93		3.17
VMJH	17:22	1.05		4.34		145.89		16.80		3.00		3.19
VMJH	17:52	1.00		4.18		146.15		16.34		3.08		3.19
VMJH	18:22	0.56		4.30		145.57		16.34		3.07		3.13
VMJH	18:52	1.15		4.23		145.33		16.24		3.00		3.33
VMJH	19:22	1.23		4.12		144.14		16.40		3.05		3.30
VMJH	19:52	1.12		4.32		144.63		16.43		3.10		3.27
VMJH	20:22	0.61		4.32		147.34		16.56		3.00		3.36
VMJH	20:52	0.91		4.19		146.46		16.25		3.06		3.24
VMJH	21:22	0.64		4.15		145.19		16.41		2.96		3.19
VMJH	21:52	0.80		4.24		147.06		16.53		2.95		3.18
VMJH	22:20	1.14		4.31		146.96		16.77		3.01		3.36
VMZ		0.80		4.25		145.60		16.30		3.03		3.26

Valori inregistrate MIR-IS HP-1250

Data:29/3/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:29	0.43	4.19	145.52	15.88	2.96	3.30
VMJH	07:59	0.43	4.23	146.49	16.51	2.96	3.25
VMJH	08:29	0.40	4.15	144.62	16.25	3.03	3.36
VMJH	08:59	0.71	4.30	145.32	16.45	3.00	3.20
VMJH	09:29	1.27	4.16	144.91	16.15	3.00	3.33
VMJH	09:59	0.73	4.45	147.54	16.40	3.04	3.26
VMJH	10:29	0.80	4.25	146.29	16.21	3.01	3.21
VMJH	10:59	0.41	4.35	145.72	16.02	3.09	3.33
VMJH	11:29	0.32	4.22	145.48	16.35	3.04	3.41
VMJH	11:59	0.12	4.20	144.50	16.11	2.99	3.39
VMJH	12:29	1.39	4.23	146.38	16.02	3.04	3.29
VMJH	12:59	1.37	4.25	145.40	16.11	3.06	3.29
VMJH	13:29	0.82	4.42	145.37	16.50	2.99	3.26
VMJH	13:59	0.52	4.33	145.36	16.39	2.91	3.17
VMJH	14:29	1.71	4.26	145.13	16.33	3.08	3.25
VMJH	14:59	1.08	4.41	144.51	16.57	3.09	3.10
VMJH	15:29	1.25	4.35	145.42	16.18	2.95	3.29
VMJH	15:59	1.23	4.43	145.86	16.19	3.07	3.26
VMJH	16:29	1.15	4.20	147.48	16.23	3.00	3.30
VMJH	16:59	0.64	4.08	146.01	17.01	3.02	3.41
VMJH	17:29	0.77	4.16	146.25	16.54	2.96	3.30
VMJH	17:59	0.63	4.17	147.32	16.43	3.03	3.33
VMJH	18:29	0.88	4.47	126.56	13.94	2.20	2.79
VMJH	18:59	1.16	4.28	116.32	12.55	1.87	2.56
VMJH	19:29	0.75	4.07	114.90	11.94	1.91	2.56
VMJH	19:59	0.77	4.09	114.89	12.71	1.78	2.56
VMJH	20:29	1.38	3.79	114.57	12.63	1.86	2.60
VMJH	20:59	0.37	4.19	114.12	12.59	1.91	2.56
VMJH	21:29	0.54	4.52	114.07	12.12	1.87	2.60
VMJH	21:59	0.40	4.20	112.43	12.12	1.78	2.61
VMJH	22:24	0.68	3.90	113.86	12.60	1.82	2.53
VMZ		0.80	4.25	136.97	15.24	2.70	3.09

Valori inregistrate MIR-IS HP-1250

Data:30/3/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:29	0.67	4.40	113.18	12.20	1.86	2.59
VMJH	07:59	1.05	4.41	114.37	12.65	1.88	2.58
VMJH	08:29	1.08	4.38	111.89	12.35	1.87	2.60
VMJH	08:59	0.70	3.96	112.53	12.32	1.74	2.59
VMJH	09:29	0.74	3.80	112.54	12.37	1.85	2.62
VMJH	09:59	0.52	4.14	112.18	12.17	1.80	2.57
VMJH	10:29	0.21	4.05	114.02	12.68	1.86	2.55
VMJH	10:59	0.39	4.42	113.80	12.65	1.89	2.61
VMJH	11:29	0.71	4.21	111.59	12.43	1.75	2.60
VMJH	11:59	0.46	4.26	114.01	11.97	1.90	2.56
VMJH	12:29	0.76	4.27	111.60	12.28	1.70	2.53
VMJH	12:59	1.63	4.10	112.33	12.69	1.72	2.56
VMJH	13:29	2.07	4.04	114.79	12.49	1.67	2.60
VMJH	13:59	1.78	4.09	114.73	12.45	1.83	2.54
VMJH	14:17	0.89	4.54	112.23	12.78	1.91	2.50
VMZ		0.90	4.17	113.15	12.48	1.80	2.58

Valori inregistrate MIR-IS HP-1250

Data:31/3/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:41	1.93	3.93	111.37	12.81	1.73	2.60
VMJH	15:11	2.53	4.27	111.83	11.89	1.82	2.53
VMJH	15:41	2.50	4.47	115.21	12.24	1.83	2.64
VMJH	16:11	1.87	3.91	111.88	12.66	1.81	2.59
VMJH	16:41	1.87	3.76	112.66	12.66	1.78	2.63
VMJH	17:11	1.30	4.36	114.41	12.40	1.84	2.63
VMJH	17:41	1.93	3.99	114.19	13.01	1.83	2.54
VMJH	18:11	2.03	4.38	112.37	11.95	1.82	2.50
VMJH	18:41	2.13	3.93	113.51	12.83	1.71	2.63
VMJH	19:11	1.70	4.50	113.70	12.10	1.91	2.53
VMJH	19:41	1.90	4.43	113.92	12.32	1.80	2.50
VMJH	20:11	2.03	3.92	111.76	12.27	1.80	2.53
VMJH	20:41	2.10	3.86	114.00	11.92	1.84	2.55
VMJH	21:11	1.87	3.98	114.23	12.20	1.73	2.57
VMJH	21:41	1.60	4.23	112.75	12.21	1.72	2.49
VMJH	22:11	1.53	4.18	112.69	12.41	1.72	2.62
VMJH	22:15	2.00	4.19	115.21	13.92	1.84	2.49
VMZ		1.93	4.13	113.18	12.38	1.79	2.57

Valori inregistrate MIR-IS HP-1250

Data:03/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	11:14	0.83	4.39	114.16	12.69	1.66	2.52
VMJH	11:44	0.53	3.90	115.54	12.21	1.86	2.61
VMJH	12:14	0.97	4.30	114.63	12.47	1.85	2.57
VMJH	12:44	0.53	4.33	113.29	12.44	1.78	2.62
VMJH	13:14	1.53	4.08	115.38	12.61	1.79	2.60
VMJH	13:44	1.27	4.44	111.94	12.01	1.74	2.59
VMJH	14:14	1.47	4.14	113.17	13.04	1.72	2.65
VMJH	14:44	0.10	3.70	113.41	12.70	1.79	2.54
VMJH	15:14	0.20	4.56	122.27	13.17	2.22	2.67
VMJH	15:44	0.17	4.40	140.55	14.48	3.05	2.72
VMJH	16:14	1.63	4.48	141.14	14.47	3.00	2.80
VMJH	16:44	0.27	4.71	139.78	14.60	2.97	2.81
VMJH	17:14	2.60	4.72	140.00	14.28	3.03	2.80
VMJH	17:44	0.40	4.32	141.22	14.33	3.12	2.83
VMJH	18:14	1.23	4.50	138.94	14.49	3.06	2.74
VMJH	18:44	0.93	4.42	139.77	14.29	3.04	2.77
VMJH	19:14	1.23	4.71	140.18	14.32	3.01	2.82
VMJH	19:44	1.03	4.72	142.18	14.35	3.15	2.72
VMJH	20:14	1.27	4.57	140.74	14.61	2.96	2.81
VMJH	20:44	1.13	4.50	139.82	14.38	3.07	2.84
VMJH	21:14	0.97	4.61	140.53	14.27	2.97	2.76
VMJH	21:44	1.13	4.47	140.68	14.56	3.09	2.78
VMJH	22:09	1.20	4.69	140.27	14.06	2.99	2.87
VMZ		0.98	4.42	130.35	13.69	2.56	2.71

Valori inregistrate MIR-IS HP-1250

Data:04/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 07:29	0.83	4.56	140.07	14.45	3.14	2.82
VMJH 07:59	1.53	4.48	140.55	14.41	3.07	2.75
VMJH 08:29	1.00	4.79	141.06	14.31	3.03	2.76
VMJH 08:59	0.93	4.42	140.29	14.22	3.13	2.79
VMJH 09:29	1.53	4.56	141.41	14.31	3.07	2.77
VMJH 09:59	2.17	4.79	139.85	14.40	3.01	2.80
VMJH 10:29	0.70	4.66	139.23	14.28	3.18	2.75
VMJH 10:59	0.67	4.86	139.99	14.37	3.16	2.81
VMJH 11:29	1.10	4.75	139.37	14.42	2.98	2.82
VMJH 11:59	1.30	4.56	140.59	14.21	3.05	2.82
VMJH 12:29	0.23	4.69	140.91	14.36	2.98	2.80
VMJH 12:59	0.70	4.67	140.68	14.59	3.14	2.75
VMJH 13:29	0.67	4.49	139.94	14.15	2.96	2.84
VMJH 13:59	1.33	4.70	140.40	14.27	3.06	2.76
VMJH 14:10	1.45	4.78	140.35	13.91	2.87	2.82
VMZ	1.06	4.65	140.31	14.33	3.06	2.79

Valori inregistrate MIR-IS HP-1250

Data:05/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:29	1.30	4.62	139.73	14.61	2.98	2.89
VMJH	07:59	1.13	4.53	140.99	14.25	3.07	2.75
VMJH	08:29	0.50	4.64	139.85	14.66	3.06	2.73
VMJH	08:59	0.40	4.61	139.70	14.34	3.03	2.75
VMJH	09:29	0.57	4.67	141.60	14.61	3.14	2.77
VMJH	09:59	1.67	4.49	141.51	14.38	2.96	2.76
VMJH	10:29	0.80	4.72	140.02	14.13	2.88	2.81
VMJH	10:59	1.40	4.52	140.79	14.45	2.96	2.86
VMJH	11:29	0.93	4.51	140.76	14.39	3.14	2.73
VMJH	11:59	1.00	4.31	139.83	14.24	3.13	2.80
VMJH	12:29	1.20	4.62	140.67	14.43	3.02	2.81
VMJH	12:59	1.00	4.51	140.54	14.49	3.07	2.79
VMJH	13:29	1.13	4.53	140.07	14.66	2.91	2.71
VMJH	13:59	1.10	4.34	140.64	14.27	3.09	2.81
VMJH	14:12	0.77	4.83	139.59	14.49	3.10	2.80
VMZ		1.00	4.55	140.45	14.42	3.03	2.78

Valori inregistrate MIR-IS HP-1250

Data:06/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:29	1.07	4.54	139.37	14.45	3.03	2.82
VMJH	07:59	1.47	4.41	139.61	14.38	2.90	2.85
VMJH	08:29	1.40	4.52	140.27	14.10	3.04	2.76
VMJH	08:59	1.33	4.65	140.24	14.29	3.11	2.79
VMJH	09:29	1.37	4.49	139.96	14.46	2.98	2.79
VMJH	09:59	1.13	6.14	169.02	16.96	3.82	3.08
VMJH	10:29	1.90	6.20	171.10	16.88	3.95	3.05
VMJH	10:59	0.63	6.03	171.12	17.57	4.11	3.11
VMJH	11:29	1.67	6.59	170.83	17.18	3.84	3.04
VMJH	11:59	1.00	6.77	172.89	17.37	3.77	3.06
VMJH	12:29	0.93	6.52	170.50	17.17	3.88	3.08
VMJH	12:59	1.97	6.40	170.30	17.15	3.87	2.95
VMJH	13:29	1.23	5.96	170.63	17.22	4.01	3.14
VMJH	13:59	1.30	6.30	170.75	17.29	3.78	2.97
VMJH	14:15	0.38	6.41	169.62	16.70	4.04	3.22
VMZ		1.28	5.71	160.13	16.20	3.60	2.97

Valori inregistrate MIR-IS HP-1250

Data:01/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:29	0.30	6.27	170.67	17.47	3.70	3.24
VMJH	07:59	0.53	6.09	171.74	17.34	4.00	3.10
VMJH	08:29	1.17	6.41	169.53	17.38	4.00	3.03
VMJH	08:59	0.47	6.29	170.76	17.54	3.72	3.01
VMJH	09:29	0.93	6.55	170.09	17.25	4.13	3.20
VMJH	09:59	1.53	6.38	169.17	17.07	4.05	3.15
VMJH	10:29	1.10	6.06	171.02	17.15	4.00	3.00
VMJH	10:59	1.07	6.09	169.32	17.27	3.85	3.06
VMJH	11:29	0.97	6.40	172.63	16.86	3.97	3.18
VMJH	11:59	0.90	5.87	169.14	17.50	4.07	3.09
VMJH	12:29	1.03	6.12	170.58	17.17	3.97	3.12
VMJH	12:59	0.70	6.86	170.06	17.88	3.93	2.97
VMJH	13:29	1.13	6.40	171.27	17.33	3.90	3.07
VMJH	13:59	1.00	6.23	171.01	17.50	3.94	3.16
VMJH	14:29	0.67	6.59	170.34	17.43	3.84	3.08
VMJH	14:59	0.67	6.56	170.18	17.37	3.99	3.11
VMJH	15:29	1.77	6.43	170.47	17.21	3.85	2.99
VMJH	15:59	1.27	6.28	171.42	17.73	3.94	2.97
VMJH	16:29	1.00	6.60	170.04	17.31	3.70	3.13
VMJH	16:59	1.37	6.14	169.45	17.36	4.17	3.05
VMJH	17:29	1.10	6.64	170.31	17.41	3.89	3.00
VMJH	17:59	1.37	5.99	169.43	17.29	3.85	3.05
VMJH	18:29	1.77	6.01	169.95	17.24	4.12	3.14
VMJH	18:59	0.63	6.02	170.49	17.17	3.89	3.12
VMJH	19:29	0.90	6.11	170.51	17.50	3.76	3.18
VMJH	19:48	1.79	6.69	170.10	16.54	3.81	3.15
VMZ		1.03	6.31	170.38	17.33	3.93	3.09

Valori inregistrate MIR-IS HP-1250

Data:08/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:29	1.37	6.27	169.38	17.70	3.66	3.14
VMJH	07:59	1.07	6.28	171.39	17.54	3.88	3.16
VMJH	08:29	0.63	6.19	170.85	17.60	3.87	3.13
VMJH	08:59	1.20	5.86	171.08	17.25	3.84	3.08
VMJH	09:29	0.93	6.38	169.56	17.52	3.96	3.20
VMJH	09:59	0.77	6.09	170.57	17.35	4.00	3.00
VMJH	10:29	0.87	6.57	169.89	17.76	4.01	2.91
VMJH	10:59	0.77	5.97	171.69	17.54	3.99	3.00
VMJH	11:29	0.97	6.20	170.61	17.46	3.98	3.06
VMJH	11:59	0.60	6.43	169.94	16.97	3.95	3.16
VMJH	12:29	1.10	6.06	171.07	17.40	4.01	3.13
VMJH	12:59	1.17	6.29	171.64	17.46	3.76	3.04
VMJH	13:20	0.90	6.46	170.29	16.80	3.98	2.82
VMZ		0.95	6.23	170.62	17.43	3.91	3.07

Valori inregistrate MIR-IS HP-1250

Data:10/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 14:44	1.30	3.45	119.43	12.41	2.42	2.62
VMJH 15:14	1.07	3.08	110.80	11.22	2.11	2.53
VMJH 15:44	0.20	2.86	111.55	11.58	2.08	2.45
VMJH 16:14	1.57	2.93	109.38	11.32	2.07	2.49
VMJH 16:44	1.17	2.73	111.09	11.62	2.06	2.46
VMJH 17:14	1.03	2.92	109.31	11.39	2.15	2.53
VMJH 17:44	1.20	2.89	110.93	11.38	2.19	2.49
VMJH 18:14	1.43	2.75	108.57	11.44	2.15	2.53
VMJH 18:44	1.97	2.80	111.12	11.52	2.16	2.49
VMJH 19:14	0.10	2.82	111.83	11.31	2.15	2.49
VMJH 19:44	1.43	2.92	110.51	11.28	2.10	2.53
VMJH 20:14	0.83	2.86	110.56	11.51	2.11	2.53
VMJH 20:44	1.73	2.82	111.28	11.56	2.07	2.46
VMJH 21:14	1.10	2.91	110.61	11.35	2.04	2.51
VMJH 21:44	0.40	2.80	111.59	11.58	2.17	2.47
VMJH 22:15	0.48	2.81	108.83	11.24	2.03	2.50
VMZ	1.06	2.90	111.08	11.48	2.13	2.51

Valori inregistrate MIR-IS HP-1250

Data:11/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 100 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10	
VMJH	06:54	0.13	2.90	109.70	11.43	2.12	2.54
VMJH	07:24	0.43	2.89	110.25	11.27	2.33	2.46
VMJH	07:54	0.50	2.88	110.14	11.30	2.18	2.49
VMJH	08:24	0.47	2.82	110.55	11.50	2.25	2.51
VMJH	08:54	1.13	2.84	111.75	11.58	1.92	2.51
VMJH	09:24	0.43	2.93	110.89	11.56	2.18	2.44
VMJH	09:54	0.20	2.72	109.63	11.39	1.92	2.49
VMJH	10:24	0.57	2.93	112.05	11.54	2.23	2.51
VMJH	10:54	0.57	2.73	109.29	11.34	2.15	2.52
VMJH	11:24	0.27	2.87	111.36	11.45	2.23	2.49
VMJH	11:54	0.40	2.96	111.98	11.09	2.15	2.55
VMJH	12:24	0.60	2.98	109.05	11.50	2.09	2.55
VMJH	12:54	0.43	2.92	110.84	11.03	2.14	2.52
VMJH	13:24	1.03	2.96	110.36	11.35	2.21	2.47
VMJH	13:54	0.40	2.96	112.45	11.46	2.02	2.46
VMJH	14:24	0.43	2.76	111.42	11.49	2.05	2.52
VMJH	14:54	1.03	2.75	110.08	11.32	2.22	2.47
VMJH	15:24	0.93	2.95	109.17	11.36	2.12	2.50
VMJH	15:54	0.90	2.80	110.67	11.66	2.00	2.50
VMJH	16:24	0.67	2.93	110.33	11.53	2.25	2.51
VMJH	16:54	1.10	2.91	108.73	11.44	2.11	2.48
VMJH	17:24	1.00	2.92	110.26	11.17	1.88	2.52
VMJH	17:54	0.30	2.79	109.61	11.56	2.08	2.53
VMJH	18:24	1.27	2.72	111.16	11.71	2.15	2.51
VMJH	18:54	1.27	2.91	110.80	11.75	2.03	2.43
VMJH	19:24	0.90	2.84	109.64	11.48	2.17	2.47
VMJH	19:54	0.47	2.70	110.87	11.17	2.17	2.49
VMJH	20:24	1.00	2.99	110.40	11.62	2.04	2.53
VMJH	20:54	1.50	2.89	109.98	11.89	2.06	2.54
VMJH	21:24	1.90	2.80	110.03	11.43	2.09	2.48
VMJH	21:54	1.20	3.06	111.74	11.43	2.08	2.53
VMJH	22:02	0.38	2.74	110.32	11.83	2.01	2.49
VMZ		0.75	2.87	110.49	11.45	2.12	2.50

Valori inregistrate MIR-IS HP-1250

Data:12/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 06:44	0.97	2.61	109.52	12.10	2.19	2.53
VMJH 07:14	1.00	2.14	111.86	13.27	2.79	2.60
VMJH 07:44	0.57	2.12	112.52	14.05	2.92	2.62
VMJH 08:14	0.83	2.03	112.45	13.96	3.10	2.65
VMJH 08:44	0.40	2.06	111.18	13.82	2.99	2.64
VMJH 09:14	0.43	1.94	113.41	14.43	3.05	2.65
VMJH 09:44	0.37	2.13	111.78	14.73	3.27	2.54
VMJH 10:14	0.60	1.92	112.76	14.15	3.12	2.67
VMJH 10:44	1.07	2.06	111.96	13.66	3.02	2.61
VMJH 11:14	2.73	1.96	112.54	13.45	2.85	2.70
VMJH 11:44	1.40	1.91	111.65	14.23	3.05	2.64
VMJH 12:14	1.77	2.09	112.44	13.78	3.06	2.58
VMJH 12:44	1.80	2.15	111.68	14.42	3.16	2.65
VMJH 13:14	1.53	2.02	111.77	13.96	3.00	2.64
VMJH 13:44	1.50	2.11	110.60	14.22	3.02	2.66
VMJH 14:15	1.32	2.34	111.43	13.62	3.08	2.61
VMZ	1.14	2.10	111.85	13.87	2.98	2.62

Valori inregistrate MIR-IS HP-1250

Data:13/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:31	2.13	2.25	112.49	14.12	3.22	2.61
VMJH	15:01	2.77	2.14	113.01	12.89	3.16	2.66
VMJH	15:31	1.33	2.01	111.73	13.73	2.81	2.61
VMJH	16:01	1.57	1.96	111.24	14.64	3.01	2.69
VMJH	16:31	1.27	2.03	110.71	13.63	3.12	2.67
VMJH	17:01	1.57	2.05	111.85	13.57	3.06	2.65
VMJH	17:31	1.33	2.03	111.82	14.69	2.85	2.63
VMJH	18:01	1.67	1.94	111.05	13.13	3.06	2.62
VMJH	18:31	1.53	2.05	112.59	14.09	3.25	2.59
VMJH	19:01	1.10	2.07	110.86	13.96	3.02	2.65
VMJH	19:31	1.67	1.93	109.64	13.99	2.96	2.60
VMJH	20:01	2.03	2.00	113.23	13.68	3.18	2.63
VMJH	20:31	1.97	1.90	111.13	13.67	2.90	2.63
VMJH	21:01	1.13	2.01	111.30	14.26	3.08	2.62
VMJH	21:31	2.60	1.91	111.88	14.41	3.00	2.61
VMJH	22:01	2.03	2.13	111.66	14.41	2.94	2.71
VMJH	22:20	2.32	2.08	113.17	13.70	3.10	2.59
VMZ		1.75	2.03	111.70	13.92	3.04	2.63

Valori inregistrate MIR-IS HP-1250

Data:14/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10
VMJH 07:29	1.67	1.91	112.66	13.45	3.20	2.60
VMJH 07:59	2.40	2.09	110.04	13.48	2.95	2.65
VMJH 08:29	2.40	2.04	111.71	14.85	3.07	2.66
VMJH 08:59	1.40	2.11	111.82	14.15	2.94	2.65
VMJH 09:29	1.47	2.05	112.06	13.30	3.16	2.65
VMJH 09:59	1.63	2.02	112.27	13.84	3.07	2.70
VMJH 10:29	1.10	1.95	112.32	13.14	2.95	2.65
VMJH 10:59	1.87	1.94	111.46	14.32	3.04	2.58
VMJH 11:29	1.67	2.03	113.02	13.55	2.88	2.56
VMJH 11:59	1.40	2.33	111.93	14.42	2.97	2.69
VMJH 12:29	1.70	2.15	111.09	14.57	3.13	2.64
VMJH 12:59	1.67	1.93	112.04	13.97	3.02	2.55
VMJH 13:29	1.03	2.15	111.38	13.40	3.00	2.59
VMJH 13:59	0.33	2.13	112.51	13.37	3.11	2.64
VMJH 14:29	1.20	2.03	111.37	14.36	3.08	2.63
VMJH 14:59	0.30	2.09	112.16	13.63	2.94	2.64
VMJH 15:20	1.14	2.87	141.73	16.84	3.26	2.65
VMZ	1.44	2.09	113.13	13.99	3.04	2.63

Valori inregistrate MIR-IS HP-1250

Data:15/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 07:44	1.20	4.81	171.27	18.96	3.83	3.09
VMJH 08:14	0.37	4.85	171.55	19.18	3.77	3.24
VMJH 08:44	1.83	4.76	170.92	19.44	3.89	3.13
VMJH 09:14	1.97	4.97	171.93	19.13	3.48	3.06
VMJH 09:44	1.73	4.83	170.60	18.86	3.60	3.04
VMJH 10:14	1.27	4.86	171.74	18.60	3.73	3.25
VMJH 10:44	0.90	4.79	171.13	18.37	3.96	3.32
VMJH 11:14	1.50	4.66	170.73	18.86	3.79	3.11
VMJH 11:44	0.43	4.73	171.95	19.14	3.45	3.37
VMJH 12:14	1.00	4.72	169.75	18.84	3.56	3.03
VMJH 12:44	1.03	4.61	170.08	18.51	3.75	3.19
VMJH 13:14	0.97	4.76	171.87	18.79	3.29	3.20
VMJH 13:44	1.53	4.76	172.81	18.90	3.88	3.15
VMJH 14:14	0.77	4.87	171.45	19.66	3.94	3.34
VMJH 14:44	1.63	4.81	171.45	18.03	3.53	3.16
VMJH 15:14	2.40	4.73	171.35	18.79	3.97	3.16
VMJH 15:44	1.97	4.91	171.97	19.71	3.78	3.17
VMJH 15:52	2.25	5.03	174.36	20.30	3.62	3.41
VMZ	1.34	4.79	171.38	18.95	3.72	3.18

Valori inregistrate MIR-IS HP-1250

Data:17/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 08:02	1.70	4.89	171.08	18.24	3.49	3.23
VMJH 08:32	3.13	4.78	169.10	18.78	3.50	3.15
VMJH 09:02	2.60	4.66	170.48	17.92	3.94	3.16
VMJH 09:32	2.20	4.82	171.48	18.71	3.31	3.10
VMJH 10:02	2.70	4.86	171.90	19.03	3.77	3.12
VMJH 10:32	2.23	4.82	172.28	19.03	3.69	3.17
VMJH 11:02	2.03	4.70	170.83	18.71	3.60	3.22
VMJH 11:32	1.97	4.73	171.09	18.37	3.91	3.21
VMJH 12:02	2.20	4.83	171.79	18.86	3.99	3.38
VMJH 12:32	2.53	4.84	172.78	19.03	4.14	3.19
VMJH 13:02	1.53	4.82	170.90	18.10	3.71	3.29
VMJH 13:32	2.13	4.75	170.79	18.37	3.21	3.03
VMJH 14:02	2.87	4.64	170.52	19.20	3.73	3.15
VMJH 14:32	2.43	4.91	171.26	19.07	3.55	3.07
VMJH 15:02	1.63	4.64	170.65	19.13	3.82	3.40
VMJH 15:10	1.13	4.85	169.88	18.30	3.33	3.09
VMZ	2.24	4.78	171.10	18.70	3.68	3.19

Valori inregistrate MIR-IS HP-1250

Data:18/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 15:01	1.47	4.76	170.62	19.23	4.04	3.18
VMJH 15:31	2.10	4.79	170.02	19.22	4.22	3.28
VMJH 16:01	1.87	4.83	170.76	19.57	3.82	3.15
VMJH 16:31	1.47	4.72	171.73	20.00	3.73	3.15
VMJH 17:01	1.63	4.83	171.43	18.45	3.61	3.27
VMJH 17:31	2.33	4.88	170.57	19.10	3.41	3.34
VMJH 18:01	1.30	4.78	172.51	18.89	3.77	3.24
VMJH 18:31	1.87	4.79	172.10	18.98	3.68	3.35
VMJH 19:01	2.33	4.82	170.61	18.95	3.99	3.08
VMJH 19:31	2.87	4.75	170.86	18.99	3.90	3.14
VMJH 20:01	2.70	4.63	169.24	19.02	3.73	3.23
VMJH 20:31	2.13	4.81	170.45	18.76	3.70	3.22
VMJH 21:01	2.93	4.67	170.62	19.39	3.94	3.38
VMJH 21:31	2.07	4.76	171.19	18.32	3.80	3.18
VMJH 22:01	2.23	4.63	169.90	19.41	3.49	3.11
VMJH 22:31	2.43	4.12	155.95	17.39	3.52	3.05
VMJH 22:46	1.80	3.34	141.16	16.45	3.39	2.91
VMZ	2.10	4.68	169.01	18.90	3.76	3.20

Valori inregistrate MIR-IS HP-1250

Data:19/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:59	3.07	3.45	141.67	16.32	3.42	2.84
VMJH	08:29	2.70	3.44	141.49	16.44	3.44	2.93
VMJH	08:59	2.47	3.34	142.40	15.94	3.30	2.93
VMJH	09:29	3.03	3.42	141.62	15.80	3.26	2.97
VMJH	09:59	2.47	3.36	141.20	16.71	3.32	2.98
VMJH	10:29	2.00	3.36	141.27	16.87	3.12	2.87
VMJH	10:59	2.70	3.43	141.73	16.53	3.27	2.86
VMJH	11:29	1.50	3.30	141.94	16.45	3.34	2.90
VMJH	11:59	2.63	3.45	142.31	16.29	3.40	2.88
VMJH	12:29	3.17	3.39	141.03	16.78	3.43	2.94
VMJH	12:59	1.70	3.53	141.06	16.34	3.53	2.92
VMJH	13:29	2.53	3.42	140.22	16.35	3.36	2.92
VMJH	13:59	1.93	3.36	142.04	16.69	3.43	2.91
VMJH	14:29	2.30	3.33	141.79	17.07	3.34	2.86
VMJH	14:59	3.10	3.40	141.70	15.99	3.36	2.86
VMJH	15:29	1.83	3.55	140.73	16.07	3.53	2.89
VMJH	15:59	2.70	3.39	140.54	16.34	3.53	2.94
VMJH	16:29	2.53	3.49	141.91	17.54	3.61	2.95
VMJH	16:59	2.13	3.37	141.02	16.88	3.41	2.83
VMJH	17:29	3.63	3.46	141.63	16.62	3.30	3.00
VMJH	17:59	2.90	3.57	141.38	16.88	3.31	2.92
VMJH	18:29	2.10	3.42	141.92	16.31	3.55	2.92
VMJH	18:59	3.33	3.29	141.53	16.20	3.47	2.90
VMJH	19:29	2.57	3.32	140.45	16.25	3.30	2.89
VMJH	19:59	1.70	3.51	142.70	16.55	3.39	2.93
VMJH	20:29	1.80	3.43	140.66	16.81	3.51	2.90
VMJH	20:59	1.43	3.50	142.06	16.72	3.34	2.97
VMJH	21:29	1.83	3.54	141.17	16.46	3.34	2.90
VMJH	21:59	1.83	3.41	141.74	15.97	3.30	2.85
VMJH	22:20	2.29	3.46	141.54	16.38	3.46	2.85
VMZ		2.40	3.42	141.48	16.49	3.39	2.91

Valori inregistrate MIR-IS HP-1250

Data:20/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:15	1.80	3.39	142.41	17.12	3.21	2.86
VMJH	14:45	2.33	3.43	141.25	16.38	3.37	2.89
VMJH	15:15	2.07	3.25	141.31	15.46	3.33	2.87
VMJH	15:45	1.30	3.43	141.58	16.96	3.35	2.99
VMJH	16:15	1.67	3.46	141.51	16.67	3.36	2.87
VMJH	16:45	0.73	3.42	140.71	16.68	3.22	2.95
VMJH	17:15	1.83	3.37	142.31	16.97	3.35	2.97
VMJH	17:45	1.67	3.43	141.51	16.60	3.28	2.89
VMJH	18:15	1.43	3.45	140.26	16.41	3.35	2.88
VMJH	18:45	0.60	3.40	141.29	16.37	3.37	2.82
VMJH	19:15	2.50	3.49	142.74	16.34	3.66	2.96
VMJH	19:45	0.87	3.30	141.88	16.36	3.61	2.89
VMJH	20:15	0.83	3.47	141.88	16.65	3.40	2.92
VMJH	20:45	1.20	3.34	142.12	15.94	3.37	2.97
VMJH	21:15	1.23	3.44	141.85	16.60	3.53	2.87
VMJH	21:45	0.70	3.36	142.35	16.28	3.49	2.87
VMJH	22:08	0.74	3.44	142.05	16.46	3.50	2.89
VMZ		1.39	3.40	141.70	16.49	3.40	2.90

Valori inregistrate MIR-IS HP-1250

Data:21/4/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:00	1.10	2.78	143.98	18.23	3.16	3.37
VMJH	14:30	0.20	2.89	144.90	17.44	3.18	3.28
VMJH	15:00	0.63	2.83	145.42	17.72	3.21	3.25
VMJH	15:30	0.40	2.80	144.81	17.58	3.09	3.17
VMJH	16:00	0.73	2.85	146.14	17.24	3.16	3.10
VMJH	16:30	0.73	2.84	145.20	17.86	3.31	3.29
VMJH	17:00	0.77	2.89	144.54	18.17	3.24	3.28
VMJH	17:30	0.60	2.86	145.87	17.22	3.07	3.18
VMJH	18:00	0.57	2.74	145.75	18.57	3.28	3.21
VMJH	18:30	0.53	2.87	145.12	17.51	3.29	3.23
VMJH	19:00	0.53	2.81	144.97	18.00	3.31	3.28
VMJH	19:30	0.67	2.82	146.49	17.90	3.13	3.24
VMJH	20:00	0.13	2.77	144.78	17.30	3.08	3.25
VMJH	20:30	1.07	2.86	146.56	18.42	3.02	3.26
VMJH	21:00	0.73	2.82	145.45	17.62	3.23	3.41
VMJH	21:30	0.73	2.86	144.40	17.98	3.06	3.22
VMJH	22:00	0.97	2.89	145.83	17.34	3.24	3.26
VMJH	22:24	1.88	2.77	145.12	18.07	3.26	3.27
VMZ		0.71	2.83	145.30	17.79	3.18	3.25

Valori inregistrate MIR-IS HP-1250

Data:24/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 10:57	1.30	4.43	141.70	16.56	3.04	2.88
VMJH 11:27	2.03	5.02	145.31	15.60	2.65	2.88
VMJH 11:57	0.57	5.40	143.40	16.06	2.87	2.87
VMJH 12:27	2.17	5.26	144.02	15.18	2.77	2.82
VMJH 12:57	1.00	5.24	143.90	15.34	2.70	2.82
VMJH 13:27	1.73	4.97	142.76	15.55	2.78	2.83
VMJH 13:57	1.63	4.79	143.16	15.65	2.80	2.80
VMJH 14:27	1.67	5.07	143.34	15.78	2.82	2.85
VMJH 14:57	1.17	5.00	143.42	15.61	2.77	2.82
VMJH 15:27	1.37	4.97	143.71	15.55	2.80	2.89
VMJH 15:57	1.37	5.22	142.90	15.60	2.71	2.82
VMJH 16:27	1.27	5.18	144.10	15.51	2.70	2.88
VMJH 16:57	1.00	5.07	143.97	15.26	2.79	2.81
VMJH 17:27	1.20	5.13	142.80	15.64	2.72	2.83
VMJH 17:57	1.70	4.93	143.81	15.48	2.90	2.85
VMJH 18:27	1.90	4.97	143.99	15.50	2.72	2.83
VMJH 18:57	1.63	4.69	144.62	15.84	2.68	2.80
VMJH 19:27	1.70	5.07	144.09	15.64	2.64	2.79
VMJH 19:57	1.73	5.15	142.51	15.42	2.74	2.83
VMJH 20:27	1.17	5.04	143.70	15.62	2.74	2.79
VMJH 20:57	1.33	5.04	143.61	15.53	2.80	2.90
VMJH 21:27	1.00	5.10	143.82	15.73	2.71	2.81
VMJH 21:57	1.30	5.08	144.96	15.66	2.89	2.87
VMJH 22:02	2.20	5.45	143.56	16.26	2.78	2.73
VMZ	1.44	5.04	143.64	15.63	2.77	2.84

Valori inregistrate MIR-IS HP-1250

Data:25/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:33	1.53	5.20	143.93	15.23	2.71	2.85
VMJH	15:03	0.97	5.12	143.56	15.47	2.78	2.87
VMJH	15:33	1.80	5.19	144.31	15.97	2.78	2.85
VMJH	16:03	1.40	5.11	143.27	15.55	2.83	2.86
VMJH	16:33	2.27	5.16	143.01	15.60	2.72	2.93
VMJH	17:03	1.70	4.99	143.35	15.89	2.78	2.81
VMJH	17:33	1.73	5.24	143.40	15.78	2.70	2.85
VMJH	18:03	1.17	4.90	142.99	15.30	2.75	2.89
VMJH	18:33	1.33	4.99	143.50	15.54	2.76	2.86
VMJH	19:03	0.83	4.88	143.38	15.86	2.71	2.75
VMJH	19:33	1.27	5.16	143.90	15.66	2.70	2.80
VMJH	20:03	1.57	5.18	143.92	15.88	2.75	2.81
VMJH	20:33	0.83	4.81	142.48	16.01	2.80	2.84
VMJH	21:03	1.10	4.98	144.91	15.59	2.79	2.90
VMJH	21:33	0.90	5.08	143.93	15.44	2.69	2.82
VMJH	22:03	0.80	4.91	142.97	15.79	2.72	2.86
VMJH	22:07	1.50	5.70	142.92	15.21	2.86	2.99
VMZ		1.33	5.06	143.54	15.66	2.75	2.85

Valori inregistrate MIR-IS HP-1250

Data:26/4/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 14:29	1.20	5.35	144.34	15.33	2.77	2.86
VMJH 14:59	1.13	5.03	143.80	15.31	2.75	2.81
VMJH 15:29	1.10	5.12	143.93	15.52	2.75	2.85
VMJH 15:59	1.73	5.14	144.06	15.31	2.77	2.84
VMJH 16:29	1.53	5.25	143.70	15.35	2.76	2.79
VMJH 16:59	1.63	5.01	142.94	15.98	2.74	2.80
VMJH 17:29	1.17	5.07	143.22	15.34	2.75	2.84
VMJH 17:59	1.07	4.91	143.96	15.03	2.69	2.82
VMJH 18:29	1.37	5.28	143.65	15.36	2.76	2.89
VMJH 18:59	1.07	5.95	164.94	17.82	2.97	2.96
VMJH 19:29	0.70	5.88	169.09	17.78	3.14	3.01
VMJH 19:59	1.30	5.91	170.27	18.25	3.03	3.06
VMJH 20:29	0.63	6.17	169.48	18.30	3.04	2.99
VMJH 20:59	1.03	5.53	170.14	18.13	2.97	2.91
VMJH 21:29	1.00	6.10	171.71	17.59	3.05	3.05
VMJH 21:54	0.72	5.68	169.74	17.56	2.97	2.93
VMZ	1.15	5.46	154.78	16.49	2.87	2.90

Valori inregistrate MIR-IS HP-1250

Data:20/4/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:34	0.87	5.51	169.16	18.33	2.99	2.83
VMJH	15:04	0.90	6.28	168.79	17.58	2.93	2.94
VMJH	15:34	0.47	5.97	171.27	17.85	3.10	2.87
VMJH	16:04	0.73	6.26	170.45	18.04	2.97	2.99
VMJH	16:34	0.80	5.95	170.77	18.08	3.00	2.89
VMJH	17:04	1.50	5.95	168.86	18.05	3.04	3.02
VMJH	17:34	1.53	5.72	168.84	17.73	3.04	3.10
VMJH	18:04	1.50	6.00	168.56	18.39	3.00	3.05
VMJH	18:34	1.47	5.88	170.14	17.93	3.06	3.18
VMJH	19:04	1.40	5.95	170.31	17.75	3.04	2.97
VMJH	19:34	0.90	6.06	168.31	17.95	2.95	2.91
VMJH	20:04	1.00	6.22	170.85	17.80	2.92	3.03
VMJH	20:34	0.97	5.93	168.81	17.38	2.99	3.03
VMJH	21:04	1.07	5.75	171.25	17.78	3.04	2.99
VMJH	21:34	0.97	5.85	169.91	17.56	2.90	2.86
VMJH	22:04	1.13	6.09	170.73	17.94	2.98	2.88
VMJH	22:08	1.00	6.09	173.61	16.95	2.81	2.79
VMZ		1.07	5.96	169.85	17.87	2.99	2.97

Valori inregistrate MIR-IS HP-1250

Data:28/4/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	07:29	1.07		5.82		168.87		17.78		2.91		2.92	
VMJH	07:59	0.97		6.01		169.39		18.34		2.90		3.07	
VMJH	08:29	1.30		6.08		170.79		17.80		3.19		2.96	
VMJH	08:59	0.97		5.91		170.15		17.92		2.99		3.01	
VMJH	09:29	0.63		6.12		171.28		18.05		2.94		3.02	
VMJH	09:59	0.20		5.96		170.22		17.89		2.90		3.06	
VMJH	10:29	0.57		6.14		169.98		17.95		2.98		2.95	
VMJH	10:59	0.27		6.40		169.61		17.54		3.11		2.84	
VMJH	11:29	0.43		5.80		168.77		18.15		2.95		3.13	
VMJH	11:59	0.33		5.74		169.77		17.86		3.10		2.83	
VMJH	12:29	1.13		5.95		169.38		18.04		3.01		3.02	
VMJH	12:59	0.33		6.00		168.96		18.12		2.93		3.02	
VMJH	13:29	0.70		6.06		169.70		18.02		3.02		2.89	
VMJH	13:59	0.53		6.03		170.62		18.12		3.15		2.94	
VMJH	14:29	0.23		5.90		168.22		17.81		2.85		2.85	
VMJH	14:59	0.33		6.14		169.98		17.97		2.83		2.97	
VMJH	15:29	0.80		6.56		171.22		18.14		3.06		3.05	
VMJH	15:59	0.70		6.11		171.11		18.43		2.93		3.08	
VMJH	16:29	0.37		6.14		169.46		17.72		3.03		2.98	
VMJH	16:59	1.43		5.83		170.02		18.11		2.91		3.07	
VMJH	17:29	0.83		5.95		170.12		17.86		2.99		3.04	
VMJH	17:59	0.90		5.78		169.61		17.96		2.93		3.10	
VMJH	18:29	0.33		5.84		170.22		17.74		2.98		3.13	
VMJH	18:59	0.63		5.89		169.17		18.10		3.12		2.80	
VMJH	19:29	0.93		5.74		168.85		17.71		3.13		3.06	
VMJH	19:59	0.57		3.49		150.93		17.54		3.27		3.23	
VMJH	20:29	0.33		2.87		144.07		17.97		3.22		3.32	
VMJH	20:59	0.43		2.80		144.23		18.43		3.20		3.27	
VMJH	21:29	0.73		2.82		144.90		17.49		3.22		3.22	
VMJH	21:53	0.29		2.78		144.22		18.20		3.08		3.28	
VMZ		0.65		5.51		165.93		17.96		3.03		3.04	

Valori inregistrate MIR-IS HP-1250

Data:01/5/2023

	Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	08:14	0.70	2.90	145.15	17.39	3.06	3.44
VMJH	08:44	1.00	2.80	144.40	17.44	3.28	3.39
VMJH	09:14	1.73	2.89	145.08	17.60	3.18	3.38
VMJH	09:44	1.03	2.92	145.52	17.43	3.17	3.35
VMJH	10:14	1.30	2.82	144.36	17.40	3.14	3.35
VMJH	10:44	1.27	2.83	145.37	18.22	3.17	3.34
VMJH	11:14	1.43	2.80	145.56	17.70	3.21	3.20
VMJH	11:44	1.37	2.82	145.20	17.52	3.33	3.30
VMJH	12:14	0.90	2.85	144.77	18.42	3.20	3.34
VMJH	12:44	1.27	2.94	145.89	17.63	3.18	3.40
VMJH	13:14	1.00	2.78	143.68	18.51	3.21	3.42
VMJH	13:44	0.73	2.84	144.46	18.07	3.15	3.39
VMJH	14:14	0.50	2.79	145.81	18.45	3.14	3.25
VMJH	14:44	1.00	2.83	146.12	17.61	3.21	3.29
VMJH	15:14	1.03	2.82	143.87	19.19	3.18	3.36
VMJH	15:44	1.20	2.78	143.19	17.70	3.15	3.28
VMJH	16:14	0.40	2.85	145.78	17.93	3.16	3.34
VMJH	16:44	0.43	2.81	146.41	17.55	3.13	3.09
VMJH	17:14	1.07	2.83	145.11	17.84	3.27	3.31
VMJH	17:44	0.83	2.78	144.96	17.94	3.09	3.37
VMJH	18:07	0.61	2.72	150.28	16.85	3.31	3.28
VMZ		1.00	2.83	145.23	17.84	3.18	3.33

Valori inregistrate MIR-IS HP-1250

Data:02/5/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA VMJH		VMA VMJH		VMA VMJH		VMA		VMA VMJH		VMA VMJH	
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	11:02	1.43		1.07		118.42		12.85		3.10		2.79	
VMJH	11:32	0.83		1.02		119.77		13.45		2.98		2.85	
VMJH	12:02	0.77		1.10		120.01		12.70		3.01		2.90	
VMJH	12:32	1.40		1.11		118.76		12.53		2.95		2.92	
VMJH	13:02	1.57		1.09		118.41		12.98		2.98		2.81	
VMJH	13:32	1.37		1.09		119.46		12.79		3.29		2.80	
VMJH	14:02	1.57		1.10		120.43		12.89		2.93		2.89	
VMJH	14:32	1.63		1.08		118.23		12.80		2.95		2.87	
VMJH	15:02	1.77		1.09		118.94		12.44		3.02		2.84	
VMJH	15:32	0.93		1.08		118.69		12.85		3.03		2.88	
VMJH	16:02	1.30		1.05		118.58		12.78		3.17		2.77	
VMJH	16:32	1.00		1.08		120.18		12.79		2.95		2.78	
VMJH	17:02	1.07		1.10		117.65		13.02		2.98		2.84	
VMJH	17:32	1.13		1.11		118.26		12.83		3.02		2.94	
VMJH	18:02	1.67		1.10		120.22		13.24		3.17		2.78	
VMJH	18:32	0.93		1.08		120.83		12.86		3.00		2.88	
VMJH	19:02	1.43		1.10		118.11		12.48		3.14		2.77	
VMJH	19:32	1.73		1.10		119.90		12.68		3.13		2.85	
VMJH	20:02	1.17		1.07		120.02		12.66		3.26		2.89	
VMJH	20:32	1.13		1.09		118.61		12.71		3.11		2.88	
VMJH	21:02	1.00		1.08		118.58		13.01		2.91		3.00	
VMJH	21:32	1.20		1.13		120.41		13.13		3.15		2.71	
VMJH	22:05	0.91		1.11		117.94		12.90		3.06		2.88	
VMZ		1.26		1.09		119.14		12.84		3.06		2.85	

Valori inregistrate MIR-IS HP-1250

Data:04/5/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 06:49	1.00	1.09	119.24	13.06	2.89	2.85
VMJH 07:19	1.00	1.09	119.80	13.02	3.16	2.83
VMJH 07:49	0.50	1.11	120.42	12.84	3.09	2.90
VMJH 08:19	1.03	1.02	118.65	12.73	3.04	2.97
VMJH 08:49	1.17	1.12	118.11	13.15	3.08	2.88
VMJH 09:19	0.77	1.16	119.51	12.97	3.02	2.91
VMJH 09:49	0.60	1.12	118.91	12.68	3.13	2.95
VMJH 10:19	0.90	1.10	120.09	13.27	2.96	2.90
VMJH 10:49	0.30	1.26	132.18	14.84	3.17	2.83
VMJH 11:19	0.93	1.71	163.37	20.74	3.53	3.04
VMJH 11:49	0.70	1.74	164.52	20.33	3.33	3.20
VMJH 12:19	0.77	1.65	164.79	21.28	3.53	3.20
VMJH 12:49	1.17	1.71	162.86	19.86	3.40	3.02
VMJH 13:19	1.10	1.66	164.34	20.24	3.65	3.14
VMJH 13:49	1.43	1.68	166.03	20.17	3.60	3.24
VMJH 14:19	0.73	1.73	164.35	20.87	3.52	3.10
VMJH 14:30	2.00	1.64	163.30	20.30	3.45	3.26
VMZ	0.91	1.38	140.38	16.47	3.26	3.00

Valori inregistrate MIR-IS HP-1250

Data:05/5/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10
VMJH	14:45	0.17	1.73	161.35	20.58	3.45	3.19
VMJH	15:15	0.67	1.70	164.54	19.58	3.28	3.16
VMJH	15:45	0.73	1.67	166.41	21.10	3.30	3.01
VMJH	16:15	0.97	1.76	164.70	19.72	3.40	3.05
VMJH	16:45	1.57	1.66	165.13	20.83	3.46	3.08
VMJH	17:15	1.67	1.74	163.18	20.49	3.19	3.11
VMJH	17:45	0.30	1.72	162.59	20.41	3.42	2.97
VMJH	18:15	0.90	1.67	165.59	20.23	3.51	3.16
VMJH	18:45	1.20	1.72	165.86	19.67	3.39	3.10
VMJH	19:15	0.70	1.76	162.87	19.32	3.72	3.19
VMJH	19:45	0.37	1.75	160.90	20.19	3.41	3.00
VMJH	20:15	0.73	1.67	162.82	19.76	3.40	3.22
VMJH	20:45	1.03	1.75	163.39	19.59	3.22	3.09
VMJH	21:15	1.20	1.73	166.33	19.99	3.56	2.89
VMJH	21:45	0.73	1.79	163.00	20.60	3.51	3.23
VMJH	22:15	1.30	1.68	163.02	19.01	3.30	3.15
VMJH	22:38	0.74	1.74	166.42	20.79	3.54	3.10
VMZ		0.88	1.72	163.98	20.10	3.41	3.10

Valori inregistrate MIR-IS HP-1250

Data:08/5/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	11:05	0.87	1.72	163.80	19.89	3.48	3.03
VMJH	11:35	0.80	1.70	162.86	19.21	3.69	3.16
VMJH	12:05	0.23	1.77	165.62	20.14	3.67	3.12
VMJH	12:35	0.50	1.78	163.62	20.60	3.48	3.03
VMJH	13:05	0.43	1.66	161.60	20.00	3.52	3.23
VMJH	13:35	0.13	1.72	164.12	20.42	3.33	3.24
VMJH	14:05	0.20	1.74	165.56	19.92	3.36	3.01
VMJH	14:35	0.43	1.65	166.21	19.93	3.64	3.07
VMJH	15:05	0.17	1.67	163.48	19.55	3.15	3.09
VMJH	15:35	0.80	1.67	164.64	21.10	3.36	3.15
VMJH	16:05	1.27	1.72	163.75	20.49	3.08	3.03
VMJH	16:35	1.40	1.74	163.68	20.14	3.53	3.05
VMJH	17:05	0.80	1.80	164.92	21.17	3.44	3.18
VMJH	17:35	0.77	1.75	164.94	20.64	3.25	3.19
VMJH	18:05	1.17	1.71	160.38	20.17	3.62	3.13
VMJH	18:35	1.80	1.78	164.90	21.11	3.31	2.98
VMJH	19:05	0.27	1.75	165.27	20.08	3.49	2.91
VMJH	19:35	1.27	1.66	165.42	19.80	3.41	3.23
VMJH	20:05	1.27	1.77	166.02	19.53	3.56	3.12
VMJH	20:35	0.93	1.66	164.03	19.87	3.29	3.15
VMJH	21:05	0.70	1.76	162.73	19.57	3.58	3.19
VMJH	21:16	0.45	1.77	164.23	20.65	3.29	3.03
VMZ		0.77	1.72	164.17	20.17	3.44	3.11

Valori inregistrate MIR-IS HP-1250

Data:09/5/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	14:36	1.27	1.73	165.54	20.45	3.21	3.11					
VMJH	15:06	0.50	1.67	164.29	20.16	3.62	3.25					
VMJH	15:36	1.50	1.50	147.12	17.80	3.33	2.97					
VMJH	16:06	1.17	1.39	142.43	16.33	3.34	3.04					
VMJH	16:36	1.37	1.39	142.46	16.81	3.32	3.02					
VMJH	17:06	1.33	1.39	141.75	16.52	3.22	3.05					
VMJH	17:36	1.27	1.37	143.81	16.15	3.32	2.98					
VMJH	18:06	0.80	1.42	141.91	17.20	3.26	3.11					
VMJH	18:36	0.87	1.40	140.58	16.72	3.27	2.98					
VMJH	19:06	1.23	1.43	141.69	16.68	3.23	2.94					
VMJH	19:36	0.90	1.39	141.31	16.61	3.30	2.94					
VMJH	20:06	1.27	1.37	142.61	16.41	3.23	3.04					
VMJH	20:36	0.47	1.40	141.63	16.68	3.35	2.98					
VMJH	21:06	1.00	1.35	142.37	16.43	3.25	2.93					
VMJH	21:36	0.87	1.40	142.48	16.01	3.41	2.91					
VMJH	22:06	0.57	1.41	142.24	16.87	3.11	2.98					
VMJH	22:15	0.11	1.46	141.73	16.97	3.56	3.10					
VMZ		1.00	1.44	145.19	17.11	3.30	3.02					

Valori inregistrate MIR-IS HP-1250

Data:10/5/2023

	Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10
VMJH	14:29	0.93	1.42	141.42	16.85	3.35	2.97
VMJH	14:59	0.70	1.40	140.63	16.52	3.03	2.98
VMJH	15:29	0.77	1.41	141.72	16.45	3.49	2.90
VMJH	15:59	0.80	1.42	140.26	16.40	3.26	2.96
VMJH	16:29	1.00	1.38	141.40	16.75	3.19	3.06
VMJH	16:59	1.30	1.40	142.16	16.43	3.05	2.97
VMJH	17:29	0.67	1.44	140.88	17.22	3.51	3.05
VMJH	17:59	0.60	1.40	142.59	16.90	3.34	2.95
VMJH	18:29	0.73	1.36	141.06	16.51	3.31	2.93
VMJH	18:59	0.80	1.41	141.21	16.24	3.24	3.00
VMJH	19:29	1.33	1.38	141.13	16.35	3.28	2.96
VMJH	19:59	0.47	1.45	141.18	16.52	3.23	3.04
VMJH	20:29	1.03	1.43	142.39	17.04	3.22	2.97
VMJH	20:59	0.93	1.40	140.28	16.75	3.18	2.94
VMJH	21:29	1.43	1.45	140.83	16.69	3.33	3.02
VMJH	21:59	1.07	1.41	141.48	16.90	3.24	3.04
VMJH	22:18	0.21	1.38	142.43	16.58	3.36	3.07
VMZ		0.88	1.41	141.33	16.66	3.27	2.99

Valori inregistrate MIR-IS HP-1250

Data:11/5/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10
VMJH 14:15	0.97	1.39	142.60	16.51	3.29	2.97
VMJH 14:45	1.30	1.40	141.94	16.88	3.37	3.03
VMJH 15:15	1.37	1.40	140.18	15.69	3.31	3.03
VMJH 15:45	1.23	1.38	140.76	16.70	3.40	3.09
VMJH 16:15	1.13	1.38	141.34	16.81	3.20	3.00
VMJH 16:45	1.00	1.40	141.90	16.67	3.25	3.02
VMJH 17:15	2.07	1.40	143.80	17.21	3.44	2.92
VMJH 17:45	1.87	1.38	140.72	16.55	3.23	2.94
VMJH 18:15	1.07	1.42	142.06	16.74	3.40	3.00
VMJH 18:45	1.47	1.41	141.31	16.70	3.32	2.95
VMJH 19:15	0.90	1.40	141.56	16.86	3.14	2.99
VMJH 19:45	1.03	1.39	141.58	16.65	3.24	2.95
VMJH 20:15	1.93	1.39	141.46	16.94	3.33	2.99
VMJH 20:45	0.50	1.39	142.28	16.46	3.26	2.98
VMJH 21:15	0.83	1.43	141.00	16.09	3.29	2.93
VMJH 21:45	3.47	1.43	140.44	16.49	3.10	2.95
VMJH 22:17	1.00	1.41	141.63	16.66	3.41	3.02
VMZ	1.36	1.40	141.56	16.62	3.29	2.99

Valori inregistrate MIR-IS HP-1250

Data:12/5/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 14:47	0.97	3.21	142.58	17.10	3.19	2.88
VMJH 15:17	0.83	3.50	143.32	16.40	3.24	3.06
VMJH 15:47	0.87	3.61	142.52	16.64	3.35	3.12
VMJH 16:17	1.40	3.59	142.39	16.98	3.36	3.05
VMJH 16:47	1.50	3.46	143.67	16.81	3.36	3.05
VMJH 17:17	0.87	3.51	143.79	16.65	3.32	3.12
VMJH 17:47	0.60	3.49	142.88	16.44	3.33	3.12
VMJH 18:17	0.97	3.47	145.62	16.74	3.30	3.10
VMJH 18:47	1.53	3.57	143.77	17.14	3.33	3.03
VMJH 19:17	1.00	3.50	142.28	16.40	3.40	3.09
VMJH 19:47	1.10	3.62	144.00	16.71	3.34	3.07
VMJH 20:17	1.43	3.44	143.30	16.82	3.34	3.08
VMJH 20:47	1.67	3.64	144.57	16.90	3.43	3.09
VMJH 21:17	2.73	3.46	143.13	17.01	3.41	3.10
VMJH 21:47	0.40	3.46	145.76	16.91	3.33	3.02
VMJH 22:12	1.52	3.66	143.18	16.20	3.20	3.09
VMZ	1.21	3.51	143.55	16.75	3.33	3.07

Valori inregistrate MIR-IS HP-1250

Data:15/5/2023

	Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	11:29	1.47	3.60	144.14	16.76	3.43	3.03
VMJH	11:59	1.13	3.46	143.10	15.92	3.28	3.04
VMJH	12:29	1.57	3.61	143.48	16.50	3.30	3.16
VMJH	12:59	2.27	3.49	143.55	16.61	3.29	2.93
VMJH	13:29	1.03	3.52	144.36	16.46	3.34	3.06
VMJH	13:59	1.17	3.51	144.15	17.12	3.35	3.17
VMJH	14:29	1.80	3.59	142.03	16.93	3.34	3.15
VMJH	14:59	1.40	3.47	143.12	16.78	3.37	3.06
VMJH	15:29	0.47	3.63	143.51	16.75	3.31	3.07
VMJH	15:59	1.20	3.43	142.14	16.45	3.40	3.06
VMJH	16:29	1.53	3.53	143.04	16.93	3.53	3.06
VMJH	16:59	0.87	3.55	143.88	16.30	3.32	3.04
VMJH	17:29	1.30	3.58	143.44	16.35	3.29	3.07
VMJH	17:59	0.83	3.52	142.47	17.01	3.31	3.08
VMJH	18:29	1.47	3.48	143.02	16.46	3.28	3.05
VMJH	18:59	1.77	3.59	142.19	16.36	3.49	3.06
VMJH	19:29	0.53	3.54	142.87	16.33	3.34	3.15
VMJH	19:59	2.13	3.34	142.52	16.64	3.24	3.11
VMJH	20:29	0.93	3.53	143.13	16.84	3.36	3.09
VMJH	20:59	1.20	3.54	145.25	16.53	3.19	3.06
VMJH	21:29	0.97	3.58	143.58	16.61	3.41	3.15
VMJH	21:59	0.87	3.53	143.30	17.08	3.33	3.11
VMJH	22:24	1.20	3.59	142.56	16.86	3.60	3.10
VMZ		1.27	3.53	143.26	16.63	3.35	3.08

Valori inregistrate MIR-IS HP-1250

Data:16/5/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	15:11	0.53	3.58	142.18	17.14	3.41	3.00
VMJH	15:41	1.10	3.51	142.33	16.96	3.36	3.05
VMJH	16:11	1.00	3.60	142.20	16.44	3.39	3.02
VMJH	16:41	0.77	3.51	144.19	16.93	3.44	3.09
VMJH	17:11	1.13	3.61	143.27	16.53	3.37	3.09
VMJH	17:41	1.57	3.45	144.35	16.58	3.38	3.04
VMJH	18:11	0.67	3.53	143.75	16.73	3.28	3.08
VMJH	18:41	1.43	3.55	141.98	17.00	3.43	3.00
VMJH	19:11	1.73	3.59	142.37	16.48	3.40	3.05
VMJH	19:41	1.57	4.02	153.98	18.62	3.47	3.12
VMJH	20:11	0.80	4.56	166.31	19.44	3.95	3.22
VMJH	20:41	1.43	4.59	161.05	19.66	3.71	3.29
VMJH	21:11	1.47	4.52	163.15	19.12	3.61	3.17
VMJH	21:41	0.90	4.52	162.19	19.88	3.61	3.08
VMJH	22:11	1.57	4.56	163.51	20.11	3.69	3.14
VMJH	22:24	1.31	4.65	159.19	19.70	3.55	3.32
VMZ		1.18	3.93	150.71	17.90	3.50	3.10

Valori inregistrate MIR-IS HP-1250

Data:17/5/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:49	0.33	4.53	161.82	19.87	3.64	3.37
VMJH	08:19	0.53	4.54	162.49	19.20	3.52	3.11
VMJH	08:49	0.70	4.58	166.30	19.56	3.91	3.31
VMJH	09:19	0.83	4.58	162.64	19.88	3.49	3.25
VMJH	09:49	0.97	4.51	160.56	19.87	3.68	3.16
VMJH	10:19	0.57	4.52	162.63	19.18	3.77	3.31
VMJH	10:49	1.30	4.57	163.51	20.12	3.69	3.00
VMJH	11:19	0.60	4.53	166.77	19.98	3.83	3.33
VMJH	11:49	0.73	4.57	162.51	20.25	3.76	3.16
VMJH	12:19	1.03	4.47	163.81	20.26	3.82	3.30
VMJH	12:49	0.80	4.63	163.15	19.51	3.68	3.25
VMJH	13:19	1.23	4.59	163.62	19.82	3.52	3.14
VMJH	13:49	0.67	4.44	163.88	20.15	3.81	3.46
VMJH	14:19	1.00	4.50	165.74	20.08	3.79	3.18
VMJH	14:49	0.97	4.55	162.90	19.54	3.70	3.26
VMJH	15:19	0.60	4.51	164.50	20.09	3.55	3.14
VMJH	15:49	0.90	4.51	164.57	20.12	3.63	3.18
VMJH	16:19	1.10	4.50	159.74	20.48	3.62	3.20
VMJH	16:49	1.23	4.66	163.89	20.46	3.72	3.20
VMJH	17:19	0.67	4.52	164.53	20.09	3.61	3.20
VMJH	17:49	0.57	4.45	164.94	19.30	3.68	3.16
VMJH	18:19	0.53	4.49	161.70	19.90	3.82	3.15
VMJH	18:49	0.87	4.47	164.54	20.42	3.76	3.09
VMJH	19:19	0.67	4.55	165.11	20.12	3.74	3.30
VMJH	19:49	0.67	4.50	164.43	19.19	3.66	3.24
VMJH	20:19	0.77	4.40	166.52	20.51	3.44	3.03
VMJH	20:49	0.80	4.50	163.52	19.72	3.80	3.22
VMJH	21:19	0.60	4.58	164.42	19.69	3.77	3.10
VMJH	21:49	0.73	4.63	162.60	20.00	3.77	3.16
VMJH	22:14	1.00	4.53	162.41	19.14	3.72	3.15
VMZ		0.80	4.53	163.67	19.89	3.70	3.20

Valori inregistrate MIR-IS HP-1250

Data:18/5/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/20	50	10 20/10	10 60/10
VMJH 15:08	1.77	4.58	162.73	19.80	3.77	3.25
VMJH 15:38	1.70	4.49	166.69	19.98	3.55	3.23
VMJH 16:08	1.50	4.62	163.86	20.90	3.65	3.10
VMJH 16:38	0.73	4.42	166.73	20.20	3.75	3.12
VMJH 17:08	1.17	4.58	166.91	20.00	3.59	3.37
VMJH 17:38	2.30	4.52	164.00	20.94	3.73	3.17
VMJH 18:08	1.87	4.50	162.14	20.50	3.73	3.22
VMJH 18:38	1.27	4.42	161.54	19.36	3.91	3.38
VMJH 19:08	1.10	4.53	165.53	20.32	3.66	3.15
VMJH 19:38	0.83	4.48	163.31	19.71	3.66	3.15
VMJH 20:08	1.17	4.57	165.03	19.18	3.71	3.25
VMJH 20:38	1.37	4.55	163.92	19.80	3.62	3.22
VMJH 21:08	1.60	4.09	135.45	16.69	2.76	2.97
VMJH 21:38	2.07	3.69	125.77	15.74	2.70	2.76
VMJH 22:12	1.82	3.90	127.01	15.77	2.66	2.80
VMZ	1.49	4.39	157.12	19.23	3.49	3.14

Valori inregistrate MIR-IS HP-1250

Data:19/5/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	15:09	1.03		3.90		127.39		15.21		2.64		2.86	
VMJH	15:39	1.70		3.78		126.33		15.13		2.77		2.83	
VMJH	16:09	1.30		4.35		126.15		15.45		2.79		2.83	
VMJH	16:39	2.53		3.98		126.33		15.54		2.69		2.91	
VMJH	17:09	2.37		3.64		128.12		16.23		2.66		2.80	
VMJH	17:39	1.80		4.31		127.92		15.54		2.72		2.96	
VMJH	18:09	1.70		3.87		127.13		15.78		2.58		2.79	
VMJH	18:39	1.30		3.78		126.88		15.71		2.72		2.89	
VMJH	19:09	1.87		3.82		127.17		16.15		2.58		2.78	
VMJH	19:39	1.50		3.73		125.96		15.45		2.77		2.91	
VMJH	20:09	1.50		3.77		126.69		15.99		2.75		2.86	
VMJH	20:39	1.67		3.75		125.83		16.09		2.72		2.85	
VMJH	21:09	1.33		3.75		125.78		15.80		2.66		2.83	
VMJH	21:39	2.17		4.05		126.63		15.28		2.78		2.82	
VMJH	22:09	1.87		3.65		125.84		16.17		2.80		2.86	
VMJH	22:25	1.31		3.77		125.82		15.57		2.75		2.66	
VMZ		1.69		3.87		126.65		15.70		2.71		2.85	

Valori inregistrate MIR-IS HP-1250

Data:22/5/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 15:13	0.67	4.00	126.20	15.41	2.68	2.91
VMJH 15:43	1.20	3.68	126.29	15.99	2.62	2.73
VMJH 16:13	1.53	3.53	126.71	16.13	2.67	2.85
VMJH 16:43	1.03	3.47	126.52	15.80	2.81	2.85
VMJH 17:13	0.57	3.98	126.81	15.49	2.69	2.77
VMJH 17:43	1.03	3.70	127.61	15.21	2.64	2.87
VMJH 18:13	0.50	3.82	127.52	15.68	2.79	2.74
VMJH 18:43	0.67	3.57	125.65	15.56	2.86	2.93
VMJH 19:13	1.07	3.86	127.04	16.18	2.72	2.79
VMJH 19:43	1.67	3.92	125.83	15.31	2.77	2.96
VMJH 20:13	0.70	3.70	127.21	15.73	2.71	2.87
VMJH 20:43	0.57	3.82	126.71	15.52	2.76	2.84
VMJH 21:13	1.17	3.81	126.10	15.45	2.79	2.90
VMJH 21:43	1.80	3.82	127.25	15.71	2.71	2.86
VMJH 22:13	2.03	3.56	126.64	15.65	2.78	2.80
VMJH 22:26	2.46	4.17	127.37	15.40	2.74	2.67
VMZ	1.12	3.76	126.69	15.65	2.73	2.84

Valori inregistrate MIR-IS HP-1250

Data:23/5/2023

	Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:49	0.60	3.87	126.93	15.90	2.70	2.86
VMJH	15:19	0.63	3.75	125.93	15.27	2.75	2.75
VMJH	15:49	0.90	3.66	126.20	16.15	2.76	2.86
VMJH	16:19	0.80	3.91	126.70	15.58	2.57	2.86
VMJH	16:49	0.83	3.73	126.48	16.99	2.60	2.78
VMJH	17:19	0.90	3.87	126.00	15.80	2.71	2.73
VMJH	17:49	1.03	3.95	125.35	15.69	2.65	2.85
VMJH	18:19	0.87	3.65	127.25	15.88	2.78	2.90
VMJH	18:49	0.90	3.66	127.19	16.43	2.62	2.87
VMJH	19:19	1.10	3.83	125.41	15.84	2.75	2.88
VMJH	19:49	1.17	3.66	126.52	15.69	2.64	2.69
VMJH	20:19	0.97	3.90	125.79	15.51	2.77	2.89
VMJH	20:49	1.43	4.01	125.31	15.23	2.66	2.91
VMJH	21:19	1.73	3.86	126.59	16.38	2.68	2.77
VMJH	21:49	1.87	5.46	158.01	18.49	4.80	3.41
VMJH	22:17	2.04	5.96	166.47	19.20	5.16	3.62
VMZ		1.11	4.04	130.61	16.24	2.97	2.91

Valori inregistrate MIR-IS HP-1250

Data:24/5/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	06:46	0.73	5.76	167.52	18.80	5.11	3.66
VMJH	07:16	1.73	5.72	162.43	19.21	5.03	3.77
VMJH	07:46	0.80	5.91	166.37	19.39	5.02	3.70
VMJH	08:16	1.30	5.86	163.68	18.83	4.92	3.67
VMJH	08:46	0.93	5.95	165.31	18.98	5.12	3.65
VMJH	09:16	1.40	5.77	166.52	18.89	5.01	3.69
VMJH	09:46	1.00	5.75	168.59	18.74	4.92	3.68
VMJH	10:16	1.70	5.80	163.92	18.69	5.09	3.67
VMJH	10:46	1.13	5.66	167.20	18.95	5.12	3.80
VMJH	11:16	1.43	5.91	165.32	19.23	4.99	3.60
VMJH	11:46	1.80	6.20	167.23	18.46	5.16	3.63
VMJH	12:16	0.90	5.28	167.36	18.58	5.08	3.68
VMJH	12:46	1.20	5.68	163.27	18.56	5.03	3.62
VMJH	13:16	0.77	5.85	164.80	19.10	4.88	3.70
VMJH	13:46	1.77	5.71	164.61	19.13	5.13	3.66
VMJH	14:16	2.47	5.61	164.91	18.42	5.09	3.58
VMJH	14:28	1.75	5.70	165.32	18.81	5.18	3.51
VMZ		1.33	5.77	165.56	18.87	5.05	3.67

Valori inregistrate MIR-IS HP-1250

Data:25/5/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 14:34	1.97	5.90	165.38	19.05	5.17	3.69
VMJH 15:04	0.30	5.75	169.20	18.83	5.06	3.64
VMJH 15:34	1.97	5.47	163.28	19.25	5.04	3.75
VMJH 16:04	0.77	6.02	166.93	18.00	5.09	3.66
VMJH 16:34	2.20	6.41	165.10	19.02	4.99	3.63
VMJH 17:04	1.27	5.94	164.62	18.36	5.05	3.69
VMJH 17:34	1.87	5.96	161.21	19.08	5.17	3.59
VMJH 18:04	1.47	5.68	167.28	18.45	5.13	3.63
VMJH 18:34	1.43	5.79	164.40	19.81	5.22	3.70
VMJH 19:04	1.37	5.72	164.81	18.29	5.07	3.61
VMJH 19:34	1.67	5.86	164.25	19.01	5.09	3.63
VMJH 20:04	1.83	5.93	166.56	18.96	5.14	3.65
VMJH 20:34	1.40	5.98	164.66	18.94	5.16	3.61
VMJH 21:04	1.43	5.83	165.98	18.78	5.00	3.57
VMJH 21:34	1.43	5.44	165.68	18.68	5.03	3.62
VMJH 22:04	1.93	5.83	163.41	18.70	5.06	3.77
VMJH 22:22	1.00	6.21	170.94	18.90	5.00	3.70
VMZ	1.50	5.86	165.38	18.83	5.09	3.66

Valori inregistrate MIR-IS HP-1250

Data:26/5/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	100	400/200	50	10	20/10	10	60/10	
VMJH	06:53	1.30		5.57		164.78		19.14		5.04		3.60	
VMJH	07:23	0.63		6.15		166.24		18.82		5.07		3.60	
VMJH	07:53	0.93		5.82		164.32		18.90		5.01		3.62	
VMJH	08:23	0.93		5.72		165.63		18.84		4.96		3.64	
VMJH	08:53	1.07		6.09		163.28		19.16		5.04		3.72	
VMJH	09:23	1.80		5.58		163.63		18.19		5.17		3.56	
VMJH	09:53	1.17		5.70		167.20		18.78		5.00		3.68	
VMJH	10:23	0.87		5.69		163.82		18.15		5.01		3.63	
VMJH	10:53	0.93		5.93		165.83		19.12		5.07		3.71	
VMJH	11:23	1.57		5.90		164.26		19.56		4.90		3.72	
VMJH	11:53	1.13		5.86		163.24		18.62		5.12		3.73	
VMJH	12:23	0.77		5.47		165.44		18.88		5.18		3.77	
VMJH	12:53	1.13		5.93		165.59		18.73		5.02		3.61	
VMJH	13:23	1.07		4.94		151.45		17.44		4.15		3.42	
VMJH	13:53	1.90		4.96		144.47		17.58		3.87		3.30	
VMJH	14:23	1.87		4.74		144.33		17.20		3.83		3.30	
VMJH	14:53	1.87		4.81		146.42		17.59		3.80		3.28	
VMJH	15:23	1.33		4.82		145.40		17.67		3.88		3.28	
VMJH	15:53	1.83		4.72		145.32		17.32		3.90		3.31	
VMJH	16:23	1.37		4.70		146.11		17.60		3.96		3.27	
VMJH	16:53	1.87		4.74		145.17		17.20		3.91		3.26	
VMJH	17:23	0.57		4.78		146.35		16.60		4.02		3.26	
VMJH	17:53	1.07		4.91		145.27		17.28		3.91		3.20	
VMJH	18:23	0.80		4.70		145.93		17.51		3.78		3.29	
VMJH	18:53	0.53		4.95		146.21		16.84		3.86		3.29	
VMJH	19:23	1.07		4.74		144.83		17.54		3.88		3.24	
VMJH	19:53	0.97		4.96		145.44		17.44		3.89		3.22	
VMJH	20:23	1.40		4.75		145.31		17.25		3.89		3.22	
VMJH	20:53	0.63		4.77		146.31		17.33		3.95		3.27	
VMJH	21:23	1.00		4.82		146.37		17.35		3.79		3.23	
VMJH	21:53	1.13		4.80		145.72		17.76		3.87		3.24	
VMJH	22:00	1.57		5.28		145.39		17.02		3.99		3.34	
VMZ		1.18		5.23		153.79		17.97		4.38		3.43	

Valori inregistrate MIR-IS HP-1250

Data:27/5/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:29	1.07	4.94	146.02	17.36	3.86	3.21
VMJH	07:59	1.53	5.05	146.31	17.28	3.87	3.22
VMJH	08:29	1.77	4.91	147.18	17.17	3.94	3.23
VMJH	08:59	1.60	4.64	145.34	17.18	3.90	3.21
VMJH	09:29	0.93	4.94	146.85	17.62	3.97	3.31
VMJH	09:59	1.30	4.83	146.61	17.30	4.02	3.24
VMJH	10:29	1.53	4.84	145.51	17.69	3.79	3.21
VMJH	10:59	0.93	4.68	146.48	17.25	3.89	3.24
VMJH	11:29	1.13	5.00	145.75	17.60	3.83	3.26
VMJH	11:59	1.23	4.96	147.05	17.15	3.82	3.22
VMJH	12:29	0.90	4.57	145.37	17.64	3.87	3.22
VMJH	12:59	0.97	4.86	145.23	17.33	3.92	3.21
VMJH	13:29	1.07	4.85	146.89	17.29	3.74	3.20
VMJH	13:59	0.63	4.83	146.33	17.70	3.91	3.24
VMJH	14:29	0.87	4.93	143.84	17.16	3.92	3.20
VMJH	14:45	1.50	5.00	146.16	16.68	3.94	3.18
VMZ		1.18	4.86	146.05	17.36	3.89	3.23

Valori inregistrate MIR-IS HP-1250

Data:29/5/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 11:17	1.53	4.87	146.10	17.95	3.88	3.31
VMJH 11:47	1.47	4.68	146.05	16.92	3.95	3.35
VMJH 12:17	1.63	4.78	147.10	17.10	3.85	3.20
VMJH 12:47	2.10	4.71	145.68	17.31	3.82	3.27
VMJH 13:17	2.33	4.72	145.46	17.37	3.95	3.22
VMJH 13:47	2.67	4.75	146.02	17.21	3.89	3.27
VMJH 14:17	0.87	4.86	143.45	17.18	3.85	3.23
VMJH 14:47	1.00	4.93	147.30	17.50	3.91	3.27
VMJH 15:17	0.63	5.10	144.83	17.22	3.92	3.20
VMJH 15:47	1.67	4.63	143.78	17.06	3.84	3.22
VMJH 16:17	1.07	4.74	146.42	17.04	3.88	3.27
VMJH 16:47	0.93	4.68	146.04	17.47	3.98	3.22
VMJH 17:17	0.90	4.66	144.51	17.47	3.93	3.28
VMJH 17:47	1.17	4.73	145.75	17.02	3.79	3.31
VMJH 18:17	1.13	4.43	146.20	17.00	3.83	3.32
VMJH 18:47	1.50	4.17	144.75	16.85	3.74	3.23
VMJH 19:17	1.33	4.10	144.80	16.88	3.79	3.20
VMJH 19:47	1.23	4.07	143.94	16.99	3.68	3.28
VMJH 20:17	1.00	4.08	143.53	17.10	3.75	3.29
VMJH 20:47	1.03	4.00	146.26	16.82	3.72	3.17
VMJH 21:17	0.97	4.14	146.41	16.37	3.76	3.22
VMJH 21:47	1.50	4.14	146.28	16.38	3.80	3.22
VMJH 22:12	1.60	4.07	146.33	17.03	3.81	3.29
VMZ	1.36	4.53	145.52	17.10	3.84	3.25

Valori inregistrate MIR-IS HP-1250

Data:30/5/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 07:29	1.70	4.25	144.68	17.01	3.79	3.25
VMJH 07:59	1.43	4.13	144.63	16.21	3.81	3.21
VMJH 08:29	1.40	4.17	145.07	16.79	3.75	3.22
VMJH 08:59	1.97	4.13	144.47	16.69	3.75	3.22
VMJH 09:29	1.17	3.90	145.94	17.01	3.74	3.23
VMJH 09:59	1.07	4.19	147.16	17.31	3.68	3.29
VMJH 10:29	1.50	4.24	144.88	17.09	3.85	3.25
VMJH 10:59	2.03	4.13	146.37	16.86	3.80	3.23
VMJH 11:29	1.60	4.03	144.50	16.86	3.81	3.22
VMJH 11:59	0.70	4.22	144.43	16.87	3.88	3.25
VMJH 12:29	0.80	4.04	145.51	17.09	3.85	3.31
VMJH 12:59	0.97	4.13	144.06	16.96	3.79	3.22
VMJH 13:29	1.20	4.24	145.53	16.78	3.84	3.31
VMJH 13:59	1.20	4.15	145.89	17.23	3.77	3.29
VMJH 14:24	0.84	4.21	145.41	16.50	3.80	3.26
VMZ	1.31	4.14	145.23	16.89	3.79	3.25

Valori inregistrate MIR-IS HP-1250

Data:31/5/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	11:05	1.17	4.15	144.89	16.32	3.79	3.21
VMJH	11:35	1.00	4.12	145.07	17.20	3.75	3.21
VMJH	12:05	0.97	4.11	146.45	16.48	3.79	3.23
VMJH	12:35	1.33	4.00	145.60	16.88	3.75	3.30
VMJH	13:05	0.80	3.98	145.10	16.86	3.83	3.29
VMJH	13:35	1.17	4.24	146.77	16.86	3.76	3.21
VMJH	14:05	0.97	3.86	145.76	16.99	3.74	3.24
VMJH	14:35	1.03	4.20	147.11	17.23	3.79	3.14
VMJH	15:05	0.77	4.10	144.58	16.75	3.91	3.21
VMJH	15:35	1.37	4.04	145.92	16.83	3.75	3.16
VMJH	16:05	1.33	4.15	143.69	17.01	3.74	3.22
VMJH	16:35	1.63	4.20	145.84	17.32	3.85	3.19
VMJH	17:05	1.77	4.11	144.36	16.87	3.71	3.30
VMJH	17:35	1.60	4.04	145.10	16.58	3.76	3.14
VMJH	18:05	1.50	4.17	142.92	16.76	3.81	3.27
VMJH	18:35	0.83	4.07	145.49	17.45	3.82	3.20
VMJH	19:05	1.20	3.91	145.67	16.84	3.65	3.20
VMJH	19:35	0.93	4.22	145.85	16.97	3.78	3.27
VMJH	20:05	1.33	4.16	144.41	16.77	3.78	3.29
VMJH	20:35	1.73	4.02	144.63	16.93	3.82	3.20
VMJH	21:05	1.00	4.07	146.29	16.84	3.68	3.25
VMJH	21:35	0.23	4.00	146.03	17.42	3.77	3.20
VMJH	22:05	2.03	4.19	147.05	16.72	3.73	3.26
VMJH	22:18	1.46	3.86	144.66	17.21	3.83	3.35
VMZ		1.21	4.09	145.40	16.91	3.77	3.23

Valori inregistrate MIR-IS HP-1250

Data:02/6/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	14:53	1.23		2.91		145.00		17.44		3.08		3.43	
VMJH	15:23	0.73		2.80		144.40		17.44		3.28		3.39	
VMJH	15:53	0.80		2.89		145.08		17.60		3.18		3.38	
VMJH	16:23	0.33		2.92		145.52		17.43		3.17		3.35	
VMJH	16:53	1.37		2.82		144.36		17.40		3.14		3.35	
VMJH	17:23	1.10		2.83		145.37		18.22		3.17		3.34	
VMJH	17:53	1.30		2.80		145.56		17.70		3.21		3.20	
VMJH	18:23	0.90		2.82		145.20		17.52		3.33		3.30	
VMJH	18:53	1.23		2.85		144.77		18.42		3.20		3.34	
VMJH	19:23	1.53		2.94		145.89		17.63		3.18		3.40	
VMJH	19:53	0.77		2.78		143.68		18.51		3.21		3.42	
VMJH	20:23	0.83		2.84		144.46		18.07		3.15		3.39	
VMJH	20:53	0.73		2.79		145.81		18.45		3.14		3.25	
VMJH	21:23	1.03		2.83		146.12		17.61		3.21		3.29	
VMJH	21:53	0.47		2.82		143.87		19.19		3.18		3.36	
VMJH	22:12	0.47		2.79		143.09		17.09		3.15		3.22	
VMZ		0.94		2.84		144.93		17.88		3.19		3.34	

Valori inregistrate MIR-IS HP-1250

Data:03/6/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 13:09	0.93	2.79	145.67	18.40	3.08	3.38
VMJH 13:39	0.93	2.83	145.84	17.60	3.18	3.17
VMJH 14:09	0.60	2.85	144.27	17.50	3.26	3.16
VMJH 14:39	0.73	2.79	145.73	18.02	3.15	3.37
VMJH 15:09	1.00	3.67	146.43	17.60	3.41	3.33
VMJH 15:39	0.93	6.87	149.56	16.12	4.11	3.31
VMJH 16:09	1.70	6.49	149.57	16.50	4.08	3.25
VMJH 16:39	0.80	7.08	149.19	16.59	3.88	3.36
VMJH 17:09	0.53	6.63	148.32	16.57	4.06	3.29
VMJH 17:39	0.50	6.68	147.99	16.78	4.07	3.26
VMJH 18:09	0.60	6.86	149.21	16.45	4.12	3.32
VMJH 18:39	0.83	6.74	148.21	16.02	4.09	3.31
VMJH 19:09	0.40	6.79	147.73	16.65	4.00	3.21
VMJH 19:25	2.25	6.81	148.56	16.82	4.19	3.22
VMZ	0.87	5.37	147.56	16.98	3.75	3.28

Valori inregistrate MIR-IS HP-1250

Data:05/6/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 10:51	2.70	6.42	148.38	16.85	3.94	3.26
VMJH 11:21	2.80	6.75	147.78	16.29	4.20	3.24
VMJH 11:51	2.80	6.18	148.15	16.31	4.01	3.27
VMJH 12:21	3.30	7.03	148.01	16.15	4.03	3.29
VMJH 12:51	2.17	7.26	147.00	16.26	4.19	3.35
VMJH 13:21	2.63	6.63	149.41	16.25	4.03	3.30
VMJH 13:51	2.47	7.18	147.70	16.72	4.01	3.26
VMJH 14:21	2.63	6.75	147.34	16.47	4.15	3.31
VMJH 14:51	2.57	6.75	147.86	16.76	4.12	3.24
VMJH 15:21	2.23	6.62	148.67	16.64	4.14	3.23
VMJH 15:51	2.63	6.67	148.07	16.39	4.12	3.26
VMJH 16:21	2.83	7.07	147.03	16.57	4.07	3.33
VMJH 16:51	2.53	6.67	148.24	16.55	4.20	3.23
VMJH 17:21	2.43	7.05	147.57	16.45	4.12	3.26
VMJH 17:51	2.53	6.26	149.07	15.97	4.08	3.35
VMJH 18:21	2.93	6.61	149.17	17.06	4.09	3.34
VMJH 18:51	2.77	7.09	148.26	16.67	4.20	3.25
VMJH 19:21	2.03	6.89	150.15	16.42	4.13	3.28
VMJH 19:51	2.13	7.00	148.09	16.47	4.07	3.36
VMJH 20:21	2.63	6.24	148.99	16.41	4.21	3.27
VMJH 20:48	2.15	6.52	149.78	15.99	4.21	3.32
VMZ	2.57	6.75	148.31	16.46	4.11	3.29

Valori inregistrate MIR-IS HP-1250

Data:06/6/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:29	2.17	7.02	148.29	16.47	4.20	3.27
VMJH	07:59	2.63	6.66	148.84	16.25	4.11	3.17
VMJH	08:29	2.63	6.99	148.85	16.58	4.01	3.24
VMJH	08:59	2.33	6.97	148.11	16.38	4.03	3.20
VMJH	09:29	2.50	6.74	149.20	16.59	4.05	3.38
VMJH	09:59	2.20	6.36	147.97	16.74	4.11	3.32
VMJH	10:29	2.43	6.71	148.23	16.69	4.11	3.32
VMJH	10:59	1.73	7.11	148.46	16.30	4.11	3.26
VMJH	11:29	1.57	6.94	147.57	16.57	4.09	3.22
VMJH	11:59	1.83	6.79	148.67	16.36	3.99	3.19
VMJH	12:29	1.27	7.07	148.86	16.56	4.20	3.22
VMJH	12:59	1.37	6.49	148.29	16.54	4.12	3.31
VMJH	13:29	1.60	6.51	149.05	16.31	3.96	3.34
VMJH	13:59	2.00	6.85	149.49	16.40	4.18	3.25
VMJH	14:03	3.50	6.49	149.75	15.45	4.22	3.29
VMZ		2.04	6.80	148.58	16.47	4.09	3.26

Valori inregistrate MIR-IS HP-1250

Data:07/6/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 14:34	1.87	6.83	147.71	16.34	3.97	3.28
VMJH 15:04	1.70	6.66	149.08	16.93	4.19	3.31
VMJH 15:34	3.90	7.23	147.95	16.47	4.14	3.23
VMJH 16:04	2.87	7.14	148.54	16.72	4.10	3.37
VMJH 16:34	2.47	7.44	160.41	18.78	4.79	3.57
VMJH 17:04	2.37	8.15	161.20	19.10	5.08	3.67
VMJH 17:34	2.97	8.12	162.93	19.34	5.05	3.60
VMJH 18:04	2.43	8.17	163.48	20.37	5.04	3.65
VMJH 18:34	2.53	8.77	164.53	18.71	5.16	3.61
VMJH 19:04	2.37	8.41	160.84	19.96	5.10	3.64
VMJH 19:34	2.53	7.18	162.25	19.10	5.00	3.71
VMJH 20:04	2.00	7.90	160.38	19.15	4.91	3.65
VMJH 20:34	1.73	8.44	163.91	19.35	5.03	3.69
VMJH 21:04	1.53	8.10	159.73	19.51	4.96	3.62
VMJH 21:34	2.73	8.23	161.39	18.97	5.01	3.66
VMJH 22:00	1.88	8.12	162.23	18.86	5.15	3.57
VMZ	2.37	7.80	158.50	18.60	4.79	3.55

Valori inregistrate MIR-IS HP-1250

Data:08/6/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 14:24	3.40	7.61	161.19	18.74	5.14	3.74
VMJH 14:54	1.67	7.93	161.95	18.94	5.13	3.76
VMJH 15:24	2.37	8.31	161.18	19.60	5.05	3.63
VMJH 15:54	3.03	8.06	163.90	19.11	4.88	3.71
VMJH 16:24	1.30	8.23	163.36	19.28	4.99	3.73
VMJH 16:54	1.97	8.54	162.80	19.30	5.11	3.67
VMJH 17:24	2.63	8.81	160.60	19.21	4.91	3.74
VMJH 17:54	2.63	8.39	163.51	19.40	5.14	3.61
VMJH 18:24	2.23	7.78	163.28	19.57	5.09	3.53
VMJH 18:54	1.23	7.93	161.56	18.56	4.92	3.66
VMJH 19:24	1.87	7.71	164.73	19.22	4.96	3.66
VMJH 19:54	2.37	8.22	161.71	18.75	5.10	3.72
VMJH 20:24	2.77	8.09	160.85	18.63	5.05	3.61
VMJH 20:54	1.83	8.70	160.83	18.83	4.91	3.64
VMJH 21:24	1.73	8.92	161.35	19.07	4.96	3.62
VMJH 21:54	1.97	8.38	161.29	19.23	5.13	3.70
VMJH 22:00	0.50	7.92	156.63	17.86	4.82	3.54
VMZ	2.16	8.22	162.05	19.07	5.03	3.67

Valori inregistrate MIR-IS HP-1250

Data:09/6/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:32	1.03	8.38	160.96	19.03	5.08	3.82
VMJH	15:02	2.13	7.93	161.73	19.69	5.07	3.66
VMJH	15:32	2.87	8.50	164.56	19.03	5.25	3.78
VMJH	16:02	3.00	8.42	161.72	19.39	4.89	3.58
VMJH	16:32	2.83	8.43	162.55	19.62	5.13	3.75
VMJH	17:02	3.00	8.72	163.59	19.36	5.10	3.70
VMJH	17:32	2.33	7.27	160.53	19.42	5.15	3.67
VMJH	18:02	1.90	7.51	161.68	19.11	5.16	3.73
VMJH	18:32	1.30	7.31	163.01	19.36	5.00	3.79
VMJH	19:02	1.40	8.09	165.79	19.09	5.04	3.58
VMJH	19:32	2.50	7.83	164.53	18.98	5.11	3.68
VMJH	20:02	2.40	8.26	160.88	20.06	5.14	3.72
VMJH	20:32	2.40	8.56	159.69	18.55	5.09	3.65
VMJH	21:02	2.53	7.69	161.45	19.07	5.24	3.61
VMJH	21:32	1.63	8.65	161.94	20.47	5.09	3.65
VMJH	21:47	1.93	7.53	161.03	19.52	4.99	3.77
VMZ		2.21	8.08	162.26	19.35	5.10	3.69

Valori inregistrate MIR-IS HP-1250

Data:12/6/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 11:05	2.10	9.11	165.80	19.26	5.09	3.66
VMJH 11:35	3.23	8.08	164.66	19.06	5.17	3.75
VMJH 12:05	1.70	8.70	161.52	19.50	5.09	3.70
VMJH 12:35	3.00	8.02	161.86	19.79	5.11	3.79
VMJH 13:05	1.23	6.49	152.62	16.80	4.31	3.44
VMJH 13:35	2.50	4.93	135.06	13.66	3.09	2.89
VMJH 14:05	1.47	5.14	135.48	13.42	3.05	3.03
VMJH 14:35	1.00	4.76	134.38	13.63	3.02	2.93
VMJH 15:05	1.10	5.25	132.26	13.55	3.15	2.81
VMJH 15:35	2.53	5.24	134.81	13.58	3.02	2.95
VMJH 16:05	2.33	4.55	134.35	13.59	3.20	2.90
VMJH 16:35	2.03	4.79	134.89	13.49	3.02	2.82
VMJH 17:05	1.53	4.46	134.66	13.89	3.05	2.96
VMJH 17:35	1.67	5.00	134.44	14.15	2.95	2.98
VMJH 18:05	2.23	5.95	134.10	13.64	3.33	2.97
VMJH 18:35	2.90	5.56	135.27	13.69	3.14	2.86
VMJH 19:05	2.27	5.65	134.81	13.75	3.26	2.96
VMJH 19:35	2.33	5.24	133.36	14.06	3.15	2.92
VMJH 20:05	2.07	5.29	135.36	13.37	3.08	2.94
VMJH 20:35	1.13	5.04	134.49	13.79	3.21	2.87
VMJH 21:05	2.57	5.84	134.22	13.45	3.21	2.91
VMJH 21:35	2.27	5.26	133.90	13.51	3.00	2.88
VMJH 22:06	0.48	4.89	134.34	13.92	3.06	2.91
VMZ	1.98	5.79	140.28	14.81	3.51	3.08

Valori inregistrate MIR-IS HP-1250

Data:13/6/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	06:44	0.43	5.31	135.10	13.29	3.07	2.94
VMJH	07:14	1.03	5.03	134.42	13.79	3.23	2.90
VMJH	07:44	1.50	4.49	133.95	13.40	3.00	2.90
VMJH	08:14	0.70	5.02	134.90	13.82	2.93	2.94
VMJH	08:44	1.60	5.44	133.74	13.54	3.21	2.82
VMJH	09:14	2.37	5.28	134.44	13.70	3.13	3.01
VMJH	09:44	3.00	5.44	134.40	13.65	2.94	2.91
VMJH	10:14	1.27	4.85	134.63	13.74	3.10	2.93
VMJH	10:44	1.93	4.97	134.89	13.58	3.10	2.87
VMJH	11:14	2.10	5.05	135.07	13.55	3.08	2.78
VMJH	11:44	2.27	5.55	134.15	14.04	3.09	2.91
VMJH	12:14	2.50	5.02	133.97	13.60	3.12	2.84
VMJH	12:44	2.60	5.16	134.16	14.09	3.11	2.88
VMJH	13:14	1.77	4.76	133.57	13.90	3.28	2.90
VMJH	13:44	1.67	5.26	134.78	14.20	3.03	3.00
VMJH	14:14	1.67	5.38	134.58	14.07	3.28	2.88
VMJH	14:25	0.64	5.81	133.21	13.23	3.28	2.88
VMZ		1.75	5.14	134.39	13.74	3.11	2.90

Valori inregistrate MIR-IS HP-1250

Data:14/6/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	100	400/200	50	10	20/10	10	60/10	
VMJH	06:54	1.60		4.82		133.25		13.49		3.14		2.97	
VMJH	07:24	1.93		5.33		134.13		14.07		3.20		2.95	
VMJH	07:54	1.83		5.14		133.23		13.96		3.20		2.96	
VMJH	08:24	2.03		5.17		134.55		13.52		3.09		2.97	
VMJH	08:54	1.83		4.77		133.21		13.68		3.09		2.97	
VMJH	09:24	1.90		4.95		133.17		13.62		3.08		3.00	
VMJH	09:54	1.90		5.43		133.41		13.53		3.16		3.01	
VMJH	10:24	1.43		5.09		134.47		13.41		3.10		2.93	
VMJH	10:54	1.83		5.17		135.99		13.39		3.16		2.71	
VMJH	11:24	1.10		5.65		135.22		13.61		3.20		2.93	
VMJH	11:54	1.87		4.94		133.92		13.90		3.14		2.84	
VMJH	12:24	1.77		5.23		133.99		14.32		2.99		2.76	
VMJH	12:54	1.93		4.45		135.43		13.44		3.14		2.86	
VMJH	13:24	2.33		5.28		147.06		15.88		3.61		3.05	
VMJH	13:54	1.90		5.46		149.83		16.18		3.81		3.15	
VMJH	14:24	2.50		5.66		148.64		15.86		3.82		3.10	
VMJH	14:54	2.53		5.80		149.82		15.99		3.81		3.19	
VMJH	15:24	2.07		5.76		149.01		16.35		3.84		3.09	
VMJH	15:54	2.07		6.18		148.73		15.89		3.74		3.07	
VMJH	16:24	1.37		5.78		151.16		16.26		3.73		3.15	
VMJH	16:54	1.97		5.74		148.95		15.83		3.80		3.12	
VMJH	17:24	2.10		5.84		150.23		15.76		3.84		3.09	
VMJH	17:54	1.27		6.18		149.21		16.24		3.76		3.16	
VMJH	18:24	1.77		5.38		151.13		16.02		3.71		3.11	
VMJH	18:54	1.87		5.84		149.95		15.85		3.76		3.21	
VMJH	19:24	2.17		5.68		149.89		16.25		3.82		3.16	
VMJH	19:54	2.03		5.90		149.78		15.85		3.72		3.19	
VMJH	20:24	2.43		6.01		148.57		16.22		3.88		3.17	
VMJH	20:54	2.30		5.81		149.28		15.94		3.68		3.12	
VMJH	21:24	2.13		5.43		148.68		16.29		3.79		3.14	
VMJH	21:54	2.03		5.69		149.38		15.92		3.80		3.11	
VMJH	22:12	2.72		6.09		149.87		16.26		3.64		3.11	
VMZ		1.94		5.48		143.14		15.07		3.51		3.04	

Valori inregistrate MIR-IS HP-1250

Data:15/6/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	100	400/200	50	10	20/10	10	60/10	
VMJH	06:49	2.17		5.79		149.70		16.03		3.78		3.13	
VMJH	07:19	2.17		5.70		150.77		16.11		3.68		3.12	
VMJH	07:49	2.03		5.82		149.91		15.96		3.70		3.18	
VMJH	08:19	1.90		5.43		148.51		15.49		3.87		3.15	
VMJH	08:49	1.57		5.57		149.54		15.87		3.79		3.19	
VMJH	09:19	2.47		6.08		149.77		15.94		3.74		3.20	
VMJH	09:49	2.33		6.03		148.77		15.95		3.71		3.21	
VMJH	10:19	2.70		5.80		149.86		16.07		3.78		3.12	
VMJH	10:49	1.97		5.71		149.90		15.79		3.76		3.17	
VMJH	11:19	2.87		5.79		150.01		16.15		3.68		3.12	
VMJH	11:49	2.77		5.43		149.55		16.01		3.79		3.19	
VMJH	12:19	2.07		5.55		148.13		16.04		3.73		3.15	
VMJH	12:49	2.43		5.68		150.63		15.74		3.88		3.12	
VMJH	13:19	2.07		5.84		147.93		16.05		3.90		3.19	
VMJH	13:49	2.07		5.57		148.49		16.16		3.70		3.16	
VMJH	14:19	2.63		5.40		148.66		15.81		3.79		3.17	
VMJH	14:49	2.70		5.73		150.65		16.07		3.86		3.11	
VMJH	15:19	2.10		5.31		151.61		15.71		3.80		3.10	
VMJH	15:49	1.90		5.82		149.03		15.85		3.85		3.13	
VMJH	16:19	2.63		5.81		149.97		15.68		3.84		3.19	
VMJH	16:49	2.47		5.94		149.22		16.04		3.78		3.14	
VMJH	17:19	1.83		5.56		149.37		15.82		3.83		3.18	
VMJH	17:49	2.33		5.87		148.55		16.02		3.73		3.12	
VMJH	18:19	2.20		5.52		148.79		15.79		3.82		3.19	
VMJH	18:49	1.70		5.81		149.09		15.60		3.74		3.16	
VMJH	19:19	1.67		5.43		149.09		15.77		3.72		3.11	
VMJH	19:49	2.43		5.73		149.54		15.49		3.87		3.16	
VMJH	20:19	1.87		5.80		149.46		15.88		3.82		3.18	
VMJH	20:49	1.13		6.01		148.13		15.59		3.77		3.13	
VMJH	21:19	1.80		6.84		154.98		16.97		4.14		3.27	
VMJH	21:49	1.57		7.40		163.15		17.61		4.61		3.49	
VMJH	22:20	1.52		7.25		163.24		18.09		4.50		3.56	
VMZ		2.13		5.85		150.45		16.04		3.84		3.18	

Valori inregistrate MIR-IS HP-1250

Data:16/6/2023

	Ora	Pulberi mg/Nm ²		SO ₂ L2 mg/Nm ³		NO _x L2 mg/Nm ³		CO L2 mg/Nm ³		COT L2 mg/Nm ³		HCL L2 mg/Nm ³	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	07:29	1.63		7.68		162.84		17.67		4.59		3.56	
VMJH	07:59	1.87		7.90		159.87		18.06		4.59		3.48	
VMJH	08:29	1.47		7.14		161.88		17.72		4.60		3.44	
VMJH	08:59	1.73		7.37		163.65		17.95		4.56		3.49	
VMJH	09:29	1.13		7.27		162.77		17.53		4.51		3.55	
VMJH	09:59	1.97		7.37		162.58		17.43		4.66		3.49	
VMJH	10:29	1.43		7.23		162.32		17.83		4.46		3.49	
VMJH	10:59	1.33		7.27		161.74		17.78		4.55		3.53	
VMJH	11:29	2.13		7.74		161.87		17.85		4.67		3.54	
VMJH	11:59	1.27		7.99		161.92		17.60		4.55		3.50	
VMJH	12:29	1.23		7.77		162.85		18.08		4.64		3.55	
VMJH	12:59	1.67		7.06		161.88		17.67		4.56		3.54	
VMJH	13:29	0.87		7.53		163.72		17.93		4.55		3.58	
VMJH	13:59	1.63		7.47		162.90		17.95		4.58		3.62	
VMJH	14:29	1.20		7.54		161.82		17.21		4.60		3.61	
VMJH	14:59	2.20		7.46		161.26		17.42		4.61		3.53	
VMJH	15:29	1.47		7.81		163.43		18.38		4.69		3.48	
VMJH	15:59	0.77		7.08		162.37		17.88		4.67		3.47	
VMJH	16:29	0.90		7.40		165.39		17.93		4.58		3.51	
VMJH	16:59	1.00		7.32		163.75		17.58		4.56		3.56	
VMJH	17:29	0.93		7.36		163.13		17.40		4.51		3.55	
VMJH	17:59	0.93		7.63		161.33		17.80		4.62		3.61	
VMJH	18:29	0.87		7.78		163.01		17.74		4.59		3.62	
VMJH	18:59	1.33		7.43		160.91		18.13		4.66		3.48	
VMJH	19:29	1.30		6.79		161.42		17.63		4.53		3.56	
VMJH	19:59	1.20		7.22		160.62		17.71		4.54		3.55	
VMJH	20:29	1.60		7.78		162.86		17.64		4.62		3.50	
VMJH	20:59	1.00		7.64		165.52		17.96		4.61		3.56	
VMJH	21:29	1.17		7.55		161.95		18.04		4.49		3.53	
VMJH	21:59	0.93		7.15		162.62		17.72		4.66		3.56	
VMJH	22:26	1.11		7.67		161.56		17.91		4.66		3.61	
VMZ		1.33		7.46		162.45		17.78		4.59		3.54	

Valori inregistrate MIR-IS HP-1250

Data:19/6/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	100	400/200	50		10	20/10	10	60/10
VMJH	09:44	0.73	7.84	162.74	17.65	4.64	3.54					
VMJH	10:14	1.20	7.62	163.59	17.18	4.61	3.46					
VMJH	10:44	0.93	6.38	161.87	17.78	4.53	3.49					
VMJH	11:14	1.27	7.04	160.85	17.62	4.53	3.51					
VMJH	11:44	0.83	7.69	162.90	18.02	4.68	3.53					
VMJH	12:14	1.33	8.23	160.79	17.73	4.64	3.53					
VMJH	12:44	1.13	7.24	161.35	17.43	4.53	3.52					
VMJH	13:14	1.33	7.42	163.69	17.66	4.56	3.53					
VMJH	13:44	1.63	7.65	162.23	17.38	4.60	3.55					
VMJH	14:14	1.50	6.98	162.74	18.22	4.64	3.54					
VMJH	14:44	1.47	7.68	162.32	17.63	4.62	3.63					
VMJH	15:14	0.87	7.35	161.80	16.95	4.63	3.55					
VMJH	15:44	1.57	7.37	163.94	17.94	4.57	3.49					
VMJH	16:14	1.10	7.22	162.00	17.80	4.56	3.61					
VMJH	16:44	1.07	6.37	157.60	17.15	4.28	3.38					
VMJH	17:14	1.23	5.61	148.94	15.86	3.85	3.19					
VMJH	17:44	1.00	5.72	149.11	16.05	3.90	3.08					
VMJH	18:14	1.07	5.79	149.50	16.03	3.82	3.07					
VMJH	18:44	0.87	6.24	149.68	15.74	3.91	3.21					
VMJH	19:14	0.90	5.81	149.11	16.02	3.69	3.20					
VMJH	19:44	0.87	5.90	149.83	15.55	3.71	3.13					
VMJH	20:14	1.03	6.07	149.05	16.03	3.85	3.14					
VMJH	20:44	0.77	5.51	149.20	16.07	3.71	3.14					
VMJH	21:14	1.03	5.94	149.16	15.87	3.77	3.12					
VMJH	21:44	0.90	6.20	150.67	15.56	3.81	3.14					
VMJH	22:14	0.60	5.56	149.66	15.46	3.85	3.12					
VMJH	22:30	1.81	5.93	148.92	15.57	3.81	3.17					
VMZ		1.10	6.69	156.54	16.83	4.24	3.36					

Valori inregistrate MIR-IS HP-1250

Data:20/6/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	07:29	0.97		5.78		150.51		16.08		3.89		3.10	
VMJH	07:59	0.80		6.18		149.20		16.20		3.80		3.18	
VMJH	08:29	1.10		6.31		148.60		15.95		3.75		3.15	
VMJH	08:59	0.67		5.83		149.29		16.38		3.79		3.14	
VMJH	09:29	1.00		6.24		150.33		15.97		3.76		3.17	
VMJH	09:59	0.60		5.54		148.91		16.18		3.77		3.20	
VMJH	10:29	0.67		6.06		149.66		15.95		3.76		3.16	
VMJH	10:59	0.77		5.75		148.44		16.09		3.81		3.16	
VMJH	11:29	0.90		5.71		149.41		15.93		3.75		3.15	
VMJH	11:59	0.67		6.20		150.15		15.61		3.81		3.21	
VMJH	12:29	1.10		5.93		148.99		15.91		3.77		3.21	
VMJH	12:59	0.90		5.70		150.63		16.16		3.96		3.14	
VMJH	13:29	1.17		5.86		149.23		15.95		3.87		3.13	
VMJH	13:59	0.60		5.75		148.92		15.84		3.79		3.15	
VMJH	14:29	1.27		5.55		149.91		15.84		3.74		3.19	
VMJH	14:59	1.00		5.72		150.39		16.19		3.78		3.10	
VMJH	15:29	1.00		5.65		148.29		15.91		3.80		3.18	
VMJH	15:59	1.43		5.94		147.96		15.85		3.77		3.16	
VMJH	16:29	1.53		6.02		149.11		16.10		3.81		3.22	
VMJH	16:59	1.23		5.74		148.91		16.24		3.78		3.17	
VMJH	17:29	1.40		5.46		149.89		16.19		3.85		3.19	
VMJH	17:59	1.57		6.01		150.18		16.13		3.78		3.19	
VMJH	18:29	2.13		5.85		149.47		16.07		3.71		3.07	
VMJH	18:59	2.33		5.91		149.78		15.95		3.76		3.15	
VMJH	19:29	1.97		5.82		149.67		15.90		3.75		3.13	
VMJH	19:59	1.57		6.06		150.80		16.24		3.76		3.20	
VMJH	20:29	1.57		5.59		149.19		15.83		3.83		3.13	
VMJH	20:59	1.53		5.62		149.74		15.98		3.74		3.12	
VMJH	21:29	1.73		5.42		148.54		15.94		3.82		3.15	
VMJH	21:59	1.57		5.87		149.35		16.00		3.72		3.18	
VMJH	22:15	1.13		5.89		150.35		16.07		3.79		3.26	
VMZ		1.22		5.84		149.47		16.02		3.79		3.16	

Valori inregistrate MIR-IS HP-1250

Data:21/6/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA VMJH		VMA VMJH		VMA VMJH		VMA		VMA VMJH		VMA VMJH	
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	07:29	1.97		5.99		151.34		15.68		3.71		3.13	
VMJH	07:59	1.73		5.89		150.00		16.04		3.82		3.13	
VMJH	08:29	1.37		5.84		149.38		15.92		3.80		3.15	
VMJH	08:59	2.13		5.60		149.49		16.04		3.65		3.16	
VMJH	09:29	1.00		5.87		150.04		15.94		3.83		3.23	
VMJH	09:59	1.40		5.42		145.14		14.76		3.40		3.04	
VMJH	10:29	1.20		4.95		137.54		13.84		3.03		2.80	
VMJH	10:59	0.70		4.71		137.65		13.83		2.89		2.66	
VMJH	11:29	1.00		4.77		136.48		13.41		2.83		2.77	
VMJH	11:59	1.77		4.98		137.31		13.69		2.87		2.79	
VMJH	12:29	2.10		5.04		136.16		13.48		2.78		2.80	
VMJH	12:59	2.87		4.90		136.86		13.67		2.76		2.81	
VMJH	13:29	1.97		5.00		137.05		13.95		2.97		2.80	
VMJH	13:59	1.67		4.66		138.94		13.90		2.85		2.84	
VMJH	14:29	2.67		4.93		134.68		14.11		2.98		2.76	
VMJH	14:59	1.63		5.23		134.98		14.03		2.76		2.91	
VMJH	15:29	2.43		4.77		137.15		14.18		2.95		2.75	
VMJH	15:59	1.90		4.92		137.11		13.89		2.94		2.83	
VMJH	16:29	2.30		4.66		139.51		14.19		2.97		2.82	
VMJH	16:59	2.30		5.02		137.63		13.99		2.74		2.92	
VMJH	17:29	2.07		4.70		136.28		14.09		2.78		2.83	
VMJH	17:59	1.43		5.05		136.21		13.60		2.65		2.81	
VMJH	18:29	1.90		4.97		138.10		13.80		2.90		2.89	
VMJH	18:59	1.10		5.07		136.80		14.23		2.75		2.84	
VMJH	19:29	1.83		5.32		138.42		13.88		2.94		2.85	
VMJH	19:59	2.60		5.26		136.11		13.53		2.79		2.76	
VMJH	20:29	1.67		4.78		136.97		13.73		2.88		2.77	
VMJH	20:59	1.57		4.81		137.71		14.06		2.75		2.81	
VMJH	21:29	1.90		5.18		139.76		14.21		2.98		2.78	
VMJH	21:59	1.33		5.05		137.48		13.88		2.93		2.87	
VMJH	22:20	1.95		5.04		137.68		14.03		2.91		2.66	
VMZ		1.79		5.11		139.57		14.25		3.03		2.87	

Valori inregistrate MIR-IS HP-1250

Data:22/6/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:29	1.70	4.92	137.70	14.30	2.90	2.73
VMJH	08:59	1.33	4.82	137.66	13.71	2.88	2.86
VMJH	09:29	1.80	4.96	138.63	13.57	2.82	2.79
VMJH	09:59	0.63	4.53	136.59	13.98	2.87	2.82
VMJH	10:29	1.47	4.97	137.28	13.70	2.99	2.86
VMJH	10:59	0.90	4.72	137.81	13.69	2.98	2.78
VMJH	11:29	2.10	4.47	138.35	13.71	2.93	2.75
VMJH	11:59	1.47	4.76	138.35	13.59	2.82	2.71
VMJH	12:29	1.80	4.82	137.85	13.84	2.92	2.71
VMJH	12:59	1.57	4.98	135.88	13.56	2.79	2.85
VMJH	13:29	0.50	4.72	135.71	13.66	2.97	2.78
VMJH	13:59	1.70	5.15	137.57	13.99	2.93	2.83
VMJH	14:29	1.67	4.97	138.20	14.53	2.82	2.80
VMJH	14:48	0.11	4.92	137.22	14.45	2.78	2.84
VMZ		1.37	4.83	137.49	13.86	2.89	2.79

Valori inregistrate MIR-IS HP-1250

Data:23/6/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	09:04	1.63	5.00	136.07	14.19	2.84	2.83
VMJH	09:34	1.90	4.97	136.57	13.68	3.00	2.86
VMJH	10:04	1.60	5.32	139.70	14.01	2.88	2.83
VMJH	10:34	1.00	5.01	136.54	13.90	2.79	2.81
VMJH	11:04	1.77	4.91	136.93	13.96	2.91	2.79
VMJH	11:34	0.80	5.03	137.43	13.44	2.84	2.81
VMJH	12:04	2.93	4.90	137.85	14.04	2.93	2.84
VMJH	12:34	1.77	4.76	137.73	14.83	2.94	2.69
VMJH	13:04	0.87	4.87	137.63	13.60	3.01	2.71
VMJH	13:34	1.50	6.98	155.19	16.39	4.10	3.51
VMJH	14:04	0.97	7.48	161.58	17.47	4.54	3.54
VMJH	14:34	1.20	7.26	162.00	17.86	4.59	3.50
VMJH	15:04	1.47	7.90	162.44	17.84	4.59	3.56
VMJH	15:34	1.83	7.15	161.09	17.57	4.57	3.57
VMJH	16:04	1.73	7.08	163.80	17.56	4.62	3.57
VMJH	16:34	1.33	7.67	160.81	17.99	4.52	3.63
VMJH	17:04	1.23	7.43	164.24	17.49	4.60	3.58
VMJH	17:34	0.87	6.78	162.66	17.85	4.65	3.52
VMJH	18:04	1.83	6.77	160.60	17.94	4.49	3.51
VMJH	18:34	0.73	7.55	159.84	17.77	4.61	3.55
VMJH	19:04	0.60	7.29	162.14	17.69	4.60	3.53
VMJH	19:34	3.03	7.80	162.65	17.75	4.64	3.48
VMJH	20:04	1.43	6.80	160.70	18.10	4.50	3.49
VMJH	20:34	1.03	6.96	163.31	17.52	4.61	3.53
VMJH	21:04	0.87	7.50	163.39	17.97	4.56	3.56
VMJH	21:34	1.20	7.91	163.88	18.09	4.56	3.48
VMJH	22:04	1.00	7.47	164.28	17.90	4.57	3.51
VMJH	22:15	1.82	7.94	162.01	16.80	4.61	3.46
VMZ		1.42	6.56	153.86	16.46	4.01	3.29

Valori inregistrate MIR-IS HP-1250

Data:26/6/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	11:29	1.47	6.90	166.99	18.12	4.60	3.52
VMJH	11:59	1.10	7.59	163.38	17.72	4.58	3.58
VMJH	12:29	0.80	7.37	161.03	17.83	4.58	3.51
VMJH	12:59	1.53	7.89	162.57	18.28	4.47	3.46
VMJH	13:29	1.00	7.35	164.50	17.85	4.60	3.54
VMJH	13:59	1.50	6.72	162.90	17.30	4.60	3.57
VMJH	14:29	0.63	7.25	161.42	18.02	4.56	3.58
VMJH	14:59	1.10	7.00	159.14	17.79	4.65	3.57
VMJH	15:29	1.93	7.09	164.16	17.46	4.55	3.49
VMJH	15:59	1.10	7.41	163.19	17.59	4.63	3.48
VMJH	16:29	0.80	6.75	162.38	17.20	4.59	3.53
VMJH	16:59	1.00	8.02	162.69	17.98	4.61	3.52
VMJH	17:29	1.03	7.64	162.41	18.13	4.62	3.54
VMJH	17:59	1.80	7.03	163.89	17.69	4.59	3.58
VMJH	18:29	0.83	7.50	162.03	17.37	4.65	3.48
VMJH	18:59	2.00	7.63	161.40	17.62	4.63	3.56
VMJH	19:29	1.90	7.40	163.25	17.54	4.64	3.59
VMJH	19:59	1.77	7.34	161.50	17.45	4.57	3.62
VMJH	20:29	1.43	7.31	164.08	17.91	4.67	3.52
VMJH	20:59	1.63	7.46	162.12	17.91	4.62	3.54
VMJH	21:29	1.03	7.05	162.57	17.47	4.57	3.52
VMJH	21:59	1.20	7.14	162.16	17.74	4.59	3.49
VMJH	22:05	2.50	7.95	168.21	18.14	4.57	3.74
VMZ		1.31	7.32	162.77	17.73	4.60	3.54

Valori inregistrate MIR-IS HP-1250

Data:27/6/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	07:29	0.43		8.08		162.79		17.16		4.60		3.61	
VMJH	07:59	1.57		6.68		161.40		17.59		4.61		3.58	
VMJH	08:29	0.63		7.15		160.79		17.85		4.54		3.56	
VMJH	08:59	1.30		7.52		163.89		17.59		4.50		3.58	
VMJH	09:29	1.33		7.06		163.67		17.60		4.55		3.55	
VMJH	09:59	1.40		6.96		162.43		17.72		4.55		3.48	
VMJH	10:29	0.77		7.50		163.06		17.70		4.60		3.55	
VMJH	10:59	0.73		6.71		158.27		16.92		4.25		3.38	
VMJH	11:29	1.43		6.18		150.22		15.86		3.72		3.16	
VMJH	11:59	2.13		6.34		149.44		15.85		3.67		3.16	
VMJH	12:29	1.07		6.24		150.35		15.85		3.75		3.14	
VMJH	12:59	1.80		6.23		149.57		16.11		3.61		3.24	
VMJH	13:29	1.27		6.26		149.72		15.98		3.74		3.19	
VMJH	13:59	0.50		6.20		148.89		16.12		3.77		3.18	
VMJH	14:29	1.00		6.45		148.24		15.90		3.86		3.21	
VMJH	14:59	1.67		6.61		149.96		15.69		3.67		3.14	
VMJH	15:29	2.17		6.21		149.78		15.73		3.63		3.18	
VMJH	15:59	1.03		6.22		150.15		15.55		3.79		3.13	
VMJH	16:29	0.80		6.06		150.77		15.69		3.66		3.17	
VMJH	16:59	1.00		6.15		148.82		16.04		3.65		3.15	
VMJH	17:29	1.60		6.35		150.33		15.89		3.72		3.18	
VMJH	17:59	1.57		6.00		149.04		15.79		3.74		3.17	
VMJH	18:29	0.47		6.16		151.04		15.91		3.75		3.12	
VMJH	18:59	1.00		6.28		149.44		15.72		3.60		3.13	
VMJH	19:29	1.00		6.24		148.90		15.64		3.73		3.07	
VMJH	19:59	2.00		6.35		148.56		16.27		3.72		3.13	
VMJH	20:29	0.77		6.15		150.35		15.81		3.82		3.17	
VMJH	20:59	0.57		6.00		150.83		15.97		3.70		3.11	
VMJH	21:29	0.93		6.00		149.32		15.86		3.70		3.17	
VMJH	22:03	0.56		6.57		150.60		15.73		3.71		3.14	
VMZ		1.15		6.50		153.01		16.30		3.93		3.26	

Valori inregistrate MIR-IS HP-1250

Data:28/6/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:29	1.67	6.64	149.93	15.82	3.78	3.17
VMJH	07:59	0.60	5.92	150.76	15.92	3.65	3.16
VMJH	08:29	0.80	6.05	150.86	15.95	3.65	3.12
VMJH	08:59	0.97	5.84	148.52	15.79	3.66	3.19
VMJH	09:29	0.67	6.13	151.58	16.12	3.72	3.13
VMJH	09:59	1.27	6.38	151.51	16.02	3.73	3.23
VMJH	10:29	1.50	6.26	150.36	15.83	3.71	3.14
VMJH	10:59	1.50	5.90	150.16	15.74	3.63	3.16
VMJH	11:29	1.10	6.22	149.04	15.90	3.79	3.20
VMJH	11:59	1.20	6.36	149.98	15.81	3.73	3.19
VMJH	12:29	1.37	6.40	149.60	15.78	3.76	3.21
VMJH	12:59	0.53	6.64	150.54	15.79	3.57	3.12
VMJH	13:29	1.17	5.81	149.60	15.58	3.66	3.15
VMJH	13:59	1.00	6.28	150.01	15.64	3.78	3.13
VMJH	14:29	1.57	6.22	150.24	15.51	3.79	3.11
VMJH	14:59	1.30	6.14	149.84	16.02	3.76	3.17
VMJH	15:29	0.67	6.06	151.05	16.20	3.64	3.14
VMJH	15:59	0.77	6.28	150.22	15.94	3.65	3.18
VMJH	16:29	1.87	6.35	150.03	15.54	3.66	3.19
VMJH	16:59	0.87	6.37	148.66	15.83	3.73	3.21
VMJH	17:29	0.97	6.11	150.48	16.07	3.82	3.14
VMJH	17:59	1.10	6.02	150.56	15.59	3.77	3.15
VMJH	18:29	0.83	6.00	147.65	16.07	3.74	3.21
VMJH	18:59	0.57	6.28	149.86	15.74	3.74	3.20
VMJH	19:29	1.20	5.95	150.96	15.69	3.62	3.18
VMJH	19:59	1.10	5.76	149.30	15.78	3.58	3.14
VMJH	20:29	1.00	4.64	151.02	15.62	3.51	3.14
VMJH	20:59	1.23	4.73	149.71	15.46	3.42	3.17
VMJH	21:29	1.03	4.73	150.12	15.25	3.48	3.14
VMJH	21:56	1.26	4.67	150.04	15.77	3.48	3.10
VMZ		1.09	5.98	150.07	15.79	3.67	3.16

Valori inregistrate MIR-IS HP-1250

Data:29/6/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	07:29	1.23		4.66		149.26		15.30		3.39		3.08	
VMJH	07:59	1.03		4.71		150.79		15.31		3.43		3.10	
VMJH	08:29	0.97		4.81		151.42		15.47		3.48		3.10	
VMJH	08:59	1.20		4.72		150.59		15.39		3.43		3.13	
VMJH	09:29	1.27		4.76		149.44		15.55		3.41		3.14	
VMJH	09:59	1.00		4.75		150.88		15.42		3.44		3.11	
VMJH	10:29	1.40		4.60		150.74		15.65		3.44		3.13	
VMJH	10:59	1.60		4.78		150.12		15.48		3.46		3.12	
VMJH	11:29	0.43		4.53		151.34		15.43		3.45		3.08	
VMJH	11:59	1.30		4.76		149.03		15.17		3.40		3.14	
VMJH	12:29	1.20		5.00		148.97		15.51		3.41		3.12	
VMJH	12:59	1.23		4.53		149.50		15.52		3.55		3.08	
VMJH	13:29	0.73		4.69		149.84		15.36		3.43		3.18	
VMJH	13:59	1.17		4.71		150.52		15.47		3.46		3.09	
VMJH	14:29	1.10		4.60		150.71		15.79		3.45		3.15	
VMJH	14:59	1.07		4.76		151.69		15.26		3.41		3.13	
VMJH	15:29	0.60		4.80		148.48		15.30		3.37		3.12	
VMJH	15:59	0.70		4.69		150.01		15.52		3.48		3.19	
VMJH	16:29	1.00		4.58		150.72		15.29		3.47		3.14	
VMJH	16:59	1.00		4.83		150.79		15.34		3.42		3.14	
VMJH	17:29	0.80		4.86		151.83		15.40		3.40		3.12	
VMJH	17:59	0.83		4.70		148.82		15.46		3.43		3.18	
VMJH	18:29	1.27		4.86		149.67		15.35		3.43		3.06	
VMJH	18:59	0.73		4.70		150.96		15.45		3.47		3.12	
VMJH	19:29	1.07		4.53		151.01		15.35		3.34		3.10	
VMJH	19:59	0.60		4.53		150.10		15.34		3.42		3.12	
VMJH	20:29	1.33		4.85		151.35		15.29		3.54		3.10	
VMJH	20:59	1.03		4.69		149.78		15.37		3.42		3.14	
VMJH	21:05	0.17		4.94		148.95		15.71		3.52		3.22	
VMZ		1.03		4.71		150.29		15.41		3.44		3.12	

Valori inregistrate MIR-IS HP-1250

Data:30/6/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	07:29	0.87		4.90		150.80		15.24		3.46		3.16	
VMJH	07:59	0.37		4.76		149.53		15.45		3.39		3.08	
VMJH	08:29	0.57		4.59		149.32		15.52		3.40		3.16	
VMJH	08:59	1.03		4.65		151.69		15.48		3.46		3.16	
VMJH	09:29	0.77		4.69		149.94		15.35		3.44		3.12	
VMJH	09:59	0.47		4.85		151.53		15.50		3.45		3.14	
VMJH	10:29	0.87		4.63		151.91		15.59		3.44		3.11	
VMJH	10:59	0.67		4.85		150.28		15.30		3.47		3.14	
VMJH	11:29	0.77		4.67		151.73		15.57		3.48		3.20	
VMJH	11:59	0.57		4.87		149.87		15.43		3.42		3.15	
VMJH	12:29	1.00		4.67		151.18		15.71		3.49		3.09	
VMJH	12:59	0.73		4.69		150.07		15.40		3.43		3.13	
VMJH	13:29	1.27		4.82		149.67		15.51		3.46		3.09	
VMJH	13:59	1.07		4.62		149.31		15.59		3.46		3.14	
VMJH	14:29	0.63		4.73		150.37		15.17		3.41		3.06	
VMJH	14:59	1.30		5.33		158.25		16.56		4.00		3.28	
VMJH	15:29	0.77		6.12		163.02		17.47		4.32		3.46	
VMJH	15:59	1.23		5.71		161.57		17.91		4.23		3.41	
VMJH	16:29	0.40		6.14		163.12		17.67		4.38		3.47	
VMJH	16:59	0.97		5.82		161.75		17.79		4.26		3.44	
VMJH	17:29	1.70		5.68		165.45		17.81		4.30		3.46	
VMJH	17:59	0.83		5.75		163.99		18.13		4.28		3.43	
VMJH	18:29	1.13		5.69		162.95		17.58		4.32		3.48	
VMJH	18:59	1.47		6.02		163.30		17.58		4.30		3.45	
VMJH	19:29	1.87		6.05		164.06		17.93		4.38		3.42	
VMJH	19:59	1.20		6.13		162.76		17.83		4.39		3.42	
VMJH	20:29	1.03		6.28		160.92		17.48		4.21		3.43	
VMJH	20:59	1.33		6.21		164.19		17.76		4.41		3.42	
VMJH	21:29	0.97		5.79		162.15		17.98		4.26		3.39	
VMJH	22:01	1.69		6.06		163.88		17.38		4.21		3.46	
VMZ		0.99		5.33		156.63		16.56		3.86		3.28	

Valori inregistrate MIR-IS HP-1250

Data:03/7/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	10:59	2.30	1.73	137.72	14.31	2.38	3.14
VMJH	11:29	1.70	1.65	138.59	15.06	2.39	3.04
VMJH	11:59	1.50	1.68	138.50	14.98	2.30	3.36
VMJH	12:29	1.43	1.69	136.60	14.50	2.35	3.13
VMJH	12:59	0.47	1.71	138.98	15.17	2.32	3.34
VMJH	13:29	1.57	1.67	140.95	15.52	2.37	3.04
VMJH	13:59	1.47	1.63	138.98	15.67	2.34	3.10
VMJH	14:29	1.53	1.69	138.16	14.60	2.39	3.14
VMJH	14:59	2.00	1.64	137.79	15.10	2.32	2.97
VMJH	15:29	1.07	1.62	139.74	14.86	2.39	3.08
VMJH	15:59	1.40	1.78	138.79	14.87	2.37	2.98
VMJH	16:29	1.17	1.67	139.78	14.59	2.34	3.18
VMJH	16:59	1.23	1.66	138.62	15.52	2.34	3.15
VMJH	17:29	1.00	1.67	139.14	15.73	2.40	3.14
VMJH	17:59	1.17	1.62	139.25	14.99	2.43	3.12
VMJH	18:29	0.93	1.63	138.35	14.18	2.40	3.19
VMJH	18:59	1.67	1.74	138.27	14.65	2.40	3.05
VMJH	19:29	1.87	1.69	140.86	15.16	2.34	3.09
VMJH	19:59	1.83	1.62	139.45	14.56	2.34	3.02
VMJH	20:29	1.57	1.67	139.61	14.47	2.32	3.08
VMJH	20:59	1.93	1.70	140.71	15.11	2.36	3.03
VMJH	21:29	1.30	1.68	139.96	14.47	2.32	3.28
VMJH	22:00	1.97	1.68	139.91	15.07	2.43	3.11
VMZ		1.48	1.67	139.08	14.92	2.36	3.12

Valori inregistrate MIR-IS HP-1250

Data:04/7/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	06:59	1.43	1.68	138.43	14.80	2.33	3.10						
VMJH	07:29	1.27	1.62	140.24	14.13	2.38	3.26						
VMJH	07:59	1.43	1.64	138.14	14.74	2.40	3.09						
VMJH	08:29	1.13	1.64	138.51	15.03	2.33	3.23						
VMJH	08:59	1.20	1.71	138.53	15.28	2.34	3.20						
VMJH	09:29	1.67	1.61	138.59	14.27	2.31	3.17						
VMJH	09:59	1.10	1.70	140.53	15.24	2.38	3.16						
VMJH	10:29	1.37	1.68	138.06	14.95	2.34	3.14						
VMJH	10:59	1.00	1.68	140.12	15.77	2.35	3.12						
VMJH	11:29	1.90	1.70	139.48	15.69	2.37	2.97						
VMJH	11:59	1.67	1.61	138.56	16.07	2.37	3.11						
VMJH	12:29	1.93	1.59	141.37	14.21	2.39	3.08						
VMJH	12:59	1.53	1.61	140.48	14.18	2.37	3.13						
VMJH	13:29	1.00	1.73	139.29	14.68	2.34	3.26						
VMJH	13:59	1.37	1.61	139.03	14.87	2.36	3.11						
VMJH	14:29	1.37	1.69	138.53	15.90	2.34	3.24						
VMJH	14:59	2.63	1.64	138.18	15.23	2.34	3.05						
VMJH	15:29	1.77	1.61	138.65	14.92	2.33	3.20						
VMJH	15:59	1.67	1.67	138.45	15.91	2.38	3.08						
VMJH	16:29	1.70	1.68	138.29	15.21	2.40	3.07						
VMJH	16:59	1.77	1.71	138.94	14.90	2.36	3.13						
VMJH	17:29	1.50	1.68	138.72	15.63	2.41	3.00						
VMJH	17:59	1.37	1.75	140.26	15.47	2.37	3.19						
VMJH	18:29	0.87	1.66	139.36	15.51	2.35	3.07						
VMJH	18:59	1.27	1.82	139.54	16.19	2.38	3.13						
VMJH	19:29	2.23	3.98	165.96	20.09	3.83	3.65						
VMJH	19:59	1.57	4.10	168.26	21.17	3.84	3.78						
VMJH	20:29	1.53	3.70	166.05	20.78	3.91	3.70						
VMJH	20:59	1.10	3.88	168.48	20.95	3.86	3.71						
VMJH	21:29	0.73	4.33	169.78	20.85	3.87	3.64						
VMJH	21:59	1.43	3.97	169.12	20.72	3.91	3.74						
VMJH	22:07	1.25	4.63	163.49	20.90	3.96	3.66						
VMZ		1.47	2.14	144.88	16.28	2.67	3.25						

Valori inregistrate MIR-IS HP-1250

Data:05/7/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	06:44	1.53		4.05		166.21		20.94		3.91		3.69	
VMJH	07:14	1.70		4.02		165.72		20.64		3.87		3.63	
VMJH	07:44	1.80		3.78		167.47		20.36		3.93		3.59	
VMJH	08:14	1.33		4.15		166.85		20.55		3.90		3.65	
VMJH	08:44	1.53		3.97		168.49		20.87		3.93		3.63	
VMJH	09:14	1.37		4.02		164.69		20.54		3.92		3.61	
VMJH	09:44	2.50		3.85		168.49		20.35		3.87		3.61	
VMJH	10:14	2.37		3.95		167.14		20.05		3.89		3.76	
VMJH	10:44	1.67		4.15		167.96		21.12		3.86		3.62	
VMJH	11:14	1.57		3.88		167.85		20.94		3.91		3.69	
VMJH	11:44	1.57		4.08		169.94		20.62		3.91		3.70	
VMJH	12:14	1.53		4.12		166.74		20.98		3.91		3.75	
VMJH	12:44	1.73		4.08		169.32		21.24		3.89		3.67	
VMJH	13:14	1.57		3.97		169.32		20.72		3.88		3.57	
VMJH	13:44	1.70		4.05		168.69		20.83		3.88		3.67	
VMJH	14:14	1.33		4.11		169.32		21.01		3.90		3.60	
VMJH	14:44	2.03		3.92		166.20		20.79		3.91		3.70	
VMJH	15:14	0.43		4.19		169.59		20.71		3.88		3.58	
VMJH	15:44	0.77		3.94		164.25		20.33		3.92		3.68	
VMJH	16:14	2.23		4.46		169.45		20.84		3.90		3.68	
VMJH	16:44	0.60		4.00		165.77		20.39		3.88		3.64	
VMJH	17:14	0.77		4.05		167.81		20.90		3.90		3.64	
VMJH	17:44	0.83		4.27		168.48		21.14		3.90		3.67	
VMJH	18:14	0.60		4.28		167.85		20.09		3.91		3.68	
VMJH	18:44	0.90		4.27		168.66		20.73		3.89		3.55	
VMJH	19:14	0.73		4.46		169.23		20.15		3.90		3.52	
VMJH	19:44	0.87		4.19		168.04		20.14		3.89		3.68	
VMJH	20:14	1.67		3.92		168.00		20.48		3.87		3.68	
VMJH	20:44	0.80		4.12		169.35		21.02		3.93		3.57	
VMJH	21:14	0.67		3.94		168.85		20.39		3.84		3.76	
VMJH	21:27	1.46		4.02		167.19		20.26		3.88		3.56	
VMZ		1.36		4.07		167.85		20.66		3.90		3.65	

Valori inregistrate MIR-IS HP-1250

Data:06/7/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	06:47	1.97	3.99	169.06	20.08	3.85	3.77
VMJH	07:17	1.83	4.08	164.89	20.79	3.87	3.70
VMJH	07:47	0.60	4.15	168.77	20.25	3.85	3.81
VMJH	08:17	0.63	4.09	167.06	20.04	3.85	3.78
VMJH	08:47	0.90	4.29	166.50	20.35	3.91	3.61
VMJH	09:17	0.80	3.71	167.84	21.00	3.90	3.73
VMJH	09:47	0.83	4.09	168.46	20.08	3.94	3.63
VMJH	10:17	0.90	4.23	167.00	20.64	3.93	3.62
VMJH	10:47	1.03	3.87	166.79	20.55	3.92	3.79
VMJH	11:17	0.87	3.78	169.17	20.63	3.90	3.64
VMJH	11:47	0.90	3.89	167.33	21.11	3.93	3.59
VMJH	12:17	1.10	3.25	157.39	19.05	3.33	3.42
VMJH	12:47	1.17	2.91	152.55	17.82	3.13	3.38
VMJH	13:17	0.97	3.04	154.16	17.41	3.09	3.39
VMJH	13:47	1.43	2.90	155.16	17.78	3.14	3.43
VMJH	14:17	1.73	2.88	153.02	17.56	3.14	3.32
VMJH	14:47	0.97	2.94	153.08	17.96	3.13	3.46
VMJH	15:17	1.37	3.02	154.12	17.42	3.11	3.31
VMJH	15:47	0.90	2.97	153.54	17.88	3.14	3.45
VMJH	16:17	1.30	2.97	152.96	17.16	3.12	3.44
VMJH	16:47	0.97	2.76	152.36	17.64	3.10	3.31
VMJH	17:17	1.13	2.82	153.39	17.70	3.10	3.44
VMJH	17:47	1.07	2.94	155.07	17.61	3.11	3.41
VMJH	18:17	1.43	2.94	153.82	17.50	3.13	3.39
VMJH	18:47	1.70	2.77	153.43	17.68	3.15	3.38
VMJH	19:17	0.83	2.78	152.54	17.71	3.14	3.36
VMJH	19:47	1.70	2.79	153.00	18.28	3.08	3.29
VMJH	20:17	1.53	2.83	152.78	17.92	3.12	3.44
VMJH	20:47	0.73	2.85	153.90	17.53	3.14	3.43
VMJH	21:17	1.17	2.92	152.77	17.83	3.09	3.30
VMJH	21:47	1.60	2.90	154.03	17.89	3.13	3.36
VMJH	22:10	1.91	3.04	153.83	18.14	3.13	3.36
VMZ		1.18	3.29	158.46	18.72	3.40	3.49

Valori inregistrate MIR-IS HP-1250

Data:08/7/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	06:59	1.87	2.89	152.86	17.87	3.09	3.45					
VMJH	07:29	0.47	2.83	153.40	17.88	3.10	3.37					
VMJH	07:59	1.77	2.86	153.22	17.78	3.10	3.40					
VMJH	08:29	0.87	2.89	153.47	17.81	3.16	3.38					
VMJH	08:59	2.13	2.96	153.08	17.45	3.11	3.41					
VMJH	09:29	1.30	2.84	154.46	18.23	3.12	3.33					
VMJH	09:59	1.83	2.88	153.66	17.56	3.12	3.39					
VMJH	10:29	1.50	2.92	153.58	17.95	3.13	3.40					
VMJH	10:59	1.40	2.87	154.01	17.96	3.18	3.44					
VMJH	11:29	1.37	2.87	153.70	17.23	3.13	3.43					
VMJH	11:59	1.67	2.95	153.77	17.36	3.16	3.39					
VMJH	12:29	1.83	2.88	153.56	17.54	3.11	3.45					
VMJH	12:59	1.30	3.05	153.14	17.78	3.13	3.41					
VMJH	13:29	1.53	2.80	152.66	17.54	3.10	3.36					
VMJH	13:59	1.73	2.75	153.69	17.63	3.13	3.37					
VMJH	14:29	0.77	2.92	153.64	17.77	3.17	3.44					
VMJH	14:59	0.90	3.00	151.67	17.57	3.11	3.42					
VMJH	15:29	0.90	2.76	153.96	17.66	3.10	3.32					
VMJH	15:59	0.90	2.92	153.42	17.74	3.11	3.41					
VMJH	16:29	0.87	2.88	155.34	17.48	3.13	3.34					
VMJH	16:59	2.03	2.79	151.87	18.13	3.10	3.41					
VMJH	17:29	1.13	2.84	153.47	18.02	3.14	3.35					
VMJH	17:59	0.70	2.84	154.66	17.51	3.15	3.39					
VMJH	18:29	1.33	2.73	152.86	17.98	3.17	3.39					
VMJH	18:59	1.40	2.77	152.04	17.77	3.14	3.32					
VMJH	19:29	1.03	2.89	153.00	17.52	3.10	3.30					
VMJH	19:59	0.83	2.89	154.11	17.97	3.12	3.40					
VMJH	20:29	1.30	2.94	154.73	18.28	3.09	3.29					
VMJH	20:59	1.17	3.02	155.06	18.15	3.08	3.23					
VMJH	21:29	1.60	3.04	156.26	18.85	3.09	3.27					
VMJH	21:59	2.43	3.04	155.21	18.49	3.05	3.17					
VMJH	22:29	1.23	3.01	154.74	17.95	3.10	3.25					
VMJH	22:42	1.85	3.02	153.67	17.99	3.04	3.31					
VMZ		1.35	2.89	153.70	17.83	3.12	3.36					

Valori inregistrate MIR-IS HP-1250

Data:10/7/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	07:29	1.60		3.07		156.47		18.89		3.12		3.27	
VMJH	07:59	1.90		3.12		156.45		18.67		3.11		3.20	
VMJH	08:29	1.53		3.09		155.81		18.63		3.02		3.18	
VMJH	08:59	0.50		2.81		153.78		18.17		3.09		3.09	
VMJH	09:29	1.50		2.96		154.84		18.95		3.14		3.28	
VMJH	09:59	0.80		2.92		155.56		18.35		3.07		3.21	
VMJH	10:29	0.50		2.85		154.39		17.75		3.07		3.23	
VMJH	10:59	0.70		3.03		154.25		18.57		3.12		3.18	
VMJH	11:29	1.23		2.87		155.62		18.09		3.11		3.18	
VMJH	11:59	1.30		2.93		156.20		18.50		3.05		3.20	
VMJH	12:29	0.87		2.93		152.85		18.48		3.07		3.21	
VMJH	12:59	0.83		2.96		153.92		18.82		3.08		3.22	
VMJH	13:29	1.30		2.85		155.94		18.72		3.06		3.28	
VMJH	13:59	1.13		3.20		152.99		18.13		3.12		3.28	
VMJH	14:29	1.33		3.22		155.24		18.76		3.12		3.24	
VMJH	14:59	1.37		3.12		154.50		18.82		3.07		3.30	
VMJH	15:29	1.63		2.99		154.52		18.88		3.07		3.27	
VMJH	15:59	1.33		3.06		156.62		18.54		3.10		3.22	
VMJH	16:29	1.00		3.02		155.98		17.71		3.14		3.28	
VMJH	16:59	1.40		2.95		154.41		18.27		3.09		3.23	
VMJH	17:29	1.30		2.96		154.78		18.43		3.07		3.23	
VMJH	17:59	1.10		3.02		153.71		19.06		3.13		3.24	
VMJH	18:29	1.20		3.01		153.70		18.21		3.11		3.29	
VMJH	18:59	1.13		3.09		155.38		18.11		3.07		3.16	
VMJH	19:29	0.90		2.94		153.50		18.45		3.08		3.17	
VMJH	19:59	1.40		2.94		156.88		18.34		3.08		3.30	
VMJH	20:29	0.63		3.13		153.72		18.33		3.10		3.26	
VMJH	20:59	0.70		2.94		155.78		18.54		3.07		3.23	
VMJH	21:29	1.37		2.90		152.96		18.43		3.06		3.20	
VMJH	21:59	1.40		2.89		155.54		18.36		3.08		3.17	
VMJH	22:10	0.91		2.85		155.64		19.15		3.09		3.20	
VMZ		1.16		2.99		154.89		18.47		3.09		3.23	

Valori inregistrate MIR-IS HP-1250

Data:11/7/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	07:29	1.77	3.09	155.06	18.02	3.10	3.22					
VMJH	07:59	2.10	3.10	155.62	18.67	3.04	3.19					
VMJH	08:29	2.53	2.98	155.37	17.75	3.10	3.20					
VMJH	08:59	1.90	3.03	153.84	18.08	3.07	3.21					
VMJH	09:29	2.00	2.89	155.91	18.61	3.09	3.23					
VMJH	09:59	0.73	3.04	154.28	19.05	3.11	3.23					
VMJH	10:29	0.87	2.93	154.29	19.02	3.05	3.20					
VMJH	10:59	1.37	3.00	156.86	18.16	3.07	3.19					
VMJH	11:29	1.20	3.09	155.67	18.57	3.08	3.14					
VMJH	11:59	0.90	2.97	154.67	17.95	3.08	3.25					
VMJH	12:29	0.93	2.94	154.40	18.37	3.06	3.27					
VMJH	12:59	0.87	3.04	155.06	18.41	3.07	3.16					
VMJH	13:29	1.40	3.52	159.98	19.03	3.30	3.35					
VMJH	13:59	1.23	4.24	170.35	21.91	3.80	3.56					
VMJH	14:29	1.23	4.17	172.78	20.47	3.79	3.50					
VMJH	14:59	1.60	4.12	172.26	21.64	3.81	3.55					
VMJH	15:29	0.97	4.37	172.73	21.31	3.77	3.51					
VMJH	15:59	1.17	4.50	166.45	21.36	3.78	3.60					
VMJH	16:29	0.97	4.33	173.26	21.19	3.82	3.53					
VMJH	16:59	1.50	4.21	170.55	21.14	3.81	3.39					
VMJH	17:29	1.43	4.16	169.19	20.93	3.85	3.52					
VMJH	17:59	1.63	4.03	172.45	21.32	3.76	3.53					
VMJH	18:29	1.57	4.55	171.20	20.88	3.76	3.58					
VMJH	18:59	1.27	4.26	172.77	21.71	3.83	3.57					
VMJH	19:29	2.10	4.12	170.80	20.84	3.79	3.57					
VMJH	19:59	1.23	4.46	172.73	20.61	3.80	3.52					
VMJH	20:29	1.43	4.28	170.88	21.65	3.86	3.63					
VMJH	20:59	1.17	4.50	172.83	21.14	3.82	3.54					
VMJH	21:29	0.93	4.70	169.23	21.12	3.80	3.57					
VMJH	21:59	1.50	4.69	173.61	21.50	3.80	3.50					
VMJH	22:16	2.00	4.13	173.49	20.80	3.84	3.54					
VMZ		1.40	3.78	164.67	20.03	3.50	3.40					

Valori inregistrate MIR-IS HP-1250

Data:12/7/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10
VMJH	07:14	1.47	4.80	171.47	20.86	3.78	3.49
VMJH	07:44	1.47	4.53	169.31	20.79	3.83	3.50
VMJH	08:14	0.87	4.21	172.75	21.26	3.80	3.57
VMJH	08:44	1.00	4.09	169.34	21.09	3.83	3.45
VMJH	09:14	0.97	4.42	173.11	21.12	3.84	3.64
VMJH	09:44	1.03	4.42	170.35	21.21	3.80	3.55
VMJH	10:14	1.00	4.65	171.36	20.59	3.81	3.54
VMJH	10:44	1.13	4.61	169.20	21.12	3.80	3.51
VMJH	11:14	1.00	4.12	168.85	21.69	3.84	3.52
VMJH	11:44	0.93	4.68	170.66	20.71	3.76	3.52
VMJH	12:14	1.30	4.52	173.57	21.52	3.81	3.51
VMJH	12:44	0.97	4.42	169.38	20.95	3.80	3.61
VMJH	13:14	0.60	3.95	166.12	21.42	3.78	3.51
VMJH	13:44	1.37	4.06	170.91	21.54	3.81	3.47
VMJH	14:14	1.33	4.38	170.92	21.17	3.82	3.59
VMJH	14:44	0.67	3.93	171.13	21.10	3.81	3.46
VMJH	15:14	1.27	4.37	173.24	21.48	3.81	3.50
VMJH	15:44	1.40	4.69	169.08	21.66	3.80	3.55
VMJH	16:14	1.20	4.52	170.63	21.51	3.81	3.57
VMJH	16:44	1.60	4.50	171.31	20.72	3.82	3.56
VMJH	17:14	1.90	4.13	173.00	21.70	3.79	3.42
VMJH	17:44	1.27	4.44	170.92	21.59	3.79	3.51
VMJH	18:14	1.50	4.26	171.01	20.94	3.76	3.63
VMJH	18:44	1.07	4.29	172.90	21.58	3.81	3.54
VMJH	19:14	1.47	4.49	174.10	21.43	3.78	3.54
VMJH	19:44	1.13	4.21	170.37	21.26	3.82	3.56
VMJH	20:14	1.20	4.08	170.85	21.62	3.85	3.59
VMJH	20:44	0.57	4.23	170.59	20.88	3.79	3.54
VMJH	21:14	1.27	4.47	169.46	20.84	3.81	3.51
VMJH	21:44	1.47	4.31	169.90	21.27	3.85	3.47
VMJH	22:14	1.10	2.06	143.93	15.81	2.52	2.94
VMJH	22:19	2.60	1.73	139.35	14.64	2.37	2.95
VMZ		1.19	4.27	169.80	21.01	3.76	3.51

Valori inregistrate MIR-IS HP-1250

Data:13/7/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 06:59	0.43	1.59	140.23	15.17	2.34	2.95
VMJH 07:29	1.77	1.70	137.62	16.26	2.37	2.85
VMJH 07:59	1.50	1.60	140.83	15.59	2.39	2.94
VMJH 08:29	0.77	1.67	138.18	16.25	2.37	2.91
VMJH 08:59	1.77	1.57	139.96	14.85	2.33	2.83
VMJH 09:29	1.50	1.66	140.69	15.48	2.38	2.86
VMJH 09:59	0.90	1.68	140.70	16.48	2.37	2.94
VMJH 10:29	1.10	1.68	138.53	15.35	2.38	2.76
VMJH 10:59	1.37	1.69	140.53	15.50	2.33	2.77
VMJH 11:29	0.90	1.64	137.94	16.57	2.37	2.94
VMJH 11:59	1.60	1.61	139.29	15.93	2.31	2.91
VMJH 12:29	1.00	1.68	139.86	15.78	2.35	3.01
VMJH 12:59	2.17	1.67	140.09	14.87	2.33	2.78
VMJH 13:29	1.60	1.69	138.46	14.70	2.27	2.86
VMJH 13:59	0.77	1.60	138.16	15.90	2.33	2.86
VMJH 14:20	1.29	1.77	140.10	14.99	2.38	2.89
VMZ	1.28	1.65	139.44	15.62	2.35	2.88

Valori inregistrate MIR-IS HP-1250

Data:14/7/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	14:34	1.40	1.68	138.11	15.00	2.38	3.13					
VMJH	15:04	1.00	1.59	137.12	15.85	2.36	2.91					
VMJH	15:34	0.70	1.64	137.82	15.31	2.29	2.89					
VMJH	16:04	1.33	1.65	140.49	15.08	2.35	2.95					
VMJH	16:34	0.63	1.74	139.05	15.26	2.30	2.92					
VMJH	17:04	1.03	1.60	138.26	14.98	2.37	2.96					
VMJH	17:34	0.97	1.72	139.38	14.87	2.30	2.88					
VMJH	18:04	0.77	1.61	140.10	15.90	2.34	2.88					
VMJH	18:34	0.87	1.64	138.94	15.40	2.41	2.97					
VMJH	19:04	0.97	1.61	138.85	16.46	2.36	2.86					
VMJH	19:34	0.37	1.68	139.29	16.43	2.37	2.87					
VMJH	20:04	0.90	1.69	140.25	15.00	2.42	2.95					
VMJH	20:34	1.97	1.66	139.45	14.82	2.41	2.91					
VMJH	21:04	1.70	1.68	138.86	15.92	2.36	2.80					
VMJH	21:34	1.60	1.66	139.87	16.88	2.38	3.00					
VMJH	22:04	1.37	1.62	138.94	15.73	2.31	2.89					
VMJH	22:14	2.30	1.68	138.17	15.01	2.41	3.06					
VMZ		1.12	1.66	139.03	15.54	2.36	2.93					

Valori inregistrate MIR-IS HP-1250

Data:17/7/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 15:11	0.60	1.67	140.02	15.10	2.40	2.87
VMJH 15:41	1.10	1.67	138.12	16.70	2.39	3.01
VMJH 16:11	1.63	1.66	137.42	15.34	2.31	2.97
VMJH 16:41	0.87	1.71	140.10	15.55	2.34	2.97
VMJH 17:11	1.23	1.64	139.39	15.72	2.36	3.01
VMJH 17:41	1.00	1.65	138.52	16.25	2.33	2.85
VMJH 18:11	0.70	1.69	139.19	14.49	2.40	2.93
VMJH 18:41	1.07	1.69	139.28	14.63	2.37	3.02
VMJH 19:11	1.47	1.62	136.90	15.87	2.38	3.07
VMJH 19:41	1.00	1.64	139.99	15.18	2.43	2.90
VMJH 20:11	1.77	1.80	140.69	15.49	2.34	2.86
VMJH 20:41	2.00	1.64	138.85	15.84	2.37	2.88
VMJH 21:11	1.77	1.65	137.77	15.32	2.33	2.97
VMJH 21:41	1.47	1.61	139.37	15.19	2.39	2.92
VMJH 22:11	1.97	1.74	139.02	14.69	2.33	2.92
VMJH 22:16	2.20	2.71	140.01	18.68	3.37	3.27
VMZ	1.32	1.69	138.99	15.46	2.38	2.95

Valori inregistrate MIR-IS HP-1250

Data:18/7/2023

	Ora	Pulberi mg/Nm ²		SO ₂ L2 mg/Nm ³		NO _x L2 mg/Nm ³		CO L2 mg/Nm ³		COT L2 mg/Nm ³		HCL L2 mg/Nm ³	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	07:41	1.03		2.33		139.71		15.22		2.45		2.90	
VMJH	08:11	0.97		2.46		138.63		14.22		2.46		2.93	
VMJH	08:41	1.27		2.39		138.30		14.67		2.41		2.94	
VMJH	09:11	1.53		2.44		140.05		15.63		2.49		2.87	
VMJH	09:41	1.37		2.33		138.49		14.48		2.48		2.91	
VMJH	10:11	1.10		2.26		139.23		15.20		2.56		2.92	
VMJH	10:41	1.70		2.58		139.42		15.23		2.44		2.88	
VMJH	11:11	1.47		2.15		139.14		15.37		2.50		2.83	
VMJH	11:41	2.00		2.28		139.30		15.35		2.50		2.88	
VMJH	12:11	1.83		2.24		139.93		14.95		2.57		2.85	
VMJH	12:41	0.87		2.43		138.97		15.48		2.49		2.94	
VMJH	13:11	1.70		2.32		137.70		15.48		2.42		2.82	
VMJH	13:41	1.03		2.45		138.85		15.19		2.54		2.87	
VMJH	14:11	1.93		2.42		139.17		15.17		2.36		3.00	
VMJH	14:44	1.39		2.31		138.15		14.91		2.52		2.93	
VMZ		1.41		2.36		139.00		15.10		2.48		2.90	

Valori inregistrate MIR-IS HP-1250

Data:19/7/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 14:59	1.73	2.25	138.96	14.59	2.50	3.02
VMJH 15:29	1.20	2.32	139.00	15.03	2.46	2.94
VMJH 15:59	1.20	2.32	138.60	14.78	2.50	3.05
VMJH 16:29	1.53	2.42	139.32	15.43	2.45	2.75
VMJH 16:59	1.53	2.33	138.77	15.15	2.41	2.87
VMJH 17:29	0.83	2.31	137.90	14.42	2.46	2.91
VMJH 17:59	1.43	2.23	138.16	15.00	2.46	2.83
VMJH 18:29	1.67	2.10	138.84	14.74	2.46	2.85
VMJH 18:59	1.43	2.18	138.18	15.10	2.41	2.73
VMJH 19:29	1.27	2.28	140.28	14.77	2.51	2.94
VMJH 19:59	1.50	2.22	137.73	15.29	2.42	2.83
VMJH 20:29	1.27	2.39	139.23	14.81	2.48	2.78
VMJH 20:59	1.20	2.23	137.09	15.81	2.52	2.89
VMJH 21:29	1.63	2.10	137.43	15.02	2.49	2.88
VMJH 21:59	1.37	2.29	139.00	15.15	2.44	2.94
VMJH 22:16	1.18	2.20	137.44	14.05	2.44	2.85
VMZ	1.38	2.26	138.53	14.97	2.46	2.88

Valori inregistrate MIR-IS HP-1250

Data:21/7/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:54	1.23	4.25	155.72	18.32	3.81	3.15
VMJH	08:24	1.20	4.37	155.99	17.93	3.80	3.21
VMJH	08:54	0.97	4.71	155.09	18.04	3.74	3.24
VMJH	09:24	1.27	4.49	157.14	18.49	3.72	3.15
VMJH	09:54	0.90	4.34	156.22	17.95	3.78	3.13
VMJH	10:24	1.50	4.10	155.08	18.22	3.85	3.15
VMJH	10:54	1.53	4.65	155.73	18.10	3.86	3.18
VMJH	11:24	1.23	4.45	154.59	17.76	3.90	3.23
VMJH	11:54	1.80	4.49	156.64	18.27	3.75	3.20
VMJH	12:24	2.17	4.36	155.65	17.94	3.78	3.19
VMJH	12:54	1.63	4.38	155.41	18.32	3.79	3.16
VMJH	13:24	1.40	4.70	155.62	18.00	3.82	3.15
VMJH	13:54	1.20	4.30	155.42	18.52	3.94	3.18
VMJH	14:24	1.17	4.95	154.34	17.89	3.84	3.20
VMJH	14:48	1.00	4.73	155.53	18.42	3.73	3.18
VMZ		1.35	4.48	155.65	18.15	3.81	3.18

Valori inregistrate MIR-IS HP-1250

Data:22/7/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	10:49	1.17	4.01	156.83	18.37	3.76	3.19
VMJH	11:19	1.30	4.84	154.76	18.31	3.90	3.22
VMJH	11:49	1.40	4.58	155.57	18.32	3.82	3.20
VMJH	12:19	1.87	4.50	154.74	18.23	3.79	3.19
VMJH	12:49	1.17	4.67	154.74	18.03	3.76	3.14
VMJH	13:19	1.67	4.18	156.31	18.13	3.92	3.21
VMJH	13:49	1.87	4.32	156.09	18.25	3.79	3.24
VMJH	14:19	0.90	4.78	157.01	18.58	3.71	3.22
VMJH	14:49	1.70	4.38	155.89	18.19	3.90	3.18
VMJH	15:19	1.13	4.43	156.73	18.64	3.85	3.18
VMJH	15:36	1.24	4.26	154.84	18.32	3.91	3.27
VMZ		1.41	4.46	155.81	18.31	3.83	3.20

Valori inregistrate MIR-IS HP-1250

Data:24/7/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	10:41	2.30	4.62	153.45	18.56	3.71	3.22
VMJH	11:11	2.63	5.01	155.46	18.13	3.87	3.24
VMJH	11:41	2.17	4.59	156.32	18.13	3.71	3.14
VMJH	12:11	1.47	4.59	155.26	18.44	3.78	3.26
VMJH	12:41	1.73	4.70	156.15	18.35	3.79	3.15
VMJH	13:11	0.80	3.96	156.45	18.05	3.71	3.18
VMJH	13:41	2.30	4.62	155.63	18.25	3.71	3.25
VMJH	14:11	1.27	4.48	156.45	18.14	3.84	3.13
VMJH	14:41	1.60	4.25	154.25	18.42	3.78	3.17
VMJH	15:11	1.00	4.34	154.84	17.90	3.90	3.19
VMJH	15:41	1.67	4.72	160.78	19.20	3.97	3.26
VMJH	16:11	1.13	5.23	172.89	21.53	4.48	3.46
VMJH	16:41	1.47	5.08	170.34	22.17	4.47	3.45
VMJH	17:11	2.50	5.54	171.45	20.71	4.49	3.49
VMJH	17:41	2.67	5.55	169.95	21.85	4.50	3.46
VMJH	18:11	1.10	5.51	172.88	20.24	4.52	3.51
VMJH	18:41	1.80	5.88	170.69	20.90	4.51	3.44
VMJH	19:11	2.00	5.19	169.39	21.56	4.42	3.43
VMJH	19:41	1.97	5.73	171.68	21.35	4.54	3.49
VMJH	20:11	1.13	5.83	169.34	21.97	4.48	3.51
VMJH	20:41	0.93	5.41	170.37	21.25	4.57	3.46
VMJH	21:11	1.97	5.32	171.47	21.45	4.53	3.51
VMJH	21:41	1.87	5.34	171.76	21.31	4.63	3.47
VMJH	22:11	1.50	5.70	170.43	21.49	4.41	3.47
VMJH	22:33	1.27	5.68	173.71	21.76	4.49	3.42
VMZ		1.69	5.07	164.36	20.03	4.19	3.35

Valori inregistrate MIR-IS HP-1250

Data:25/7/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:31	1.57	5.44	172.81	21.37	4.47	3.46
VMJH	15:01	1.73	5.29	170.76	21.13	4.41	3.36
VMJH	15:31	1.00	5.03	169.56	20.64	4.63	3.55
VMJH	16:01	1.97	4.98	171.86	21.09	4.39	3.45
VMJH	16:31	1.40	5.59	168.90	20.95	4.59	3.41
VMJH	17:01	1.07	5.39	170.88	21.44	4.48	3.51
VMJH	17:31	1.40	5.21	169.43	21.11	4.50	3.44
VMJH	18:01	2.37	5.10	170.71	21.63	4.42	3.48
VMJH	18:31	2.33	4.74	170.63	21.28	4.32	3.51
VMJH	19:01	1.33	5.24	172.51	20.99	4.49	3.51
VMJH	19:31	1.10	5.56	170.82	20.82	4.36	3.41
VMJH	20:01	0.87	5.17	171.33	21.59	4.38	3.43
VMJH	20:31	2.07	5.12	171.08	21.19	4.47	3.41
VMJH	21:01	0.77	5.26	171.17	20.83	4.50	3.48
VMJH	21:31	1.33	5.32	169.73	21.16	4.46	3.45
VMJH	22:01	2.03	5.30	172.37	21.66	4.09	3.53
VMZ		1.52	5.23	170.91	21.18	4.44	3.46

Valori inregistrate MIR-IS HP-1250

Data:26/7/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:29	1.20	4.92	171.36	21.58	4.53	3.58
VMJH	07:59	1.47	5.43	170.99	21.41	4.49	3.45
VMJH	08:29	1.07	5.24	172.24	21.12	4.29	3.52
VMJH	08:59	0.77	5.29	172.67	20.97	4.50	3.45
VMJH	09:29	1.07	5.69	170.36	21.05	4.58	3.44
VMJH	09:59	1.43	5.26	171.29	21.32	4.55	3.50
VMJH	10:29	1.60	4.53	170.19	21.20	4.33	3.52
VMJH	10:59	0.40	5.08	170.92	20.47	4.49	3.48
VMJH	11:29	1.30	5.84	172.01	21.17	4.45	3.40
VMJH	11:59	1.27	5.54	170.78	21.46	4.28	3.53
VMJH	12:29	0.90	5.51	170.69	21.25	4.49	3.50
VMJH	12:59	1.70	5.33	171.22	21.33	4.41	3.45
VMJH	13:29	1.20	4.85	173.33	20.94	4.42	3.53
VMJH	13:59	1.67	4.98	171.96	20.77	4.57	3.50
VMJH	14:29	1.43	5.87	171.41	20.43	4.40	3.45
VMJH	14:59	1.30	5.20	171.28	21.60	4.26	3.44
VMJH	15:29	1.63	5.08	171.04	21.54	4.52	3.43
VMJH	15:59	1.50	5.14	169.61	20.72	4.37	3.39
VMJH	16:29	1.00	3.87	141.85	15.41	3.17	2.83
VMJH	16:59	1.40	3.94	141.84	15.49	3.01	2.89
VMJH	17:29	1.20	3.89	141.37	15.35	3.04	2.93
VMJH	17:59	1.40	3.85	142.46	15.35	3.12	2.91
VMJH	18:29	1.50	4.29	138.45	15.10	3.18	2.77
VMJH	18:59	1.43	4.15	140.33	15.40	3.13	2.97
VMJH	19:29	1.53	3.57	141.80	15.22	3.15	2.91
VMJH	19:59	1.33	3.64	142.81	15.42	3.17	2.98
VMJH	20:29	1.47	3.98	139.83	15.31	2.94	2.88
VMJH	20:59	1.03	3.30	140.89	15.35	3.04	2.93
VMJH	21:29	1.80	3.73	140.53	15.19	2.90	2.85
VMJH	21:59	1.70	3.52	141.77	15.24	3.29	2.93
VMJH	22:04	0.00	3.72	140.63	15.14	3.56	2.90
VMZ		1.31	4.68	159.12	18.78	3.90	3.24

Valori inregistrate MIR-IS HP-1250

Data:27/7/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:34	1.33	3.91	138.11	15.27	3.14	2.79
VMJH	15:04	2.07	4.04	141.39	15.16	3.15	2.91
VMJH	15:34	2.97	3.80	140.48	15.33	3.07	2.81
VMJH	16:04	2.10	3.49	140.01	15.45	3.02	2.78
VMJH	16:34	2.60	3.31	139.59	15.30	3.20	2.96
VMJH	17:04	1.47	3.73	139.63	15.37	3.14	2.84
VMJH	17:34	2.67	3.34	141.45	15.32	3.17	2.85
VMJH	18:04	2.27	4.04	140.93	15.24	3.29	2.91
VMJH	18:34	1.50	3.70	140.67	15.30	3.19	2.93
VMJH	19:04	1.23	3.69	140.79	15.28	2.99	2.78
VMJH	19:34	2.33	3.93	139.34	15.38	2.88	2.91
VMJH	20:04	2.77	3.88	141.26	15.18	3.08	2.92
VMJH	20:34	2.17	4.14	139.81	15.33	3.19	2.92
VMJH	21:04	2.07	4.32	139.56	15.20	3.15	2.93
VMJH	21:34	1.27	3.71	141.01	15.34	3.05	2.98
VMJH	22:01	0.89	4.32	141.43	15.41	3.03	2.91
VMZ		1.99	3.83	140.34	15.30	3.11	2.88

Valori inregistrate MIR-IS HP-1250

Data:28/7/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:49	1.87	3.63	140.91	15.27	3.17	2.98
VMJH	08:19	1.60	4.20	140.09	15.38	2.92	2.96
VMJH	08:49	1.30	3.56	140.45	15.30	3.11	2.83
VMJH	09:19	2.00	3.62	138.84	15.45	3.18	2.77
VMJH	09:49	0.60	4.04	143.05	15.27	2.92	2.75
VMJH	10:19	1.20	3.61	138.96	15.29	3.14	2.87
VMJH	10:49	1.90	4.40	141.72	15.21	3.03	2.98
VMJH	11:19	2.10	3.98	140.54	15.33	3.02	2.81
VMJH	11:49	1.57	3.68	140.80	15.32	3.07	2.92
VMJH	12:19	1.73	3.91	140.39	15.43	3.11	2.83
VMJH	12:49	1.27	3.87	140.55	15.18	3.17	2.86
VMJH	13:19	0.93	4.79	140.75	15.39	3.20	3.05
VMJH	13:49	1.23	4.43	140.88	15.25	3.02	2.95
VMJH	14:19	1.20	3.58	140.61	15.35	2.98	2.87
VMJH	14:49	1.10	3.71	141.47	15.33	3.11	2.82
VMJH	15:19	0.70	4.21	140.74	15.18	3.07	2.88
VMJH	15:49	0.63	3.81	139.78	15.47	3.34	2.85
VMJH	16:19	1.27	3.52	139.54	15.24	3.23	2.94
VMJH	16:49	1.17	3.52	138.37	15.30	3.06	3.01
VMJH	17:19	1.20	4.12	138.24	15.23	3.22	2.95
VMJH	17:49	1.40	3.29	138.96	15.60	2.97	3.13
VMJH	18:19	0.90	3.02	142.70	15.46	2.88	3.11
VMJH	18:49	1.03	2.70	141.29	15.66	3.20	3.11
VMJH	19:19	1.70	3.75	141.49	15.97	3.03	3.16
VMJH	19:49	0.77	3.19	140.66	15.87	2.89	3.16
VMJH	20:19	1.70	3.17	140.12	15.57	3.09	3.01
VMJH	20:49	2.60	3.28	142.14	15.85	3.08	3.28
VMJH	21:19	1.23	3.30	141.10	15.77	2.95	3.24
VMJH	21:49	1.80	3.15	140.44	15.95	3.01	3.25
VMJH	22:01	2.17	3.32	140.56	15.48	2.91	3.17
VMZ		1.38	3.69	140.54	15.44	3.07	2.98

Valori inregistrate MIR-IS HP-1250

Data:31/7/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	14:33	2.57	3.02	139.65	15.86	3.05	3.14					
VMJH	15:03	0.83	3.48	138.69	15.60	2.92	3.18					
VMJH	15:33	1.00	2.98	139.11	15.86	3.18	3.29					
VMJH	16:03	1.37	3.46	142.42	15.60	2.98	3.06					
VMJH	16:33	0.57	3.39	141.88	15.73	3.03	3.16					
VMJH	17:03	1.77	3.16	141.39	15.65	3.17	3.06					
VMJH	17:33	2.50	3.42	140.81	15.60	2.89	3.19					
VMJH	18:03	1.73	3.04	139.75	15.74	2.74	3.05					
VMJH	18:33	2.07	3.20	143.19	15.65	3.02	3.20					
VMJH	19:03	2.03	3.52	140.94	15.78	2.97	3.15					
VMJH	19:33	1.80	3.11	141.01	15.46	2.90	3.03					
VMJH	20:03	1.70	3.17	138.92	15.77	3.09	3.12					
VMJH	20:33	1.63	3.17	140.27	15.67	3.20	3.23					
VMJH	21:03	1.60	3.29	141.30	15.71	3.10	3.11					
VMJH	21:33	1.83	3.36	140.82	15.63	3.23	3.22					
VMJH	21:48	2.73	3.07	142.30	15.75	3.05	3.10					
VMZ		1.70	3.25	140.73	15.69	3.03	3.15					

Valori inregistrate MIR-IS HP-1250

Data:01/8/2023

	Ora	Pulberi mg/Nm ²		SO ₂ L2 mg/Nm ³		NO _x L2 mg/Nm ³		CO L2 mg/Nm ³		COT L2 mg/Nm ³		HCL L2 mg/Nm ³	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	15:01	2.13		0.66		142.95		14.59		2.95		2.78	
VMJH	15:31	2.47		0.61		144.89		15.09		2.80		2.81	
VMJH	16:01	2.23		0.63		143.95		15.15		2.94		2.75	
VMJH	16:31	2.77		0.58		144.97		15.19		2.83		2.82	
VMJH	17:01	2.37		0.62		147.30		14.91		2.90		2.74	
VMJH	17:31	3.60		0.58		144.46		14.69		2.98		2.71	
VMJH	18:01	2.93		0.65		147.59		14.53		2.66		2.71	
VMJH	18:31	3.37		0.63		143.44		14.69		3.01		2.81	
VMJH	19:01	3.30		0.63		144.50		14.57		2.93		2.82	
VMJH	19:31	3.00		0.62		143.85		14.90		3.09		2.67	
VMJH	20:01	2.53		0.62		144.20		14.82		2.91		2.79	
VMJH	20:31	3.40		0.68		142.32		15.71		2.95		2.76	
VMJH	21:01	2.43		0.59		143.33		15.09		2.79		2.72	
VMJH	21:31	2.00		0.63		145.08		14.88		2.90		2.83	
VMJH	22:01	2.70		0.68		145.92		14.44		2.81		2.63	
VMJH	22:10	2.22		0.53		142.84		15.59		2.72		2.83	
VMZ		2.74		0.62		144.55		14.90		2.89		2.76	

Valori inregistrate MIR-IS HP-1250

Data:02/8/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	15:05	2.03	0.60	146.95	14.45	3.06	2.71
VMJH	15:35	2.10	0.64	143.92	14.82	2.81	2.76
VMJH	16:05	2.20	0.64	149.23	14.84	2.83	2.64
VMJH	16:35	2.23	0.63	148.27	15.49	2.85	2.71
VMJH	17:05	2.80	0.68	144.31	15.14	2.77	2.79
VMJH	17:35	2.87	0.63	144.34	15.10	2.87	2.79
VMJH	18:05	2.67	0.58	144.45	14.90	3.00	2.77
VMJH	18:35	2.33	0.64	144.88	14.55	3.01	2.76
VMJH	19:05	2.60	0.72	142.79	14.82	3.00	2.66
VMJH	19:35	3.00	0.68	144.47	15.40	2.84	2.75
VMJH	20:05	3.17	0.63	145.62	15.21	2.79	2.68
VMJH	20:35	3.03	0.63	145.53	15.06	2.85	2.72
VMJH	21:05	2.60	0.64	146.94	15.29	2.88	2.73
VMJH	21:35	1.83	0.59	144.21	14.72	2.81	2.65
VMJH	22:08	2.24	0.63	147.13	14.66	2.81	2.71
VMZ		2.51	0.64	145.55	14.96	2.88	2.72

Valori inregistrate MIR-IS HP-1250

Data:01/8/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	15:07	2.43		0.59		144.14		14.24		2.93		2.75	
VMJH	15:37	2.20		0.69		147.79		14.70		2.92		2.71	
VMJH	16:07	2.60		0.67		143.76		14.76		3.05		2.73	
VMJH	16:37	2.17		0.62		146.11		15.03		2.98		2.64	
VMJH	17:07	3.63		0.61		143.30		14.46		3.01		2.80	
VMJH	17:37	3.07		0.66		144.73		14.63		3.17		2.80	
VMJH	18:07	3.07		0.61		144.02		14.43		2.92		2.64	
VMJH	18:37	1.80		0.65		148.00		15.10		2.88		2.73	
VMJH	19:07	2.30		0.57		142.78		14.71		3.04		2.73	
VMJH	19:37	2.83		0.62		144.46		15.21		2.84		2.73	
VMJH	20:07	2.03		0.65		144.21		15.46		3.02		2.78	
VMJH	20:37	2.60		0.64		144.35		15.27		3.16		2.74	
VMJH	21:07	2.40		0.68		145.62		14.14		2.98		2.76	
VMJH	21:37	1.77		0.63		148.15		15.19		2.90		2.72	
VMJH	22:07	1.87		0.55		146.21		14.91		2.73		2.75	
VMJH	22:15	2.63		0.71		141.26		14.91		3.14		2.92	
VMZ		2.45		0.63		145.10		14.82		2.97		2.74	

Valori inregistrate MIR-IS HP-1250

Data:04/8/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	08:03	2.23	0.65		144.31		15.06		2.90		2.83	
VMJH	08:33	1.77	0.57		143.56		14.30		3.03		2.80	
VMJH	09:03	2.87	1.37		159.49		19.97		3.89		3.29	
VMJH	09:33	2.77	1.71		166.39		21.59		4.52		3.54	
VMJH	10:03	2.63	1.68		164.92		22.26		4.35		3.46	
VMJH	10:33	3.40	1.70		165.89		22.04		4.51		3.46	
VMJH	11:03	2.60	1.72		165.60		22.31		4.46		3.55	
VMJH	11:33	2.93	1.69		164.71		21.30		4.37		3.53	
VMJH	12:03	1.37	1.69		164.63		22.25		4.63		3.53	
VMJH	12:33	2.37	1.69		165.90		21.93		4.45		3.44	
VMJH	13:03	3.00	1.62		166.57		21.94		4.47		3.49	
VMJH	13:33	2.40	1.68		167.09		22.33		4.52		3.59	
VMJH	14:03	2.50	1.63		165.94		22.49		4.40		3.48	
VMJH	14:33	2.43	1.68		165.84		21.63		4.53		3.60	
VMJH	15:03	2.07	1.70		164.91		22.28		4.62		3.51	
VMJH	15:33	2.27	1.62		165.98		22.11		4.51		3.54	
VMJH	16:03	3.47	1.72		165.04		21.16		4.63		3.46	
VMJH	16:33	2.57	1.67		166.74		22.00		4.41		3.44	
VMJH	17:03	2.33	1.69		166.34		21.91		4.77		3.56	
VMJH	17:33	2.63	1.71		166.18		22.28		4.81		3.43	
VMJH	18:03	2.20	1.71		165.45		21.87		4.52		3.55	
VMJH	18:33	2.30	1.77		166.00		22.37		4.74		3.60	
VMJH	19:03	2.60	1.66		166.98		22.20		4.55		3.47	
VMJH	19:33	2.97	1.67		165.90		22.23		4.54		3.48	
VMJH	20:03	2.87	1.62		166.08		21.51		4.51		3.53	
VMJH	20:33	2.73	1.67		165.47		21.39		4.46		3.46	
VMJH	21:03	2.07	1.69		165.55		22.00		4.63		3.54	
VMJH	21:33	2.30	1.64		166.17		21.99		4.70		3.46	
VMJH	22:03	2.23	1.73		165.10		21.38		4.80		3.46	
VMJH	22:10	1.43	1.77		166.66		23.36		4.57		3.49	
VMZ		2.50	1.60		164.12		21.40		4.42		3.45	

Valori inregistrate MIR-IS HP-1250

Data:08/8/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 15:07	2.10	1.15	156.35	18.78	3.76	3.18
VMJH 15:37	2.90	1.12	154.70	18.80	3.67	3.13
VMJH 16:07	2.83	1.15	154.48	18.28	3.74	3.15
VMJH 16:37	2.57	1.16	153.54	18.72	3.66	3.18
VMJH 17:07	2.70	1.14	155.00	18.68	3.81	3.11
VMJH 17:37	1.97	1.12	155.46	18.16	3.67	3.14
VMJH 18:07	2.57	1.22	155.34	18.15	3.69	3.06
VMJH 18:37	2.47	1.13	157.15	18.15	3.81	3.15
VMJH 19:07	1.87	1.15	154.26	18.52	3.81	3.08
VMJH 19:37	1.47	1.18	158.08	18.41	3.69	3.10
VMJH 20:07	2.40	1.20	156.72	18.89	3.71	3.15
VMJH 20:37	1.90	1.18	156.08	18.77	3.84	3.14
VMJH 21:07	1.83	1.16	154.81	18.66	3.66	3.13
VMJH 21:37	1.97	1.13	155.98	18.38	3.72	3.13
VMJH 21:56	2.16	1.10	154.58	18.37	3.75	3.15
VMZ	2.25	1.15	155.52	18.52	3.73	3.13

Valori inregistrate MIR-IS HP-1250

Data:09/8/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:07	1.67	1.20	154.57	17.93	3.79	3.10
VMJH	08:37	1.70	1.18	154.40	18.61	3.73	3.11
VMJH	09:07	2.70	1.17	155.64	18.30	3.81	3.08
VMJH	09:37	3.33	1.16	155.29	18.56	3.73	3.07
VMJH	10:07	1.70	1.16	157.08	18.51	3.83	3.14
VMJH	10:37	1.70	1.15	155.10	18.25	3.68	3.11
VMJH	11:07	3.07	1.15	155.64	18.41	3.67	3.04
VMJH	11:37	2.10	1.14	155.39	18.60	3.84	3.16
VMJH	12:07	1.70	1.15	156.12	18.63	3.71	3.15
VMJH	12:37	2.43	1.16	155.10	18.23	3.83	3.12
VMJH	13:07	1.63	1.15	156.24	18.53	3.82	3.15
VMJH	13:37	3.00	1.13	155.63	18.54	3.71	3.07
VMJH	14:07	2.67	1.13	154.00	18.02	3.85	3.19
VMJH	14:32	1.72	1.17	154.87	17.86	3.90	3.11
VMZ		2.23	1.16	155.37	18.36	3.78	3.11

Valori inregistrate MIR-IS HP-1250

Data:10/8/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	15:01	1.70	1.16	155.93	18.39	3.87	3.12
VMJH	15:31	3.17	1.13	156.16	18.37	3.79	3.14
VMJH	16:01	2.67	1.16	154.35	17.97	3.86	3.12
VMJH	16:31	3.70	1.16	155.11	18.47	3.74	3.08
VMJH	17:01	2.27	1.19	154.54	19.02	3.77	3.15
VMJH	17:31	2.03	1.16	155.53	18.73	3.83	3.21
VMJH	18:01	2.73	1.13	156.83	17.97	3.76	3.11
VMJH	18:31	2.27	1.16	156.25	18.88	3.79	3.12
VMJH	19:01	1.60	1.11	155.65	18.52	3.75	3.16
VMJH	19:31	2.40	1.14	154.66	18.65	3.70	3.22
VMJH	20:01	3.07	1.10	154.65	18.03	3.84	3.12
VMJH	20:31	2.83	2.18	156.63	18.54	3.71	3.07
VMJH	21:01	3.43	2.67	156.56	18.74	3.96	3.02
VMJH	21:31	2.73	2.70	155.42	18.92	3.77	3.08
VMJH	22:01	2.10	2.67	156.93	18.23	3.86	3.13
VMJH	22:10	1.67	2.63	157.75	19.08	3.76	3.11
VMZ		2.56	1.55	155.72	18.51	3.80	3.12

Valori inregistrate MIR-IS HP-1250

Data:11/8/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	15:01	2.30	2.71	156.14	18.86	3.83	3.09
VMJH	15:31	2.47	2.78	158.30	18.37	3.83	3.11
VMJH	16:01	3.17	2.68	157.10	18.72	3.76	3.08
VMJH	16:31	2.23	2.65	157.61	18.54	3.63	3.10
VMJH	17:01	2.30	2.80	156.38	18.59	3.73	3.10
VMJH	17:31	2.07	2.77	157.46	18.53	3.83	3.08
VMJH	18:01	2.43	2.72	155.80	18.05	3.82	3.00
VMJH	18:31	2.03	2.67	155.26	18.50	3.78	2.99
VMJH	19:01	2.23	2.65	157.36	18.28	3.71	3.06
VMJH	19:31	2.80	2.70	155.66	17.95	3.76	3.05
VMJH	20:01	1.93	2.66	156.72	18.90	3.80	3.05
VMJH	20:31	2.93	2.68	155.94	17.97	3.81	3.10
VMJH	21:01	2.30	2.70	156.23	19.73	3.88	3.07
VMJH	21:31	2.57	2.70	158.42	18.18	3.82	3.11
VMJH	22:02	2.29	2.65	157.46	18.03	3.76	3.12
VMZ		2.40	2.70	156.79	18.48	3.78	3.07

Valori inregistrate MIR-IS HP-1250

Data:12/8/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	09:09	2.43	2.70	156.27	18.72	3.62	3.07
VMJH	09:39	2.20	2.76	156.35	18.42	3.70	3.14
VMJH	10:09	1.83	2.66	158.16	18.86	3.84	3.08
VMJH	10:39	0.93	2.68	155.87	18.37	3.92	3.11
VMJH	11:09	2.53	2.71	155.72	18.93	3.80	3.12
VMJH	11:39	2.27	2.86	155.51	18.48	3.62	3.08
VMJH	12:09	2.40	2.70	155.48	18.72	3.81	3.10
VMJH	12:39	2.43	2.69	157.08	18.66	3.80	3.04
VMJH	13:09	2.73	2.66	157.26	18.77	3.74	3.15
VMJH	13:39	2.90	2.65	156.56	18.70	3.82	3.09
VMJH	14:09	3.10	2.56	156.88	18.76	3.92	3.10
VMJH	14:39	2.97	2.76	157.34	18.55	3.90	3.14
VMJH	15:09	2.87	2.73	154.28	19.03	3.71	3.06
VMJH	15:30	3.62	2.72	157.61	18.38	3.81	3.11
VMZ		2.49	2.70	156.43	18.67	3.79	3.10

Valori inregistrate MIR-IS HP-1250

Data:14/8/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	08:09	3.03	2.60	156.82	18.82	3.77	3.06					
VMJH	08:39	2.83	2.67	156.84	18.10	3.73	3.10					
VMJH	09:09	2.93	2.66	155.74	18.51	3.74	3.08					
VMJH	09:39	2.20	2.64	155.95	19.05	3.86	3.03					
VMJH	10:09	2.97	2.77	157.15	18.51	3.81	3.07					
VMJH	10:39	3.20	2.72	157.45	19.03	3.74	3.09					
VMJH	11:09	2.63	2.68	158.32	18.73	3.88	3.08					
VMJH	11:39	2.73	2.75	157.67	18.72	3.96	3.09					
VMJH	12:09	2.53	2.73	156.02	18.30	3.86	3.07					
VMJH	12:39	2.30	2.74	156.97	18.78	3.93	3.07					
VMJH	13:09	3.37	2.77	158.30	18.52	3.97	3.05					
VMJH	13:39	2.53	2.59	156.27	18.76	3.85	3.07					
VMJH	14:09	3.23	2.70	156.44	18.42	3.79	3.08					
VMJH	14:39	2.73	2.68	157.64	18.77	3.73	3.10					
VMJH	15:09	2.30	2.71	156.70	18.72	3.80	3.08					
VMJH	15:39	3.83	3.06	162.99	20.99	4.36	3.39					
VMJH	16:09	2.57	3.13	165.97	21.06	4.78	3.54					
VMJH	16:39	2.90	3.19	165.56	21.73	4.51	3.54					
VMJH	17:09	2.70	3.31	166.83	20.74	4.69	3.68					
VMJH	17:39	2.73	3.18	165.53	21.54	4.52	3.56					
VMJH	18:09	2.03	3.49	166.20	21.04	4.65	3.57					
VMJH	18:39	2.07	3.10	164.77	21.49	4.52	3.50					
VMJH	19:09	2.50	3.09	165.90	21.43	4.44	3.54					
VMJH	19:39	3.17	3.50	166.50	20.78	4.45	3.50					
VMJH	20:09	2.77	3.38	165.49	21.35	4.55	3.45					
VMJH	20:39	2.73	3.39	165.27	20.95	4.61	3.51					
VMJH	21:09	3.00	3.19	165.73	20.82	4.63	3.49					
VMJH	21:39	2.73	3.23	165.62	21.20	4.69	3.63					
VMJH	22:09	2.50	3.23	166.73	21.26	4.48	3.58					
VMJH	22:20	2.64	2.98	166.49	19.68	4.59	3.58					
VMZ		2.75	2.96	161.22	19.86	4.19	3.30					

Valori inregistrate MIR-IS HP-1250

Data:16/8/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	08:09	2.03		3.18		167.03		20.70		4.66		3.43	
VMJH	08:39	2.43		3.21		166.29		20.88		4.42		3.55	
VMJH	09:09	2.20		3.29		165.79		22.67		4.70		3.49	
VMJH	09:39	1.90		3.13		166.46		21.27		4.67		3.44	
VMJH	10:09	2.73		3.19		165.41		19.93		4.39		3.50	
VMJH	10:39	2.20		3.34		166.19		21.61		4.36		3.51	
VMJH	11:09	2.47		3.33		166.47		21.00		4.53		3.54	
VMJH	11:39	2.27		3.31		166.56		21.69		4.72		3.54	
VMJH	12:09	2.90		3.25		165.58		21.26		4.83		3.53	
VMJH	12:39	2.63		3.22		165.26		21.84		4.67		3.54	
VMJH	13:09	2.30		3.43		165.85		21.16		4.36		3.48	
VMJH	13:39	2.20		3.22		165.88		21.17		4.58		3.49	
VMJH	14:09	1.60		3.22		165.38		21.53		4.56		3.53	
VMJH	14:39	1.67		3.16		165.46		21.31		4.65		3.51	
VMJH	15:09	1.60		3.15		165.98		21.24		4.64		3.55	
VMJH	15:39	1.47		3.13		165.98		20.79		4.73		3.58	
VMJH	16:09	2.00		3.35		166.67		21.26		4.65		3.60	
VMJH	16:39	1.60		3.15		164.12		21.56		4.41		3.56	
VMJH	17:09	1.67		3.26		166.48		20.90		4.71		3.54	
VMJH	17:39	1.50		3.25		165.57		21.27		4.45		3.56	
VMJH	18:09	1.80		3.26		166.22		20.65		4.51		3.58	
VMJH	18:39	2.37		3.30		165.32		21.59		4.43		3.55	
VMJH	19:09	2.23		3.33		165.72		21.37		4.59		3.47	
VMJH	19:39	1.30		3.37		163.86		21.54		4.64		3.53	
VMJH	20:09	2.33		3.08		166.99		21.31		4.41		3.53	
VMJH	20:39	1.83		3.35		166.13		21.13		4.75		3.50	
VMJH	21:09	1.80		3.30		165.65		21.69		4.64		3.65	
VMJH	21:39	1.93		3.24		166.19		21.35		4.66		3.62	
VMJH	22:10	1.90		3.33		166.40		21.41		4.80		3.49	
VMZ		2.03		3.25		165.89		21.28		4.59		3.53	

Valori inregistrate MIR-IS HP-1250

Data:17/8/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	100	400/200	50	10	20/10	10	60/10	
VMJH	07:59	2.07		3.29		165.62		21.13		4.81		3.53	
VMJH	08:29	1.43		3.10		165.30		21.42		4.52		3.54	
VMJH	08:59	1.77		3.33		166.10		21.50		4.48		3.55	
VMJH	09:29	1.53		3.13		165.62		21.12		4.55		3.46	
VMJH	09:59	1.53		3.14		162.35		21.13		4.43		3.41	
VMJH	10:29	2.03		2.18		147.57		16.00		2.96		2.59	
VMJH	10:59	2.73		2.26		146.62		16.31		3.06		2.62	
VMJH	11:29	2.80		2.08		148.61		16.14		3.04		2.61	
VMJH	11:59	2.17		2.06		147.19		15.93		3.10		2.69	
VMJH	12:29	2.20		2.22		145.69		16.29		3.02		2.62	
VMJH	12:59	3.43		2.17		151.14		15.52		3.04		2.70	
VMJH	13:29	3.00		2.14		149.00		15.87		2.99		2.61	
VMJH	13:59	2.80		2.20		148.90		15.70		2.96		2.61	
VMJH	14:29	2.43		2.07		146.29		16.57		2.92		2.62	
VMJH	14:59	3.17		2.23		149.10		15.70		3.07		2.61	
VMJH	15:29	1.57		2.10		146.04		15.35		2.97		2.67	
VMJH	15:59	2.07		2.10		146.02		15.97		2.78		2.65	
VMJH	16:29	2.13		2.13		147.57		15.06		2.99		2.67	
VMJH	16:59	2.90		2.25		144.71		15.80		3.05		2.67	
VMJH	17:29	2.73		2.13		147.21		16.89		2.94		2.60	
VMJH	17:59	1.90		2.10		146.15		15.35		3.13		2.64	
VMJH	18:29	2.83		2.19		147.15		16.60		2.98		2.63	
VMJH	18:59	2.40		2.19		148.16		15.13		3.05		2.63	
VMJH	19:29	2.00		2.15		150.66		15.80		3.09		2.60	
VMJH	19:59	1.53		2.08		146.58		16.39		2.95		2.62	
VMJH	20:29	2.43		2.14		145.50		15.18		2.84		2.63	
VMJH	20:59	2.37		2.09		149.27		16.39		2.95		2.60	
VMJH	21:29	2.13		2.12		146.56		15.25		3.05		2.60	
VMJH	21:59	1.87		2.22		147.73		15.98		2.90		2.61	
VMJH	22:20	2.67		2.31		146.33		16.17		2.97		2.51	
VMZ		2.28		2.33		150.40		16.79		3.26		2.77	

Valori inregistrate MIR-IS HP-1250

Data:19/8/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:49	2.97	2.12	143.46	16.00	2.93	2.64
VMJH	09:19	1.57	2.17	148.68	16.24	3.00	2.70
VMJH	09:49	1.57	2.16	147.60	16.08	2.95	2.71
VMJH	10:19	1.33	2.21	147.59	15.91	2.99	2.64
VMJH	10:49	2.27	1.97	147.09	17.00	3.04	2.63
VMJH	11:19	1.80	2.14	150.51	15.54	3.21	2.66
VMJH	11:49	1.67	2.29	143.04	16.37	3.04	2.62
VMJH	12:19	1.70	2.14	148.29	16.37	2.96	2.61
VMJH	12:49	2.13	2.02	148.44	15.91	2.91	2.70
VMJH	13:19	1.33	2.09	146.58	15.77	3.01	2.73
VMJH	13:49	2.20	1.95	145.65	15.73	3.01	2.62
VMJH	14:12	2.30	2.07	147.48	15.96	3.12	2.60
VMZ		1.90	2.11	147.03	16.08	3.01	2.66

Valori inregistrate MIR-IS HP-1250

Data:22/8/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 15:07	2.93	2.13	148.04	15.94	3.00	2.68
VMJH 15:37	2.47	2.20	149.86	16.99	3.18	2.60
VMJH 16:07	1.87	2.20	150.11	15.96	3.09	2.62
VMJH 16:37	3.37	2.11	148.72	15.84	3.17	2.65
VMJH 17:07	1.80	2.16	147.25	15.71	3.08	2.70
VMJH 17:37	2.73	2.26	148.84	15.80	3.17	2.60
VMJH 18:07	1.80	2.16	149.29	16.04	3.02	2.66
VMJH 18:37	2.60	2.07	147.97	16.12	3.17	2.62
VMJH 19:07	2.93	2.16	146.45	15.46	3.06	2.59
VMJH 19:37	3.00	2.09	148.53	15.97	2.93	2.60
VMJH 20:07	1.80	2.25	147.96	16.38	3.03	2.66
VMJH 20:37	2.73	2.43	144.49	16.48	3.12	2.75
VMJH 21:07	2.27	2.61	144.85	16.78	3.06	2.69
VMJH 21:37	2.33	2.63	141.01	16.44	3.12	2.71
VMJH 22:12	2.26	2.62	143.62	16.91	2.85	2.67
VMZ	2.46	2.28	147.10	16.20	3.07	2.65

Valori inregistrate MIR-IS HP-1250

Data:24/8/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	09:07	1.73	2.62	139.83	17.50	2.94	2.73
VMJH	09:37	2.60	2.61	142.35	17.48	2.70	2.73
VMJH	10:07	2.87	2.66	141.87	16.59	2.88	2.66
VMJH	10:37	1.73	2.61	142.23	18.10	2.88	2.76
VMJH	11:07	2.57	2.61	143.49	16.82	3.04	2.68
VMJH	11:37	2.20	2.57	142.92	16.37	2.94	2.66
VMJH	12:07	3.03	2.68	138.75	18.16	3.05	2.70
VMJH	12:37	2.10	2.65	149.11	16.59	2.95	2.78
VMJH	13:07	2.53	2.62	140.36	17.17	3.08	2.77
VMJH	13:37	2.30	2.63	143.20	15.97	2.91	2.72
VMJH	14:07	2.70	2.61	142.65	15.79	2.89	2.66
VMJH	14:37	2.63	2.68	141.72	17.31	2.76	2.85
VMJH	15:12	3.29	2.65	144.11	16.52	2.92	2.71
VMZ		2.49	2.63	142.53	16.95	2.92	2.73

Valori inregistrate MIR-IS HP-1250

Data:26/8/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	09:09	2.33	2.64	141.28	17.92	2.90	2.72
VMJH	09:39	2.40	2.60	145.41	16.72	2.92	2.61
VMJH	10:09	3.40	2.60	141.61	17.32	2.86	2.69
VMJH	10:39	1.93	2.64	147.58	16.62	2.83	2.78
VMJH	11:09	1.73	2.62	146.56	16.86	3.04	2.72
VMJH	11:39	1.70	2.65	144.33	17.27	2.73	2.72
VMJH	12:09	1.77	2.62	145.68	16.57	2.89	2.71
VMJH	12:39	1.83	2.62	141.98	17.16	3.08	2.77
VMJH	12:46	2.29	2.68	141.18	17.93	3.29	2.69
VMZ		2.14	2.63	144.21	17.08	2.92	2.71

Valori inregistrate MIR-IS HP-1250

Data:29/8/2023

	Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10
VMJH	08:29	1.87	2.60	142.62	16.56	2.99	2.85
VMJH	08:59	1.73	2.63	142.45	17.05	2.98	2.72
VMJH	09:29	2.50	2.61	142.97	16.64	2.94	2.82
VMJH	09:59	1.43	2.63	145.07	16.85	2.98	2.77
VMJH	10:29	1.47	2.67	145.69	16.36	2.95	2.69
VMJH	10:59	1.03	2.65	143.33	17.92	2.96	2.75
VMJH	11:29	1.33	2.64	144.99	16.59	2.95	2.66
VMJH	11:59	1.87	2.62	146.97	16.51	2.89	2.70
VMJH	12:29	2.37	2.60	144.70	16.67	2.87	2.72
VMJH	12:59	0.33	2.65	139.50	16.55	3.09	2.74
VMJH	13:29	1.40	2.63	141.58	17.69	2.83	2.77
VMJH	13:59	1.60	2.68	140.93	17.83	2.71	2.73
VMJH	14:29	1.73	2.65	142.45	17.28	2.88	2.71
VMJH	14:59	1.87	2.66	146.73	16.70	2.94	2.78
VMJH	15:29	1.90	2.62	146.92	17.34	2.83	2.73
VMJH	15:59	1.67	2.64	145.63	16.83	3.06	2.69
VMJH	16:29	2.20	2.55	139.67	16.17	2.77	2.67
VMJH	16:59	1.93	2.63	143.32	17.41	2.91	2.67
VMJH	17:29	1.63	2.61	141.22	17.28	2.89	2.70
VMJH	17:59	1.60	2.63	143.97	16.08	2.91	2.68
VMJH	18:29	1.80	2.65	144.17	17.47	2.93	2.81
VMJH	18:59	1.53	2.60	144.79	17.05	3.04	2.72
VMJH	19:29	1.97	2.75	148.05	17.03	3.28	2.77
VMJH	19:59	1.67	3.80	164.51	20.31	3.25	3.36
VMJH	20:29	1.27	3.87	165.44	21.04	3.22	3.38
VMJH	20:59	1.77	3.76	164.98	21.32	3.20	3.35
VMJH	21:20	1.00	3.78	164.39	20.84	3.23	3.37
VMZ		1.65	2.80	146.74	17.50	2.98	2.82

Valori inregistrate MIR-IS HP-1250

Data:31/8/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10	
VMJH	08:59	1.33	3.73	165.60	20.60	3.26	3.35
VMJH	09:29	0.63	3.74	166.25	20.86	3.28	3.41
VMJH	09:59	0.50	3.80	165.17	21.09	3.24	3.35
VMJH	10:29	0.57	3.80	164.65	20.65	3.20	3.33
VMJH	10:59	0.63	3.80	165.68	20.77	3.22	3.41
VMJH	11:29	0.27	3.80	165.30	20.64	3.26	3.42
VMJH	11:59	0.47	3.79	165.60	20.67	3.22	3.43
VMJH	12:29	0.73	3.82	164.16	20.80	3.25	3.39
VMJH	12:59	0.27	3.71	165.36	20.59	3.24	3.35
VMJH	13:29	0.60	3.84	164.62	20.70	3.18	3.37
VMJH	13:59	1.00	3.84	164.74	20.75	3.22	3.31
VMJH	14:29	0.47	3.71	164.51	21.12	3.25	3.26
VMJH	14:59	1.50	3.75	164.76	20.89	3.26	3.38
VMJH	15:29	0.70	3.87	163.66	20.69	3.19	3.36
VMJH	15:59	1.50	3.82	165.37	20.81	3.23	3.41
VMJH	16:29	0.53	3.80	165.43	20.95	3.28	3.31
VMJH	16:59	0.27	3.73	165.60	21.02	3.22	3.32
VMJH	17:29	0.97	3.72	165.32	20.79	3.21	3.32
VMJH	17:59	0.73	3.75	165.27	21.01	3.27	3.38
VMJH	18:29	0.30	3.86	164.05	21.10	3.21	3.37
VMJH	18:59	0.40	3.86	165.36	21.14	3.25	3.36
VMJH	19:29	1.40	3.84	165.21	20.88	3.26	3.36
VMJH	19:59	0.47	3.72	163.92	21.09	3.21	3.26
VMJH	20:29	0.53	3.72	164.50	20.89	3.16	3.30
VMJH	20:59	0.43	3.79	165.01	20.88	3.22	3.31
VMJH	21:29	0.97	3.84	165.26	21.27	3.22	3.35
VMJH	21:59	0.67	3.76	165.98	20.76	3.20	3.34
VMJH	22:16	0.71	3.69	166.12	21.17	3.24	3.34
VMZ		0.70	3.78	165.07	20.87	3.23	3.35

Valori inregistrate MIR-IS HP-1250

Data:01/9/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:15	2.13	2.76	133.95	18.27	2.57	3.04
VMJH	14:45	2.50	3.00	132.92	18.22	2.55	2.92
VMJH	15:15	2.30	2.89	132.75	18.15	2.61	3.07
VMJH	15:45	2.77	2.83	131.91	18.38	2.58	2.94
VMJH	16:15	2.57	3.02	132.84	18.35	2.57	3.08
VMJH	16:45	3.23	2.98	130.82	18.33	2.57	2.96
VMJH	17:15	3.40	2.76	134.12	18.23	2.56	2.93
VMJH	17:45	3.07	2.74	131.44	18.35	2.56	2.94
VMJH	18:15	3.50	2.85	132.45	18.21	2.59	2.92
VMJH	18:45	2.70	2.81	133.74	18.19	2.55	2.93
VMJH	19:15	2.53	2.74	132.55	18.38	2.58	3.00
VMJH	19:45	3.40	2.72	133.13	18.00	2.60	2.90
VMJH	20:15	2.57	2.97	131.91	18.26	2.60	3.04
VMJH	20:45	2.00	2.97	132.05	18.49	2.53	2.92
VMJH	21:15	2.70	2.90	133.34	18.24	2.59	2.93
VMJH	21:45	2.53	2.78	135.41	18.13	2.65	3.12
VMJH	22:10	2.32	2.79	133.37	18.17	2.55	2.91
VMZ		2.72	2.85	132.86	18.26	2.58	2.97

Valori inregistrate MIR-IS HP-1250

Data:02/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3	COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	08:39	2.63	2.75	132.69	18.27	2.54	3.06				
VMJH	09:09	2.03	2.83	131.96	18.32	2.57	3.00				
VMJH	09:39	2.93	2.91	132.80	18.35	2.54	2.91				
VMJH	10:09	3.70	2.96	134.77	18.28	2.62	2.90				
VMJH	10:39	2.97	2.81	131.40	18.14	2.56	2.88				
VMJH	11:09	2.37	2.58	132.32	18.11	2.60	2.94				
VMJH	11:39	1.50	2.81	130.30	18.42	2.54	2.90				
VMJH	12:09	2.57	2.95	131.06	18.11	2.56	2.99				
VMJH	12:39	2.67	2.91	133.05	18.33	2.52	3.08				
VMJH	13:09	2.70	2.99	132.70	18.32	2.55	2.98				
VMJH	13:39	2.73	2.99	134.04	18.25	2.60	2.91				
VMJH	14:09	1.77	2.72	132.79	18.45	2.57	2.85				
VMJH	14:36	2.19	2.88	131.79	18.23	2.54	2.87				
VMZ		2.52	2.85	132.44	18.28	2.56	2.95				

Valori inregistrate MIR-IS HP-1250

Data:04/9/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10	
VMJH	16:17	2.17	2.98	132.56	18.08	2.56	3.10
VMJH	16:47	2.20	2.89	131.53	18.33	2.57	3.05
VMJH	17:17	2.80	2.91	133.33	18.35	2.54	2.89
VMJH	17:47	3.03	2.92	133.66	18.07	2.58	2.93
VMJH	18:17	2.67	2.96	132.61	18.20	2.58	2.99
VMJH	18:47	2.17	2.98	132.94	18.39	2.58	2.94
VMJH	19:17	2.73	2.89	133.69	18.25	2.58	2.97
VMJH	19:47	3.13	2.78	132.59	18.42	2.57	2.89
VMJH	20:17	3.20	2.90	134.96	18.38	2.58	2.94
VMJH	20:47	2.73	2.89	134.18	18.14	2.67	2.94
VMJH	21:17	2.80	2.80	133.30	18.10	2.54	2.97
VMJH	21:47	1.80	2.85	133.85	18.13	2.53	3.03
VMJH	22:18	2.39	2.85	134.20	18.26	2.54	2.88
VMZ		2.60	2.89	133.34	18.24	2.57	2.96

Valori inregistrate MIR-IS HP-1250

Data:05/9/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	14:14	2.93		2.90		131.26		18.17		2.55		3.06	
VMJH	14:44	2.53		2.86		133.40		18.25		2.60		2.97	
VMJH	15:14	3.77		2.91		133.55		18.13		2.56		3.01	
VMJH	15:44	2.20		2.94		134.12		18.17		2.53		2.94	
VMJH	16:14	3.10		2.74		131.08		18.25		2.58		2.99	
VMJH	16:44	1.27		3.91		159.40		21.33		3.51		3.29	
VMJH	17:14	2.60		4.27		168.67		21.29		3.80		3.52	
VMJH	17:44	2.67		4.36		171.27		22.08		3.78		3.45	
VMJH	18:14	2.77		4.27		171.07		21.52		3.79		3.48	
VMJH	18:44	2.23		4.35		170.62		22.08		3.77		3.44	
VMJH	19:14	2.40		4.25		169.80		21.99		3.80		3.47	
VMJH	19:44	2.27		4.25		171.53		21.81		3.76		3.50	
VMJH	20:14	2.43		4.36		171.35		21.95		3.84		3.43	
VMJH	20:44	3.37		4.37		170.70		21.92		3.77		3.46	
VMJH	21:14	2.50		4.48		171.79		21.99		3.84		3.42	
VMJH	21:44	2.40		4.14		170.17		21.75		3.79		3.50	
VMJH	22:10	2.50		4.12		170.99		21.21		3.80		3.37	
VMZ		2.58		3.85		158.78		20.70		3.41		3.31	

Valori inregistrate MIR-IS HP-1250

Data:06/9/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:10	2.33	4.31	170.71	21.57	3.78	3.47
VMJH	14:40	2.30	4.17	171.81	21.44	3.75	3.40
VMJH	15:10	2.40	4.39	169.70	21.98	3.83	3.48
VMJH	15:40	2.83	4.29	170.41	21.75	3.81	3.43
VMJH	16:10	2.90	4.27	169.64	21.74	3.82	3.49
VMJH	16:40	2.90	4.34	170.36	21.75	3.84	3.47
VMJH	17:10	2.07	4.41	171.58	21.97	3.81	3.49
VMJH	17:40	2.37	4.37	169.24	21.53	3.82	3.46
VMJH	18:10	2.13	4.25	171.46	21.62	3.77	3.43
VMJH	18:40	1.70	4.32	170.05	21.67	3.82	3.47
VMJH	19:10	2.40	4.41	169.94	21.10	3.82	3.44
VMJH	19:40	2.90	4.28	171.22	21.04	3.79	3.46
VMJH	20:10	1.80	4.36	170.41	21.72	3.81	3.40
VMJH	20:40	2.23	4.34	170.51	21.43	3.79	3.46
VMJH	21:10	2.43	4.15	169.07	22.14	3.80	3.48
VMJH	21:40	3.10	4.33	168.09	21.25	3.79	3.49
VMJH	22:10	2.33	4.24	171.08	21.57	3.76	3.40
VMJH	22:18	3.13	4.59	169.54	21.47	3.86	3.40
VMZ		2.43	4.31	170.30	21.60	3.80	3.45

Valori inregistrate MIR-IS HP-1250

Data:07/9/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:28	2.50	4.38	168.23	21.83	3.78	3.46
VMJH	14:58	2.57	4.21	168.34	21.98	3.79	3.50
VMJH	15:28	2.37	4.23	169.87	21.81	3.79	3.45
VMJH	15:58	2.60	4.27	171.02	21.22	3.78	3.44
VMJH	16:28	2.03	4.55	170.54	21.70	3.78	3.45
VMJH	16:58	2.50	4.32	170.57	22.12	3.75	3.46
VMJH	17:28	2.43	4.46	170.64	21.25	3.82	3.55
VMJH	17:58	2.47	4.19	170.19	21.75	3.77	3.41
VMJH	18:28	2.43	4.23	169.99	22.47	3.78	3.47
VMJH	18:58	2.27	4.31	170.83	21.67	3.79	3.49
VMJH	19:28	2.40	4.36	169.32	21.60	3.85	3.44
VMJH	19:58	2.40	4.36	169.48	20.85	3.83	3.46
VMJH	20:28	2.33	4.30	169.04	21.25	3.85	3.48
VMJH	20:58	2.40	4.32	169.62	21.71	3.79	3.48
VMJH	21:28	2.67	4.26	171.95	22.51	3.81	3.50
VMJH	21:58	2.37	4.38	170.61	21.30	3.77	3.43
VMJH	22:08	2.50	4.32	170.95	23.65	3.80	3.43
VMZ		2.42	4.32	170.04	21.73	3.80	3.47

Valori inregistrate MIR-IS HP-1250

Data:08/9/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:17	2.13	4.47	171.29	21.85	3.80	3.50
VMJH	14:47	2.07	4.34	168.71	21.90	3.73	3.40
VMJH	15:17	2.30	4.03	168.01	21.57	3.66	3.40
VMJH	15:47	2.83	3.52	150.71	19.97	3.20	3.28
VMJH	16:17	2.57	3.65	152.54	20.02	3.18	3.28
VMJH	16:47	2.47	3.55	150.86	20.02	3.19	3.12
VMJH	17:17	2.60	3.65	152.36	19.82	3.17	3.18
VMJH	17:47	2.97	3.58	152.13	20.14	3.23	3.23
VMJH	18:17	2.87	3.64	151.73	20.06	3.19	3.19
VMJH	18:47	2.27	3.64	150.25	20.24	3.20	3.19
VMJH	19:17	2.13	3.59	149.58	19.98	3.25	3.20
VMJH	19:47	2.57	3.51	151.82	19.91	3.18	3.17
VMJH	20:17	2.43	3.56	149.91	19.88	3.21	3.25
VMJH	20:47	1.70	3.48	150.53	19.64	3.19	3.17
VMJH	21:17	1.67	3.57	150.64	20.40	3.20	3.24
VMJH	21:47	2.40	3.69	151.47	19.87	3.19	3.24
VMJH	22:17	1.73	3.56	152.77	19.76	3.19	3.17
VMJH	22:29	2.08	3.47	151.36	20.02	3.17	3.18
VMZ		2.33	3.71	154.32	20.29	3.29	3.25

Valori inregistrate MIR-IS HP-1250

Data:09/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	09:09	1.63	3.61	150.99	20.01	3.16	3.20					
VMJH	09:39	2.90	3.51	149.88	19.83	3.16	3.20					
VMJH	10:09	1.40	3.62	150.07	20.12	3.19	3.11					
VMJH	10:39	1.57	3.61	151.04	20.11	3.20	3.26					
VMJH	11:09	2.73	3.61	152.02	19.73	3.17	3.21					
VMJH	11:39	3.07	3.54	150.96	20.05	3.20	3.18					
VMJH	12:09	2.10	3.55	151.06	20.09	3.18	3.25					
VMJH	12:39	1.80	3.62	149.95	19.92	3.21	3.21					
VMJH	13:09	1.67	3.57	150.66	20.05	3.17	3.31					
VMJH	13:39	3.37	3.47	151.27	20.02	3.20	3.25					
VMJH	14:09	1.53	3.70	151.32	20.22	3.18	3.25					
VMJH	14:25	2.56	3.53	150.37	20.32	3.28	3.33					
VMZ		2.18	3.58	150.82	20.03	3.19	3.23					

Valori inregistrate MIR-IS HP-1250

Data:11/9/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	14:37	2.03	3.62	150.57	20.07	3.19	3.29
VMJH	15:07	2.23	3.56	150.82	19.91	3.25	3.25
VMJH	15:37	2.67	3.68	152.77	19.97	3.20	3.18
VMJH	16:07	2.57	3.70	150.98	19.69	3.18	3.19
VMJH	16:37	1.87	3.56	151.37	19.67	3.16	3.26
VMJH	17:07	2.00	3.64	149.82	20.22	3.14	3.19
VMJH	17:37	3.13	3.63	151.36	20.15	3.21	3.14
VMJH	18:07	3.33	3.60	151.84	19.75	3.19	3.16
VMJH	18:37	2.90	3.53	150.88	20.39	3.20	3.21
VMJH	19:07	2.07	3.45	149.57	19.96	3.18	3.28
VMJH	19:37	2.33	3.55	150.28	20.14	3.20	3.19
VMJH	20:07	2.50	3.55	150.74	19.90	3.20	3.20
VMJH	20:37	1.97	3.49	150.85	20.23	3.23	3.25
VMJH	21:07	2.17	3.51	150.80	20.23	3.19	3.14
VMJH	21:37	2.90	3.61	153.21	19.91	3.17	3.18
VMJH	22:07	2.77	3.52	150.40	20.01	3.21	3.23
VMJH	22:18	2.99	3.53	150.74	19.95	3.20	3.23
VMZ		2.46	3.58	151.01	20.00	3.19	3.21

Valori inregistrate MIR-IS HP-1250

Data:12/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3	COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	08:09	3.03	3.51	152.01	19.84	3.19	3.19				
VMJH	08:39	2.83	3.71	150.78	20.15	3.19	3.12				
VMJH	09:09	2.80	3.60	151.54	19.75	3.23	3.27				
VMJH	09:39	2.13	3.58	151.86	20.07	3.18	3.27				
VMJH	10:09	2.70	3.64	150.44	19.90	3.16	3.22				
VMJH	10:39	2.30	3.44	151.63	19.54	3.18	3.21				
VMJH	11:09	2.23	3.47	149.16	19.02	3.08	3.12				
VMJH	11:39	1.53	3.53	150.09	19.33	3.10	3.15				
VMJH	12:09	2.53	3.33	150.09	19.17	3.09	3.07				
VMJH	12:39	1.37	3.34	150.17	19.26	3.09	3.13				
VMJH	13:09	1.87	3.39	151.58	19.46	3.11	3.13				
VMJH	13:39	2.33	3.46	151.05	19.30	3.11	3.13				
VMJH	14:09	2.20	3.47	151.20	19.24	3.09	3.26				
VMJH	14:24	2.40	3.46	149.81	19.59	3.06	3.16				
VMZ		2.30	3.50	150.85	19.54	3.14	3.17				

Valori inregistrate MIR-IS HP-1250

Data:14/9/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	08:59	2.57	3.42	150.72	19.54	3.11	3.12
VMJH	09:29	2.97	3.41	150.01	19.11	3.08	3.22
VMJH	09:59	2.73	3.47	150.27	19.31	3.09	3.17
VMJH	10:29	3.50	3.51	150.89	19.59	3.05	3.19
VMJH	10:59	2.53	3.45	151.25	19.71	3.11	3.20
VMJH	11:29	3.17	3.47	150.39	19.33	3.17	3.18
VMJH	11:59	3.20	3.49	150.37	19.17	3.14	3.21
VMJH	12:29	2.90	3.43	149.72	18.66	3.12	3.14
VMJH	12:59	3.23	3.51	151.34	19.29	3.10	3.20
VMJH	13:29	2.23	3.43	150.05	18.74	3.08	3.20
VMJH	13:59	2.50	3.45	150.09	18.99	3.11	3.14
VMJH	14:29	3.07	3.35	149.12	19.08	3.11	3.22
VMJH	14:42	3.62	3.44	153.26	18.82	3.06	3.10
VMZ		2.91	3.45	150.46	19.20	3.10	3.18

Valori inregistrate MIR-IS HP-1250

Data:15/9/2023

	Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10	
VMJH	08:49	2.93		3.39		150.47		19.22		3.08		3.18	
VMJH	09:19	2.40		3.47		150.44		19.01		3.07		3.20	
VMJH	09:49	2.03		3.52		150.25		19.20		3.11		3.21	
VMJH	10:19	2.67		3.49		148.80		18.91		3.11		3.20	
VMJH	10:49	3.60		3.47		148.82		18.99		3.09		3.25	
VMJH	11:19	2.73		3.41		149.13		19.27		3.11		3.16	
VMJH	11:49	3.13		3.36		148.63		18.91		3.09		3.11	
VMJH	12:19	2.17		3.43		150.93		19.31		3.07		3.15	
VMJH	12:49	1.77		3.45		150.57		19.52		3.11		3.11	
VMJH	13:19	1.87		3.41		151.00		19.03		3.11		3.10	
VMJH	13:49	1.10		3.48		149.92		19.15		3.07		3.18	
VMJH	14:19	1.23		3.42		149.66		19.07		3.08		3.16	
VMJH	14:34	1.00		3.64		150.44		19.22		3.10		3.14	
VMZ		2.25		3.45		149.91		19.14		3.09		3.17	

Valori inregistrate MIR-IS HP-1250

Data:16/9/2023

	Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2
		mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3
		VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
		10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH	07:29	0.87	3.50	151.30	19.23	3.12	3.13
VMJH	07:59	0.87	3.44	151.46	19.45	3.11	3.16
VMJH	08:29	1.00	3.49	151.82	19.26	3.09	3.10
VMJH	08:59	1.00	3.37	149.47	19.27	3.09	3.15
VMJH	09:29	1.47	3.55	151.31	19.09	3.09	3.09
VMJH	09:59	0.87	3.51	150.25	19.34	3.11	3.20
VMJH	10:29	0.97	3.48	150.73	18.90	3.11	3.18
VMJH	10:59	0.90	3.47	151.58	19.37	3.12	3.22
VMJH	11:29	0.53	3.44	150.84	19.06	3.10	3.23
VMJH	11:59	0.80	3.50	150.44	19.17	3.07	3.15
VMJH	12:29	1.23	3.41	150.17	19.37	3.14	3.14
VMJH	12:59	1.27	3.43	151.46	19.06	3.12	3.11
VMJH	13:29	1.10	3.41	151.16	19.37	3.13	3.14
VMJH	13:59	1.43	3.51	150.53	19.42	3.12	3.17
VMJH	14:29	1.20	3.39	150.58	19.25	3.13	3.17
VMJH	14:59	1.83	2.62	141.80	19.57	2.79	3.07
VMJH	15:29	0.70	2.67	138.88	19.68	2.73	3.16
VMJH	15:59	0.87	2.53	140.91	19.70	2.77	3.11
VMJH	16:29	1.10	2.68	140.31	19.50	2.75	3.14
VMJH	16:59	0.87	2.60	141.68	19.47	2.73	3.13
VMJH	17:33	0.94	2.55	141.88	19.59	2.72	3.17
VMZ		1.04	3.21	147.99	19.34	3.00	3.15

Valori inregistrate MIR-IS HP-1250

Data:18/9/2023

Ora	Pulberi mg/Nm2	SO2 L2 mg/Nm3	NOx L2 mg/Nm3	CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10	
VMJH	11:59	1.03	2.62	140.47	19.67	2.74	3.13
VMJH	12:29	1.27	2.57	140.15	19.58	2.76	3.08
VMJH	12:59	1.03	2.56	140.10	19.57	2.76	3.11
VMJH	13:29	1.17	2.60	139.28	19.51	2.76	3.11
VMJH	13:59	1.23	2.60	139.66	19.48	2.76	3.13
VMJH	14:29	1.23	2.59	141.06	19.43	2.79	3.13
VMJH	14:59	1.73	2.55	141.03	19.59	2.77	3.13
VMJH	15:29	0.67	2.53	140.51	19.62	2.77	3.09
VMJH	15:42	0.08	2.54	141.27	19.45	2.76	3.02
VMZ		1.11	2.58	140.33	19.55	2.76	3.11

Valori inregistrate MIR-IS HP-1250

Data:21/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3	COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	08:51	1.07	2.62	140.14	19.65	2.79	3.13				
VMJH	09:21	1.10	2.55	140.57	19.76	2.69	3.09				
VMJH	09:51	1.07	2.59	140.28	19.68	2.81	3.17				
VMJH	10:21	1.10	2.45	140.37	19.81	2.76	3.06				
VMJH	10:51	1.63	2.62	141.17	19.35	2.74	3.07				
VMJH	11:21	1.60	2.58	139.01	19.69	2.74	3.14				
VMJH	11:51	1.67	2.59	139.64	19.49	2.75	3.06				
VMJH	12:21	3.43	2.65	141.25	19.97	2.76	3.09				
VMJH	12:51	1.87	2.58	140.25	19.58	2.80	3.07				
VMJH	13:21	1.30	2.67	140.68	19.63	2.77	3.04				
VMJH	13:51	1.60	2.47	142.59	19.47	2.78	3.11				
VMJH	14:21	2.30	2.54	139.56	19.64	2.77	3.13				
VMJH	14:51	1.17	2.57	139.80	19.74	2.80	3.07				
VMJH	14:58	1.71	2.55	138.21	19.86	2.75	3.23				
VMZ		1.61	2.58	140.37	19.66	2.77	3.10				

Valori inregistrate MIR-IS HP-1250

Data:22/9/2023

Ora	Pulberi	SO2 L2	NOx L2	CO L2	COT L2	HCL L2	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10	
VMJH	09:05	0.93	2.54	141.18	19.60	2.80	3.12
VMJH	09:35	2.43	2.68	140.22	19.66	2.79	3.14
VMJH	10:05	1.30	2.56	139.84	19.62	2.75	3.16
VMJH	10:35	1.60	2.56	140.67	19.76	2.74	3.08
VMJH	11:05	2.03	2.61	139.81	19.71	2.77	3.04
VMJH	11:35	1.20	2.58	142.15	19.49	2.72	3.16
VMJH	12:05	0.83	2.57	141.25	19.65	2.78	3.12
VMJH	12:35	1.43	2.65	141.99	19.44	2.74	3.15
VMJH	13:05	0.93	2.59	140.11	19.67	2.78	3.05
VMJH	13:35	1.53	2.56	140.58	19.78	2.77	3.15
VMJH	14:05	1.27	2.60	140.56	19.14	2.75	3.11
VMJH	14:35	1.73	2.55	141.63	19.56	2.73	3.10
VMJH	15:00	2.12	2.59	139.74	19.25	2.73	3.04
VMZ		1.48	2.59	140.76	19.57	2.76	3.11

Valori inregistrate MIR-IS HP-1250

Data:23/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3	COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	08:41	2.93	2.61	139.36	19.79	2.79	3.13				
VMJH	09:11	1.70	2.59	142.49	19.65	2.73	3.10				
VMJH	09:41	0.97	2.60	140.78	19.44	2.73	3.17				
VMJH	10:11	0.97	2.70	139.42	19.52	2.74	3.08				
VMJH	10:41	1.30	2.60	139.81	19.54	2.76	3.16				
VMJH	11:11	1.37	2.54	140.83	19.54	2.78	3.14				
VMJH	11:41	1.70	2.51	139.25	19.88	2.79	3.08				
VMJH	12:11	1.20	2.49	132.98	19.81	2.62	2.91				
VMJH	12:41	1.63	2.75	126.35	19.95	2.52	2.78				
VMJH	13:11	1.97	2.67	127.76	19.63	2.47	2.77				
VMJH	13:41	1.47	2.48	129.39	19.91	2.39	2.79				
VMJH	14:11	1.27	2.50	129.02	19.50	2.53	2.73				
VMJH	14:33	0.77	2.77	127.50	19.39	2.46	2.79				
VMZ		1.49	2.60	135.15	19.66	2.64	2.98				

Valori inregistrate MIR-IS HP-1250

Data:25/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	11:09	1.17	2.57	127.52	19.70	2.45	2.75					
VMJH	11:39	0.80	2.65	125.09	19.56	2.42	2.81					
VMJH	12:09	0.47	2.81	127.04	19.83	2.49	2.76					
VMJH	12:39	1.20	2.34	129.46	19.61	2.47	2.76					
VMJH	13:09	0.87	2.63	130.43	19.71	2.52	2.76					
VMJH	13:39	0.83	2.68	133.34	19.37	2.44	2.70					
VMJH	14:09	1.00	2.87	127.61	19.18	2.61	2.81					
VMJH	14:39	0.47	2.44	130.47	19.68	2.48	2.81					
VMJH	15:09	1.13	2.76	125.29	19.55	2.51	2.76					
VMJH	15:39	1.07	2.79	131.06	19.61	2.46	2.82					
VMJH	16:09	0.60	2.45	125.91	19.28	2.52	2.76					
VMJH	16:39	1.07	2.66	130.26	19.57	2.48	2.81					
VMJH	17:09	0.83	2.71	127.74	19.54	2.42	2.80					
VMJH	17:39	1.83	2.87	130.65	19.76	2.58	2.75					
VMJH	18:09	1.43	2.66	127.85	19.48	2.44	2.72					
VMJH	18:39	2.23	2.90	126.68	19.48	2.36	2.80					
VMJH	19:09	1.53	2.88	129.44	19.66	2.42	2.90					
VMJH	19:39	1.53	2.67	126.91	19.32	2.41	2.69					
VMJH	20:09	0.00	2.64	128.72	19.34	2.57	2.72					
VMJH	20:39	2.17	2.79	128.77	19.57	2.52	2.71					
VMJH	21:09	0.43	2.70	128.80	19.52	2.48	2.79					
VMJH	21:18	0.00	2.91	127.04	19.42	2.42	2.76					
VMZ		1.06	2.69	128.50	19.54	2.48	2.77					

Valori inregistrate MIR-IS HP-1250

Data:26/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3		
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMA	VMJH		
	10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	08:49	0.00	2.45	131.88	19.51	2.52	2.70				
VMJH	09:19	0.57	2.57	131.19	19.70	2.52	2.79				
VMJH	09:49	0.10	2.71	127.37	19.59	2.46	2.80				
VMJH	10:19	2.13	2.84	130.21	19.60	2.49	2.79				
VMJH	10:49	1.90	2.72	127.92	19.29	2.49	2.72				
VMJH	11:19	1.93	2.79	126.70	19.96	2.49	2.73				
VMJH	11:49	1.87	2.71	126.29	19.70	2.41	2.78				
VMJH	12:19	1.70	2.85	126.26	19.35	2.45	2.76				
VMJH	12:49	1.73	2.52	126.71	19.61	2.51	2.72				
VMJH	13:19	0.30	2.61	130.34	19.61	2.52	2.79				
VMJH	13:49	2.07	2.72	129.60	19.51	2.59	2.71				
VMJH	14:19	0.93	2.84	129.49	19.49	2.42	2.74				
VMJH	14:49	0.93	2.83	127.94	19.38	2.46	2.85				
VMJH	15:19	1.87	2.56	128.87	19.91	2.50	2.68				
VMJH	15:38	2.05	2.55	132.15	19.69	2.50	2.74				
VMZ		1.32	2.69	128.78	19.59	2.49	2.75				

Valori inregistrate MIR-IS HP-1250

Data:27/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3		
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMA	VMJH		
	10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	08:39	1.43	2.36	130.41	19.36	2.52	2.80				
VMJH	09:09	1.23	2.63	130.61	20.05	2.45	2.70				
VMJH	09:39	1.23	2.71	130.87	19.22	2.39	2.80				
VMJH	10:09	1.00	2.58	129.05	19.41	2.49	2.74				
VMJH	10:39	0.70	2.75	127.40	19.61	2.44	2.87				
VMJH	11:09	0.97	2.67	130.60	19.42	2.51	2.82				
VMJH	11:39	2.77	3.10	133.10	20.07	2.82	2.83				
VMJH	12:09	1.97	3.89	149.73	20.90	3.52	3.32				
VMJH	12:39	2.17	4.32	148.83	20.74	3.48	3.32				
VMJH	13:09	1.83	4.01	151.99	20.66	3.62	3.32				
VMJH	13:39	1.63	3.87	151.70	20.62	3.58	3.32				
VMJH	14:09	1.63	3.96	154.87	20.81	3.62	3.33				
VMJH	14:39	1.73	3.95	149.62	20.78	3.63	3.32				
VMJH	15:09	1.57	4.17	151.75	20.98	3.50	3.30				
VMJH	15:34	0.96	4.16	151.76	20.40	3.48	3.34				
VMZ		1.53	3.40	141.38	20.20	3.07	3.07				

Valori inregistrate MIR-IS HP-1250

Data:28/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3	COT L2 mg/Nm3	HCL L2 mg/Nm3		
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMA	VMJH		
	10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	08:49	0.03	4.09	147.33	20.75	3.42	3.34				
VMJH	09:19	1.70	3.89	151.45	20.44	3.42	3.33				
VMJH	09:49	0.17	3.96	152.52	20.82	3.50	3.34				
VMJH	10:19	0.97	3.67	150.34	21.01	3.38	3.31				
VMJH	10:49	1.93	3.86	150.75	20.55	3.52	3.31				
VMJH	11:19	1.97	3.90	149.56	21.25	3.67	3.31				
VMJH	11:49	2.17	3.77	150.81	20.82	3.59	3.28				
VMJH	12:19	2.10	4.00	151.28	20.87	3.46	3.37				
VMJH	12:49	1.93	4.11	150.51	21.06	3.41	3.30				
VMJH	13:19	1.97	4.14	151.57	20.55	3.51	3.27				
VMJH	13:49	2.17	3.94	148.06	20.64	3.54	3.27				
VMJH	14:19	0.63	4.05	151.14	21.30	3.53	3.35				
VMJH	14:49	1.57	3.84	149.84	20.49	3.48	3.35				
VMJH	15:19	1.83	3.95	149.44	20.24	3.56	3.37				
VMJH	15:32	2.31	3.60	151.36	21.54	3.62	3.32				
VMZ		1.53	3.93	150.36	20.79	3.50	3.32				

Valori inregistrate MIR-IS HP-1250

Data:29/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	08:49	2.60	4.05	151.15	20.88	3.41	3.26					
VMJH	09:19	1.87	4.02	147.45	20.57	3.49	3.35					
VMJH	09:49	1.77	4.16	152.33	21.29	3.62	3.31					
VMJH	10:19	1.93	3.84	152.43	21.13	3.47	3.32					
VMJH	10:49	1.53	3.97	145.73	20.74	3.52	3.31					
VMJH	11:19	1.53	3.88	149.17	20.80	3.49	3.30					
VMJH	11:49	1.60	4.24	149.92	21.31	3.63	3.31					
VMJH	12:19	1.47	4.19	152.49	20.77	3.69	3.33					
VMJH	12:49	1.63	3.99	147.39	20.24	3.52	3.33					
VMJH	13:19	0.37	3.92	154.76	20.00	3.52	3.37					
VMJH	13:49	0.60	3.89	152.82	21.39	3.57	3.32					
VMJH	14:19	0.80	3.71	154.00	20.53	3.56	3.31					
VMJH	14:49	0.87	4.01	151.66	20.68	3.53	3.32					
VMJH	15:20	1.35	4.17	150.25	21.25	3.49	3.35					
VMZ		1.42	4.00	150.82	20.83	3.54	3.32					

Valori inregistrate MIR-IS HP-1250

Data:30/9/2023

Ora	Pulberi mg/Nm2		SO2 L2 mg/Nm3		NOx L2 mg/Nm3		CO L2 mg/Nm3		COT L2 mg/Nm3		HCL L2 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	08:39	2.27	3.68	152.75	21.15	3.55	3.36					
VMJH	09:09	1.53	3.83	149.45	20.51	3.55	3.29					
VMJH	09:39	1.93	3.75	148.35	20.79	3.57	3.34					
VMJH	10:09	0.80	4.04	145.66	21.52	3.47	3.32					
VMJH	10:39	1.73	4.02	149.33	19.79	3.54	3.29					
VMJH	11:09	1.73	4.19	149.91	20.79	3.46	3.35					
VMJH	11:39	1.77	3.96	150.25	20.74	3.47	3.31					
VMJH	12:09	1.13	3.97	151.74	20.39	3.52	3.32					
VMJH	12:39	0.80	3.99	150.41	21.01	3.54	3.28					
VMJH	13:09	0.33	3.71	150.25	20.75	3.51	3.34					
VMJH	13:39	0.60	3.93	152.87	20.84	3.52	3.28					
VMJH	14:09	1.37	3.50	146.63	20.24	3.39	3.18					
VMJH	14:17	1.00	3.65	142.81	17.53	2.96	3.08					
VMZ		1.33	3.87	149.63	20.63	3.49	3.30					

Valori inregistrate MIR-IS HP-1500

Data:01/11/2023

Ora	Pulberi mg/Nm2		SO2 L1 mg/Nm3		NOx L1 mg/Nm3		CO L1 mg/Nm3		COT L1 mg/Nm3		HCL L1 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	07:17	1.23	2.97	134.33	19.02	2.19	2.56					
VMJH	07:47	0.83	2.74	132.34	18.67	2.11	2.58					
VMJH	08:17	0.80	2.71	133.15	18.69	2.24	2.58					
VMJH	08:47	0.33	2.93	131.89	18.89	2.06	2.61					
VMJH	09:17	1.17	3.00	133.09	18.52	2.18	2.56					
VMJH	09:47	1.13	2.98	134.42	19.16	2.06	2.52					
VMJH	10:17	1.43	2.77	133.18	18.38	2.03	2.43					
VMJH	10:47	0.93	2.85	132.89	18.68	2.15	2.53					
VMJH	11:17	1.23	2.87	133.33	18.80	2.02	2.71					
VMJH	11:47	1.50	2.84	134.33	18.84	2.07	2.62					
VMJH	12:17	0.80	2.84	133.19	18.58	2.11	2.39					
VMJH	12:47	0.77	2.94	133.02	18.98	2.12	2.61					
VMJH	13:17	0.80	2.93	131.52	18.63	2.18	2.63					
VMJH	13:47	1.03	3.00	132.67	18.79	2.08	2.53					
VMJH	14:17	0.37	2.92	133.49	18.66	2.12	2.56					
VMJH	14:47	0.57	2.86	133.65	18.86	2.14	2.48					
VMJH	15:17	0.97	2.82	132.83	18.92	2.20	2.53					
VMJH	15:47	0.90	2.88	131.93	18.48	2.18	2.57					
VMJH	16:17	0.60	2.94	132.43	18.37	2.15	2.69					
VMJH	16:47	0.93	2.79	133.27	18.75	2.05	2.45					
VMJH	17:17	0.90	2.92	133.40	18.62	2.13	2.56					
VMJH	17:47	1.07	2.98	133.35	18.80	2.17	2.57					
VMJH	18:17	1.57	2.95	131.99	18.81	2.25	2.52					
VMJH	18:47	0.83	2.91	132.15	18.59	2.14	2.52					
VMJH	19:17	0.40	2.72	133.11	18.69	2.15	2.58					
VMJH	19:47	0.50	2.80	132.25	18.68	2.10	2.59					
VMJH	20:17	0.60	2.70	132.41	18.87	2.19	2.66					
VMJH	20:47	0.83	2.97	132.24	18.66	2.03	2.50					
VMJH	21:17	0.47	3.00	134.57	18.75	1.99	2.53					
VMJH	21:47	3.03	2.95	133.43	18.71	2.11	2.59					
VMJH	22:17	2.63	3.00	130.75	18.74	2.18	2.51					
VMJH	22:47	2.70	2.88	133.96	18.58	2.16	2.58					
VMJH	23:17	2.80	2.69	133.04	18.75	2.26	2.52					
VMJH	23:40	2.83	2.85	132.60	18.95	2.18	2.46					
VMZ		1.15	2.88	132.95	18.73	2.13	2.55					

06:48

Valori inregistrate MIR-IS HP-1500

Data:02/11/2023

	Ora	Pulberi mg/Nm2		SO2 L1 mg/Nm3		NOx L1 mg/Nm3		CO L1 mg/Nm3	COT L1 mg/Nm3		HCL L1 mg/Nm3	
		VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMA	VMJH	VMA	VMJH
		10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	07:04	3.27		2.84		132.05		18.43		2.14		2.59
VMJH	07:34	2.23		2.82		133.50		18.53		2.24		2.61
VMJH	08:04	2.60		2.78		133.16		18.88		2.14		2.60
VMJH	08:34	2.47		2.81		131.96		18.57		2.17		2.62
VMJH	09:04	2.60		2.98		132.82		18.96		2.08		2.56
VMJH	09:34	2.60		2.81		134.42		18.75		2.09		2.57
VMJH	10:04	2.20		2.92		133.01		18.63		2.16		2.56
VMJH	10:34	2.67		2.96		132.72		18.71		2.16		2.64
VMJH	11:04	2.63		2.92		132.70		18.80		2.02		2.61
VMJH	11:34	2.97		2.73		132.67		18.80		2.13		2.61
VMJH	12:04	2.20		2.89		132.46		19.02		2.05		2.55
VMJH	12:34	2.57		2.78		132.31		18.63		2.12		2.57
VMJH	13:04	2.20		3.02		134.13		19.08		2.21		2.61
VMJH	13:34	2.20		2.94		131.40		18.57		2.09		2.68
VMJH	14:04	2.23		4.73		154.02		20.82		2.79		3.11
VMJH	14:34	2.43		5.08		159.50		20.42		2.96		3.29
VMJH	15:04	1.93		5.26		158.72		21.47		2.98		3.28
VMJH	15:34	2.57		5.16		158.36		20.76		2.98		3.29
VMJH	16:04	2.63		4.72		159.67		20.77		2.99		3.27
VMJH	16:34	2.63		6.24		158.90		21.01		2.98		3.29
VMJH	17:04	2.27		5.56		159.19		20.84		2.97		3.28
VMJH	17:34	2.43		5.04		160.66		21.61		2.97		3.27
VMJH	18:04	2.20		5.29		159.53		21.58		2.97		3.25
VMJH	18:34	2.10		5.51		157.95		21.25		2.97		3.24
VMJH	19:04	1.97		5.01		159.96		21.32		2.97		3.29
VMJH	19:34	1.73		4.98		159.02		20.84		2.96		3.30
VMJH	20:04	1.73		5.64		159.24		20.59		2.98		3.30
VMJH	20:34	1.23		5.26		161.12		21.56		2.97		3.28
VMJH	21:04	1.60		5.30		159.76		21.49		2.98		3.29
VMJH	21:34	1.47		5.32		159.88		21.04		3.00		3.28
VMJH	22:04	1.97		5.38		160.83		20.80		2.97		3.29
VMJH	22:15	3.09		5.62		155.37		19.92		3.00		3.31
VMZ		2.29		4.20		147.38		20.02		2.59		2.97

Valori inregistrate MIR-IS HP-1500

Data:03/11/2023

Ora	Pulberi mg/Nm2		SO2 L1 mg/Nm3		NOx L1 mg/Nm3		CO L1 mg/Nm3		COT L1 mg/Nm3		HCL L1 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	06:34	1.43	5.38	159.10	21.49	2.97	3.25					
VMJH	07:04	3.47	5.21	160.48	21.85	2.98	3.27					
VMJH	07:34	2.70	5.05	157.42	21.36	2.97	3.27					
VMJH	08:04	2.73	5.04	156.83	21.14	2.99	3.29					
VMJH	08:34	2.10	4.98	160.86	21.02	2.97	3.28					
VMJH	09:04	3.83	5.51	159.20	20.86	2.99	3.30					
VMJH	09:34	2.37	5.12	160.30	20.83	2.98	3.31					
VMJH	10:04	1.37	5.37	158.70	21.05	2.98	3.29					
VMJH	10:34	3.53	5.38	156.98	20.94	2.97	3.28					
VMJH	11:04	2.50	5.36	159.95	21.38	3.00	3.26					
VMJH	11:34	2.37	5.14	157.89	21.06	3.01	3.27					
VMJH	12:04	1.60	5.92	156.72	21.23	2.99	3.29					
VMJH	12:34	1.53	5.66	159.10	21.04	2.99	3.29					
VMJH	13:04	2.77	5.31	160.49	21.75	2.99	3.23					
VMJH	13:34	2.00	5.60	157.79	21.53	2.99	3.26					
VMJH	14:05	2.94	4.91	157.93	20.92	2.98	3.26					
VMZ		2.45	5.31	158.73	21.21	2.98	3.27					

Valori inregistrate MIR-IS HP-1500

Data:04/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:09	1.97	4.89	158.51	21.19	2.97	3.31
VMJH	08:39	2.20	4.76	158.17	21.40	2.98	3.26
VMJH	09:09	3.20	5.70	157.80	21.54	2.99	3.29
VMJH	09:39	1.57	4.98	158.79	21.86	2.97	3.28
VMJH	10:09	1.50	5.07	160.61	21.31	2.99	3.26
VMJH	10:39	2.67	5.33	159.24	20.80	2.98	3.28
VMJH	11:09	2.70	5.51	157.68	21.34	3.00	3.29
VMJH	11:39	1.90	5.66	158.89	21.18	2.99	3.30
VMJH	12:09	1.83	5.14	159.33	21.22	2.96	3.26
VMJH	12:39	1.57	5.58	159.78	21.17	2.98	3.23
VMJH	13:09	2.00	5.48	160.85	20.87	2.97	3.26
VMJH	13:26	3.76	5.22	157.95	19.87	2.96	3.26
VMZ		2.18	5.28	159.00	21.19	2.98	3.27

Valori inregistrate MIR-IS HP-1500

Data:06/11/2023

Ora	Pulberi mg/Nm2		SO2 L1 mg/Nm3		NOx L1 mg/Nm3		CO L1 mg/Nm3		COT L1 mg/Nm3		HCL L1 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	14:23	2.23	5.42	156.56	21.93	2.96	3.31					
VMJH	14:53	1.67	5.18	159.25	21.54	2.97	3.28					
VMJH	15:23	1.50	5.26	158.11	21.83	2.99	3.26					
VMJH	15:53	2.13	4.27	151.50	21.07	2.69	3.00					
VMJH	16:23	1.00	3.98	145.86	19.57	2.57	2.96					
VMJH	16:53	2.03	3.99	146.17	20.13	2.56	2.90					
VMJH	17:23	3.30	4.02	145.47	19.87	2.55	2.96					
VMJH	17:53	3.07	3.86	145.85	19.54	2.58	2.92					
VMJH	18:23	2.47	4.52	146.50	20.05	2.52	2.89					
VMJH	18:53	2.93	4.22	146.66	19.60	2.52	2.88					
VMJH	19:23	2.50	3.95	146.78	20.27	2.52	2.89					
VMJH	19:53	1.33	4.09	146.06	20.09	2.54	2.94					
VMJH	20:23	1.43	4.15	146.41	20.12	2.50	2.96					
VMJH	20:53	1.23	3.99	146.33	19.97	2.53	2.85					
VMJH	21:23	2.47	3.91	146.00	19.84	2.56	2.92					
VMJH	21:53	2.60	4.28	145.89	19.55	2.54	2.99					
VMJH	22:07	2.50	4.12	146.30	19.97	2.60	2.90					
VMZ		2.13	4.31	148.64	20.30	2.63	2.99					

Valori inregistrate MIR-IS HP-1500

Data:07/11/2023

Ora	Pulberi mg/Nm2		SO2 L1 mg/Nm3		NOx L1 mg/Nm3		CO L1 mg/Nm3		COT L1 mg/Nm3		HCL L1 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	06:44	2.60	4.26	146.89	20.28	2.55	2.91					
VMJH	07:14	2.23	4.06	145.96	19.97	2.56	2.93					
VMJH	07:44	1.63	4.04	146.86	19.81	2.58	2.87					
VMJH	08:14	2.13	4.14	145.92	19.68	2.56	2.92					
VMJH	08:44	2.67	4.02	145.74	20.18	2.59	2.92					
VMJH	09:14	2.23	4.10	146.27	20.14	2.54	2.96					
VMJH	09:44	2.67	4.00	145.81	19.91	2.53	2.88					
VMJH	10:14	1.37	3.96	144.76	19.87	2.56	2.91					
VMJH	10:44	2.23	4.02	147.09	20.12	2.56	2.94					
VMJH	11:14	2.43	4.09	145.12	19.74	2.60	2.89					
VMJH	11:44	2.63	4.06	146.70	19.60	2.58	2.92					
VMJH	12:14	3.00	4.12	146.12	20.01	2.54	2.94					
VMJH	12:44	1.93	4.09	144.21	19.77	2.57	2.95					
VMJH	13:14	1.80	3.92	146.11	20.09	2.56	2.96					
VMJH	13:44	2.03	4.20	145.48	19.91	2.52	2.87					
VMJH	14:14	2.87	4.47	145.47	19.90	2.49	2.91					
VMJH	14:20	3.67	4.51	145.12	19.85	2.63	2.88					
VMZ		2.30	4.10	145.90	19.94	2.56	2.92					

Valori inregistrate MIR-IS HP-1500

Data:08/11/2023

Ora	Pulberi mg/Nm2		SO2 L1 mg/Nm3		NOx L1 mg/Nm3		CO L1 mg/Nm3		COT L1 mg/Nm3		HCL L1 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50		10	20/10	10	60/10
VMJH	15:17	1.67	4.19	146.12	19.84	2.54	2.89					
VMJH	15:47	2.87	4.23	145.87	20.33	2.60	2.94					
VMJH	16:17	1.43	3.99	146.07	19.92	2.57	2.90					
VMJH	16:47	2.47	3.82	144.57	19.97	2.64	2.87					
VMJH	17:17	1.37	4.05	146.10	19.98	2.57	2.92					
VMJH	17:47	1.00	3.88	144.35	19.85	2.58	2.96					
VMJH	18:17	1.00	4.04	146.58	20.26	2.61	2.93					
VMJH	18:47	2.47	3.93	146.21	20.26	2.52	2.94					
VMJH	19:17	2.23	3.94	145.55	20.06	2.60	2.93					
VMJH	19:47	2.17	4.18	146.74	19.75	2.52	2.93					
VMJH	20:17	1.60	4.21	145.92	20.01	2.56	2.92					
VMJH	20:47	1.57	4.34	146.03	20.02	2.56	2.94					
VMJH	21:17	2.40	4.03	146.24	20.00	2.50	2.92					
VMJH	21:48	2.68	4.23	146.13	19.91	2.54	2.97					
VMZ		1.92	4.08	145.89	20.01	2.56	2.92					

Valori inregistrate MIR-IS HP-1500

Data:9/11/2023

Ora	Pulberi mg/Nm2		SO2 L1 mg/Nm3		NOx L1 mg/Nm3		CO L1 mg/Nm3	COT L1 mg/Nm3		HCL L1 mg/Nm3	
	VMA	VMJH	VMA	VMJH	VMA	VMJH	VMA	VMA	VMJH	VMA	VMJH
	10	30/10	50	200/50	200	400/200	50	10	20/10	10	60/10
VMJH	15:09	2.47	4.11	146.31	19.78	2.55	2.89				
VMJH	15:39	2.30	3.96	145.09	20.14	2.50	2.94				
VMJH	16:09	2.07	4.10	145.78	20.16	2.59	2.93				
VMJH	16:39	1.17	4.19	145.33	20.40	2.56	2.98				
VMJH	17:09	2.43	3.53	139.67	19.57	2.25	2.81				
VMJH	17:39	2.40	2.84	133.13	18.84	1.83	2.54				
VMJH	18:09	0.50	2.97	132.13	18.72	1.85	2.53				
VMJH	18:39	0.43	2.77	132.44	18.59	1.80	2.47				
VMJH	19:09	1.13	2.79	133.34	18.56	1.85	2.42				
VMJH	19:39	1.43	2.85	131.83	18.49	1.84	2.42				
VMJH	20:09	0.67	2.88	132.31	18.84	1.89	2.52				
VMJH	20:39	1.77	2.91	131.80	18.80	1.87	2.47				
VMJH	21:09	2.33	2.80	132.19	18.81	1.85	2.52				
VMJH	21:39	3.17	2.87	132.16	18.63	1.86	2.38				
VMJH	22:00	1.24	2.72	134.98	18.77	1.83	2.46				
VMZ		1.71	3.23	136.60	19.15	2.07	2.62				

Valori inregistrate MIR-IS HP-1500

Data:10/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	16:34	1.60	2.92	131.49	18.86	1.85	2.49
VMJH	17:04	2.00	2.91	132.20	19.10	1.88	2.42
VMJH	17:34	2.00	2.93	131.56	18.73	1.84	2.51
VMJH	18:04	2.23	2.79	131.74	18.65	1.84	2.41
VMJH	18:34	2.80	2.95	131.76	18.45	1.88	2.51
VMJH	19:04	2.03	2.85	131.33	18.84	1.86	2.41
VMJH	19:34	1.80	2.87	130.38	18.58	1.90	2.47
VMJH	20:04	1.43	2.96	133.07	18.73	1.82	2.46
VMJH	20:34	1.23	2.83	133.50	18.90	1.89	2.53
VMJH	21:04	2.63	2.85	131.45	18.58	1.82	2.47
VMJH	21:34	1.57	2.86	131.53	18.86	1.86	2.50
VMJH	22:04	2.03	2.77	131.24	18.67	1.81	2.50
VMJH	22:34	1.37	2.91	132.47	19.09	1.91	2.45
VMZ		1.90	2.88	131.83	18.77	1.86	2.47

Valori inregistrate MIR-IS HP-1500

Data:11/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:41	1.80	2.92	133.14	18.76	1.88	2.50
VMJH	09:11	2.50	2.90	132.81	18.69	1.80	2.48
VMJH	09:41	1.37	3.02	131.12	18.71	1.87	2.42
VMJH	10:11	1.37	2.72	132.36	18.42	1.81	2.53
VMJH	10:41	1.77	2.88	132.17	18.86	1.88	2.46
VMJH	11:11	1.63	2.84	131.77	18.52	1.84	2.54
VMJH	11:41	1.23	2.95	131.84	18.77	1.88	2.42
VMJH	12:11	1.83	3.00	132.85	18.66	1.81	2.47
VMJH	12:41	2.27	2.69	132.21	18.73	1.82	2.49
VMJH	13:11	2.33	2.84	132.74	18.85	1.87	2.50
VMJH	13:40	2.17	2.74	132.22	18.76	1.90	2.50
VMZ		1.84	2.86	132.29	18.70	1.85	2.48

Valori inregistrate MIR-IS HP-1500

Data:13/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 100 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10	
VMJH	15:17	2.57	2.96	132.22	18.72	1.83	2.55
VMJH	15:47	2.47	2.81	133.18	18.62	1.85	2.44
VMJH	16:17	2.07	2.93	131.70	18.82	1.85	2.51
VMJH	16:47	1.63	2.99	131.69	18.79	1.86	2.48
VMJH	17:17	1.50	2.88	131.47	18.79	1.87	2.47
VMJH	17:47	2.20	2.89	130.09	18.92	1.81	2.47
VMJH	18:17	1.73	2.95	132.44	18.35	1.83	2.48
VMJH	18:47	1.63	2.81	132.70	18.66	1.87	2.45
VMJH	19:17	1.77	2.83	131.64	18.67	1.86	2.51
VMJH	19:47	1.87	2.81	132.18	19.03	1.90	2.56
VMJH	20:17	2.03	2.76	131.75	18.84	1.86	2.54
VMJH	20:47	2.43	3.08	136.58	19.36	1.99	2.63
VMJH	21:17	2.33	4.13	163.30	22.44	2.81	3.14
VMJH	21:47	1.97	4.36	164.03	22.42	2.81	3.15
VMJH	21:58	2.64	4.16	161.31	22.37	2.77	3.16
VMZ		2.03	3.11	137.44	19.40	2.02	2.61

Valori inregistrate MIR-IS HP-1500

Data:14/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:24	2.17	4.39	162.05	22.34	2.78	3.15
VMJH	14:54	2.30	3.80	164.68	22.54	2.84	3.16
VMJH	15:24	2.10	4.08	164.33	22.31	2.79	3.16
VMJH	15:54	2.03	4.22	165.86	22.74	2.82	3.16
VMJH	16:24	1.90	4.19	163.60	22.75	2.80	3.14
VMJH	16:54	1.97	3.81	161.07	22.21	2.76	3.16
VMJH	17:24	2.17	3.92	163.11	22.46	2.80	3.15
VMJH	17:54	2.13	4.43	159.72	22.45	2.78	3.15
VMJH	18:24	2.87	4.02	165.99	22.80	2.83	3.15
VMJH	18:54	2.40	3.78	163.26	22.43	2.77	3.15
VMJH	19:24	2.10	3.98	163.93	23.01	2.79	3.14
VMJH	19:54	2.87	4.09	165.21	22.39	2.81	3.15
VMJH	20:24	2.77	4.03	166.40	22.22	2.79	3.13
VMJH	20:54	1.93	4.09	164.01	22.28	2.79	3.15
VMJH	21:24	2.00	4.39	160.08	22.44	2.77	3.14
VMJH	21:43	2.63	4.23	163.26	22.39	2.81	3.16
VMZ		2.26	4.09	163.54	22.49	2.79	3.15

Valori inregistrate MIR-IS HP-1500

Data:15/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 06:49	1.93	4.20	162.88	22.33	2.84	3.15
VMJH 07:19	2.63	3.96	161.89	22.48	2.76	3.15
VMJH 07:49	2.80	4.15	162.04	22.04	2.79	3.16
VMJH 08:19	2.10	3.96	160.22	22.79	2.82	3.15
VMJH 08:49	1.90	4.13	162.90	21.93	2.85	3.15
VMJH 09:19	2.63	3.99	163.89	22.34	2.79	3.15
VMJH 09:49	2.47	3.81	163.12	22.73	2.78	3.15
VMJH 10:19	1.83	3.95	163.59	22.51	2.78	3.15
VMJH 10:49	2.33	3.85	164.44	22.07	2.84	3.15
VMJH 11:19	2.20	3.93	161.85	22.73	2.79	3.15
VMJH 11:49	1.70	4.23	163.51	22.26	2.79	3.15
VMJH 12:19	1.67	3.92	163.16	22.43	2.78	3.15
VMJH 12:49	2.43	3.87	160.75	22.86	2.78	3.15
VMJH 13:19	1.87	3.89	161.71	22.68	2.78	3.16
VMJH 13:49	1.13	4.51	162.75	22.40	2.80	3.14
VMJH 13:56	2.00	4.55	160.61	21.61	2.74	3.16
VMZ	2.11	4.03	162.55	22.42	2.80	3.15

Valori inregistrate MIR-IS HP-1500

Data:16/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 14:17	1.83	4.16	162.31	22.86	2.80	3.16
VMJH 14:47	1.30	3.71	163.91	22.93	2.74	3.16
VMJH 15:17	1.80	3.94	160.62	21.93	2.82	3.14
VMJH 15:47	1.73	3.98	162.56	22.84	2.81	3.14
VMJH 16:17	1.73	4.07	163.22	22.78	2.76	3.15
VMJH 16:47	1.60	3.99	159.75	22.51	2.79	3.15
VMJH 17:17	1.47	4.47	161.31	22.38	2.76	3.14
VMJH 17:47	1.40	3.50	162.75	22.58	2.77	3.16
VMJH 18:17	1.67	4.04	162.04	22.76	2.81	3.14
VMJH 18:47	1.57	3.98	163.25	22.49	2.82	3.14
VMJH 19:17	1.27	4.11	164.73	22.25	2.76	3.15
VMJH 19:47	2.07	4.13	161.91	22.15	2.79	3.15
VMJH 20:17	1.23	3.88	162.01	22.81	2.81	3.14
VMJH 20:47	1.63	4.04	162.89	22.34	2.79	3.15
VMJH 21:05	1.39	4.30	164.35	22.30	2.78	3.14
VMZ	1.58	4.01	162.46	22.54	2.79	3.15

Valori inregistrate MIR-IS HP-1500

Data:17/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:23	1.20	3.50	147.64	20.57	2.32	2.86
VMJH	14:53	1.07	3.62	148.53	20.70	2.33	2.87
VMJH	15:23	1.67	3.63	147.65	20.44	2.30	2.83
VMJH	15:53	1.70	3.33	147.87	20.53	2.31	2.76
VMJH	16:23	1.90	3.49	148.56	20.56	2.33	2.79
VMJH	16:53	0.93	3.43	147.77	20.56	2.34	2.83
VMJH	17:23	0.90	3.61	149.42	20.67	2.34	2.83
VMJH	17:53	0.93	3.40	147.17	20.69	2.32	2.82
VMJH	18:23	0.90	3.42	146.34	20.66	2.34	2.80
VMJH	18:53	0.90	3.49	147.73	20.38	2.30	2.78
VMJH	19:23	0.87	3.45	146.84	20.84	2.33	2.83
VMJH	19:53	1.13	3.49	148.77	20.87	2.33	2.80
VMJH	20:23	1.63	3.32	147.63	20.72	2.32	2.80
VMJH	20:53	1.03	3.45	148.98	20.63	2.34	2.81
VMJH	21:23	1.50	3.48	148.50	20.40	2.34	2.83
VMJH	21:53	1.23	3.36	147.73	20.57	2.30	2.75
VMJH	22:12	0.84	3.75	147.07	20.42	2.36	2.81
VMZ		1.20	3.48	147.91	20.61	2.33	2.81

Valori inregistrate MIR-IS HP-1500

Data:18/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 07:59	1.03	3.63	146.71	20.52	2.32	2.82
VMJH 08:29	0.90	3.47	147.72	20.60	2.33	2.81
VMJH 08:59	1.10	3.54	147.45	20.58	2.36	2.82
VMJH 09:29	0.77	3.51	146.32	20.44	2.28	2.81
VMJH 09:59	1.33	3.47	146.08	20.64	2.33	2.86
VMJH 10:29	1.20	3.41	147.33	20.56	2.35	2.80
VMJH 10:59	0.93	3.43	148.24	20.65	2.36	2.82
VMJH 11:29	1.00	3.41	147.87	20.60	2.31	2.81
VMJH 11:59	1.13	3.52	147.84	20.58	2.30	2.81
VMJH 12:29	1.30	3.31	148.02	20.42	2.32	2.83
VMJH 12:59	1.63	3.20	148.32	20.58	2.34	2.80
VMJH 13:29	1.80	3.46	147.27	20.55	2.34	2.83
VMJH 13:59	1.13	3.61	147.83	20.46	2.31	2.81
VMJH 14:18	1.42	3.52	146.04	20.68	2.31	2.79
VMZ	1.19	3.46	147.39	20.56	2.33	2.82

Valori inregistrate MIR-IS HP-1500

Data:20/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 15:17	1.10	3.41	146.70	20.77	2.30	2.80
VMJH 15:47	1.63	3.28	147.59	20.69	2.32	2.83
VMJH 16:17	0.87	3.71	146.80	20.65	2.32	2.83
VMJH 16:47	1.10	3.46	147.77	20.70	2.35	2.82
VMJH 17:17	1.23	3.35	146.81	20.75	2.30	2.84
VMJH 17:47	0.90	3.38	146.69	20.32	2.35	2.79
VMJH 18:17	1.07	3.46	147.10	20.67	2.30	2.85
VMJH 18:47	0.67	3.38	148.09	20.69	2.31	2.80
VMJH 19:17	1.17	3.55	145.73	20.77	2.34	2.84
VMJH 19:47	0.97	3.67	146.38	20.48	2.30	2.80
VMJH 20:17	0.93	3.25	147.26	20.67	2.31	2.83
VMJH 20:40	0.52	3.41	145.87	20.98	2.28	2.80
VMZ	1.02	3.44	146.92	20.67	2.32	2.82

Valori inregistrate MIR-IS HP-1500

Data:21/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	15:05	1.07	3.48	147.88	20.44	2.33	2.81
VMJH	15:35	0.90	3.35	148.22	20.45	2.34	2.78
VMJH	16:05	0.83	3.57	146.81	20.39	2.31	2.84
VMJH	16:35	1.43	3.30	147.74	20.81	2.33	2.85
VMJH	17:05	0.67	3.42	146.60	20.71	2.33	2.85
VMJH	17:35	0.87	3.58	147.36	20.53	2.33	2.84
VMJH	18:05	0.97	2.61	133.98	18.65	1.77	2.59
VMJH	18:35	0.97	2.68	133.73	18.70	1.87	2.67
VMJH	19:05	0.67	2.67	135.81	18.99	1.77	2.68
VMJH	19:35	0.57	2.69	134.72	19.08	1.78	2.55
VMJH	20:05	0.83	2.60	133.27	18.95	1.85	2.62
VMJH	20:35	0.77	2.61	132.84	18.41	1.82	2.63
VMJH	21:05	0.97	2.58	133.33	18.83	1.84	2.61
VMJH	21:35	0.73	2.62	133.85	18.67	1.83	2.68
VMJH	22:03	0.89	2.58	132.63	18.48	1.84	2.65
VMZ		0.88	2.96	139.28	19.48	2.02	2.71

Valori inregistrate MIR-IS HP-1500

Data:22/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:09	1.20	2.73	134.12	18.87	1.80	2.62
VMJH	07:39	0.83	2.75	132.56	18.43	1.89	2.64
VMJH	08:09	0.90	2.68	133.36	18.72	1.90	2.69
VMJH	08:39	1.03	2.63	135.30	18.84	1.88	2.61
VMJH	09:09	1.23	2.57	135.09	18.73	1.83	2.65
VMJH	09:39	1.37	2.64	133.70	18.52	1.80	2.67
VMJH	10:09	1.33	2.61	133.92	18.75	1.87	2.68
VMJH	10:39	1.43	2.58	133.47	18.96	1.82	2.60
VMJH	11:09	1.33	2.62	132.62	18.60	1.91	2.67
VMJH	11:39	1.53	2.54	133.63	19.14	1.87	2.63
VMJH	12:09	1.37	2.70	132.44	18.50	1.86	2.62
VMJH	12:39	2.50	2.63	132.84	18.62	1.85	2.62
VMJH	13:09	2.37	2.59	132.22	19.00	1.90	2.65
VMJH	13:39	1.43	2.61	132.43	18.73	1.85	2.68
VMJH	14:09	1.60	2.66	135.35	18.94	1.87	2.59
VMJH	14:40	1.77	2.69	134.12	18.46	1.84	2.63
VMZ		1.45	2.64	133.57	18.74	1.86	2.64

Valori inregistrate MIR-IS HP-1500

Data:23/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	14:49	1.87	2.61	134.58	18.70	1.87	2.65
VMJH	15:19	1.93	2.66	133.82	18.82	1.85	2.63
VMJH	15:49	1.23	2.63	133.16	18.60	1.87	2.67
VMJH	16:19	1.73	2.61	135.52	18.90	1.89	2.58
VMJH	16:49	1.67	2.55	134.75	18.81	1.83	2.60
VMJH	17:19	1.10	2.67	134.53	18.66	1.85	2.67
VMJH	17:49	2.43	2.68	133.31	18.62	1.86	2.68
VMJH	18:19	1.23	2.74	134.88	18.48	1.79	2.63
VMJH	18:49	0.97	2.62	132.51	18.95	1.79	2.64
VMJH	19:19	1.23	2.57	133.21	19.04	1.84	2.63
VMJH	19:49	1.03	2.61	132.58	18.61	1.83	2.61
VMJH	20:19	1.00	2.52	132.46	18.75	1.80	2.64
VMJH	20:49	1.10	2.51	134.96	18.72	1.84	2.63
VMJH	21:19	2.13	2.56	133.39	18.61	1.82	2.60
VMJH	21:51	2.69	2.59	134.73	18.52	1.91	2.63
VMZ		1.56	2.61	133.89	18.72	1.84	2.63

Valori inregistrate MIR-IS HP-1500

Data:24/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:29	2.27	2.68	133.30	19.05	1.81	2.65
VMJH	07:59	1.87	2.70	133.43	18.71	1.88	2.65
VMJH	08:29	2.30	2.69	133.27	18.56	1.86	2.61
VMJH	08:59	1.97	2.63	133.85	18.95	1.83	2.62
VMJH	09:29	2.03	2.57	132.41	18.87	1.87	2.64
VMJH	09:59	2.07	2.56	133.43	18.65	1.84	2.63
VMJH	10:29	2.43	2.66	133.58	18.62	1.84	2.60
VMJH	10:59	2.10	2.79	135.78	18.76	1.84	2.72
VMJH	11:29	2.03	3.31	156.20	22.61	2.76	3.13
VMJH	11:59	1.83	3.55	157.31	22.57	2.72	3.14
VMJH	12:29	1.87	3.80	157.32	22.68	2.75	3.13
VMJH	12:59	1.30	3.73	157.82	22.54	2.76	3.14
VMJH	13:29	0.73	3.67	156.64	22.44	2.74	3.15
VMJH	13:59	0.97	3.67	158.39	22.54	2.73	3.16
VMJH	14:29	1.10	3.51	157.29	22.71	2.77	3.15
VMJH	15:00	0.81	3.45	156.71	22.48	2.74	3.15
VMZ		1.73	3.12	145.44	20.67	2.30	2.89

Valori inregistrate MIR-IS HP-1500

Data:25/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 07:49	0.93	3.56	158.04	22.68	2.78	3.16
VMJH 08:19	1.77	3.86	156.31	22.75	2.76	3.16
VMJH 08:49	1.30	3.39	157.81	22.62	2.73	3.14
VMJH 09:19	1.60	3.49	157.62	22.22	2.71	3.15
VMJH 09:49	0.63	3.63	157.99	22.50	2.76	3.16
VMJH 10:19	0.53	3.53	157.77	22.69	2.74	3.15
VMJH 10:49	0.90	3.76	156.72	22.73	2.70	3.16
VMJH 11:19	0.33	3.71	158.38	22.72	2.76	3.14
VMJH 11:49	1.07	3.52	157.27	23.19	2.74	3.13
VMJH 12:19	0.57	3.49	157.32	22.57	2.76	3.16
VMJH 12:49	0.90	3.40	156.20	23.09	2.68	3.14
VMJH 13:19	1.03	3.97	156.89	22.73	2.76	3.13
VMJH 13:49	1.37	3.68	158.14	22.56	2.77	3.13
VMJH 14:19	1.37	3.62	156.88	22.55	2.76	3.14
VMJH 14:44	0.52	3.73	158.37	22.50	2.70	3.16
VMZ	0.99	3.62	157.44	22.67	2.74	3.15

Valori inregistrate MIR-IS HP-1500

Data:27/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 07:59	0.43	3.41	156.75	22.61	2.74	3.15
VMJH 08:29	0.93	3.71	157.49	22.59	2.74	3.16
VMJH 08:59	1.83	3.64	157.45	22.62	2.71	3.16
VMJH 09:29	1.40	3.57	158.09	22.85	2.73	3.16
VMJH 09:59	1.13	3.62	157.60	22.90	2.76	3.14
VMJH 10:29	1.10	3.53	156.36	22.68	2.76	3.15
VMJH 10:59	0.97	3.80	159.83	22.48	2.74	3.14
VMJH 11:29	1.57	3.77	157.09	23.29	2.75	3.15
VMJH 11:59	0.70	3.80	156.68	22.53	2.78	3.15
VMJH 12:29	0.77	3.51	158.39	23.02	2.76	3.15
VMJH 12:59	1.03	3.55	157.71	22.40	2.76	3.14
VMJH 13:29	0.63	3.63	156.56	22.32	2.75	3.16
VMJH 13:59	0.87	3.61	157.57	22.42	2.75	3.15
VMJH 14:29	0.83	3.43	157.39	22.38	2.74	3.15
VMJH 14:59	1.63	3.48	158.52	23.04	2.69	3.14
VMJH 15:29	1.23	3.44	158.11	22.71	2.78	3.15
VMJH 15:59	1.27	3.69	157.91	22.65	2.76	3.15
VMJH 16:29	1.83	3.66	158.40	22.34	2.78	3.14
VMJH 16:59	1.30	3.75	159.77	22.74	2.78	3.15
VMJH 17:29	0.97	3.56	156.83	22.57	2.78	3.16
VMJH 17:59	0.43	3.56	157.15	22.97	2.75	3.16
VMJH 18:29	1.17	3.73	158.36	22.51	2.77	3.15
VMJH 18:59	0.97	3.48	157.92	22.73	2.78	3.15
VMJH 19:29	1.13	3.69	157.55	22.93	2.76	3.16
VMJH 19:59	1.70	3.28	157.43	22.68	2.70	3.15
VMJH 20:29	0.83	3.03	146.18	20.80	2.31	2.89
VMJH 20:59	1.30	3.12	144.77	20.58	2.28	2.89
VMJH 21:29	1.43	3.22	146.69	20.87	2.28	2.92
VMJH 21:52	1.39	3.21	145.85	20.74	2.26	2.85
VMZ	1.13	3.54	156.16	22.43	2.69	3.12

Valori inregistrate MIR-IS HP-1500

Data:28/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10
VMJH 07:59	0.73	3.15	145.28	20.76	2.29	2.88
VMJH 08:29	1.57	3.23	145.57	20.32	2.30	2.89
VMJH 08:59	1.10	2.98	145.81	21.00	2.27	2.90
VMJH 09:29	0.93	2.99	145.26	20.47	2.29	2.90
VMJH 09:59	1.00	3.11	144.83	20.47	2.31	2.90
VMJH 10:29	1.63	3.22	145.88	21.10	2.29	2.89
VMJH 10:59	1.13	3.12	145.69	20.38	2.29	2.88
VMJH 11:29	1.33	3.14	144.36	20.36	2.32	2.93
VMJH 11:59	1.27	3.09	146.55	20.79	2.31	2.89
VMJH 12:29	1.00	3.10	146.71	20.75	2.30	2.90
VMJH 12:59	1.07	3.13	145.93	20.59	2.25	2.90
VMJH 13:29	0.43	3.17	145.33	20.74	2.30	2.92
VMJH 13:59	0.53	2.99	146.14	20.88	2.29	2.87
VMJH 14:29	0.77	3.19	144.35	20.75	2.30	2.91
VMJH 14:59	0.70	2.96	145.94	20.93	2.29	2.89
VMJH 15:29	0.60	3.17	144.80	20.79	2.31	2.88
VMJH 15:59	0.57	3.25	144.66	20.71	2.32	2.88
VMJH 16:29	0.53	3.15	145.49	20.74	2.34	2.89
VMJH 16:59	0.63	3.17	144.45	20.57	2.28	2.91
VMJH 17:29	0.93	3.03	145.87	20.63	2.28	2.88
VMJH 17:59	0.53	3.15	145.55	20.62	2.31	2.89
VMJH 18:29	1.10	3.16	146.70	20.70	2.29	2.89
VMJH 18:59	0.27	3.18	145.34	20.79	2.28	2.90
VMJH 19:29	0.50	3.03	146.20	20.66	2.30	2.90
VMJH 19:59	0.70	3.14	145.06	20.84	2.32	2.87
VMJH 20:29	0.33	3.15	147.12	20.60	2.29	2.88
VMJH 20:59	0.37	3.22	146.24	21.01	2.29	2.89
VMJH 21:29	0.37	3.19	145.49	20.72	2.33	2.92
VMJH 21:59	0.40	3.14	145.60	20.71	2.28	2.90
VMJH 22:29	0.47	3.10	145.89	20.61	2.27	2.88
VMJH 22:52	0.26	3.19	145.08	20.56	2.30	2.90
VMZ	0.77	3.13	145.59	20.70	2.30	2.89

Valori inregistrate MIR-IS HP-1500

Data:29/11/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 100 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 09:09	0.70	3.05	144.58	20.64	2.28	2.88
VMJH 09:39	0.23	3.06	145.01	20.69	2.29	2.89
VMJH 10:09	0.60	3.00	145.69	20.68	2.25	2.89
VMJH 10:39	0.33	3.09	146.09	20.67	2.28	2.89
VMJH 11:09	0.50	2.91	146.46	20.90	2.33	2.87
VMJH 11:39	0.33	3.18	145.41	20.36	2.31	2.91
VMJH 12:09	0.27	3.26	147.24	20.80	2.30	2.88
VMJH 12:39	0.83	3.16	145.98	20.63	2.35	2.90
VMJH 13:09	0.90	3.11	144.24	20.62	2.30	2.89
VMJH 13:39	1.13	3.11	146.67	20.92	2.30	2.90
VMJH 14:09	1.17	3.11	145.00	20.72	2.34	2.88
VMJH 14:39	0.67	3.13	145.21	20.65	2.28	2.88
VMJH 15:09	1.40	3.02	145.77	20.88	2.28	2.90
VMJH 15:39	0.83	2.81	139.30	19.28	2.03	2.79
VMJH 16:09	1.27	2.70	131.43	17.92	1.83	2.64
VMJH 16:39	1.63	2.56	133.17	17.95	1.83	2.58
VMJH 17:09	1.23	2.63	133.11	17.97	1.87	2.67
VMJH 17:39	1.50	2.65	130.47	17.87	1.89	2.65
VMJH 18:09	0.70	2.58	131.09	18.09	1.85	2.65
VMJH 18:39	1.27	2.55	130.32	18.08	1.88	2.66
VMJH 19:09	0.23	2.57	129.08	18.16	1.90	2.61
VMJH 19:39	0.50	2.66	130.61	17.91	1.89	2.67
VMJH 20:09	0.43	2.68	130.29	18.08	1.83	2.58
VMJH 20:39	0.13	2.72	131.35	17.77	1.80	2.71
VMJH 21:09	0.20	2.63	128.74	17.89	1.88	2.59
VMJH 21:39	0.47	2.66	130.33	18.15	1.86	2.63
VMJH 22:00	0.43	2.71	132.05	17.56	1.82	2.63
VMZ	0.74	2.87	138.39	19.34	2.08	2.76

Valori inregistrate MIR-IS HP-1500

Data:30/11/2023

Ora	Pulberi	SO2 L1	NOx L1	CO L1	COT L1	HCL L1	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:49	1.37	2.64	130.05	18.18	1.91	2.62
VMJH	08:19	0.77	2.55	131.30	17.71	1.85	2.66
VMJH	08:49	0.70	2.60	129.42	18.15	1.89	2.63
VMJH	09:19	1.23	2.56	132.26	17.93	1.82	2.62
VMJH	09:49	1.47	2.49	132.97	18.26	1.91	2.59
VMJH	10:19	0.83	2.53	129.22	18.31	1.86	2.71
VMJH	10:49	1.43	2.59	132.03	17.58	1.84	2.63
VMJH	11:19	1.03	2.56	130.70	17.97	1.82	2.65
VMJH	11:49	0.60	2.58	130.22	17.92	1.85	2.69
VMJH	12:19	1.43	2.70	131.90	17.75	1.80	2.64
VMJH	12:49	1.13	2.56	132.60	17.78	1.82	2.58
VMJH	13:19	0.37	2.57	129.62	17.68	1.75	2.64
VMJH	13:49	0.80	2.53	130.73	18.04	1.88	2.63
VMJH	14:19	1.37	2.70	130.77	18.00	1.83	2.65
VMJH	14:49	0.90	2.68	131.86	17.94	1.91	2.66
VMJH	15:19	0.67	2.69	131.27	18.10	1.87	2.62
VMJH	15:49	1.23	2.56	133.09	17.83	1.89	2.59
VMJH	16:19	1.87	2.65	132.09	18.00	1.88	2.66
VMJH	16:49	1.53	2.58	130.96	18.49	1.84	2.65
VMJH	17:19	1.80	2.67	130.48	17.77	1.85	2.62
VMJH	17:42	1.26	2.70	133.51	17.77	1.85	2.66
VMZ		1.13	2.60	131.26	17.96	1.85	2.64

Valori inregistrate MIR-IS HP-1250

Data:01/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 07:29	1.87	2.54	127.04	20.17	2.19	2.47
VMJH 07:59	1.93	2.48	126.27	19.53	2.27	2.54
VMJH 08:29	1.23	2.57	126.40	19.81	2.11	2.49
VMJH 08:59	1.73	2.46	126.89	19.61	2.17	2.49
VMJH 09:29	1.67	2.46	127.46	19.88	2.32	2.48
VMJH 09:59	1.10	2.48	127.77	19.81	2.25	2.48
VMJH 10:29	2.43	2.55	128.76	19.91	2.39	2.56
VMJH 10:59	1.23	2.54	126.78	19.56	2.22	2.52
VMJH 11:29	0.97	2.49	126.89	19.68	2.29	2.48
VMJH 11:59	1.23	2.42	127.50	19.78	2.24	2.56
VMJH 12:29	1.03	2.53	126.73	19.72	2.27	2.54
VMJH 12:59	1.00	2.56	126.40	19.48	2.09	2.56
VMJH 13:29	1.10	2.52	127.68	19.52	2.17	2.55
VMJH 13:59	2.13	2.55	126.81	19.22	2.36	2.53
VMJH 14:29	2.77	2.54	127.56	19.41	2.19	2.51
VMJH 14:59	2.10	2.55	126.58	19.96	2.05	2.47
VMJH 15:29	2.03	2.53	126.72	19.70	2.20	2.53
VMJH 15:40	1.09	2.40	127.21	19.73	2.31	2.56
VMZ	1.61	2.51	127.08	19.69	2.22	2.52

Valori inregistrate MIR-IS HP-1250

Data:02/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10	
VMJH	08:09	2.67	6.46	159.14	21.78	2.57	3.32
VMJH	08:39	1.63	5.70	160.71	22.44	2.52	3.31
VMJH	09:09	2.43	5.99	160.71	22.51	2.45	3.35
VMJH	09:39	2.03	6.84	159.37	23.12	2.55	3.33
VMJH	10:09	2.07	5.95	158.40	21.92	2.57	3.29
VMJH	10:39	2.40	6.14	158.46	22.54	2.53	3.31
VMJH	11:09	2.17	6.30	159.86	21.94	2.55	3.29
VMJH	11:39	1.33	6.21	158.93	22.44	2.55	3.35
VMJH	12:09	1.90	6.49	161.06	22.48	2.54	3.32
VMJH	12:39	1.20	6.10	160.59	22.36	2.52	3.33
VMJH	13:09	0.83	6.38	158.68	22.58	2.55	3.33
VMJH	13:39	1.03	6.07	158.89	23.72	2.53	3.28
VMJH	14:09	0.90	5.76	153.79	21.90	2.45	3.23
VMJH	14:39	1.03	4.73	143.98	21.28	2.28	3.00
VMJH	15:09	0.67	4.99	145.18	21.79	2.28	2.96
VMJH	15:39	2.00	4.57	145.22	22.01	2.30	2.96
VMJH	15:52	1.69	4.72	144.59	21.24	2.30	3.04
VMZ		1.65	5.89	156.11	22.27	2.48	3.24

Valori inregistrate MIR-IS HP-1250

Data:04/12/2023

Ora	Pulberi	SO2 L1	NOx L1	CO L1	COT L1	HCL L1	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10	
VMJH	11:29	1.30	4.50	143.31	21.85	2.27	2.95
VMJH	11:59	1.10	4.95	144.07	21.52	2.25	2.97
VMJH	12:29	0.47	4.91	145.22	21.15	2.31	2.96
VMJH	12:59	0.73	4.45	144.35	21.69	2.27	2.94
VMJH	13:29	0.53	4.56	145.88	22.40	2.31	2.93
VMJH	13:59	0.83	4.65	145.68	22.00	2.38	2.95
VMJH	14:29	0.53	5.03	145.99	22.19	2.29	2.97
VMJH	14:59	1.10	4.90	144.70	21.40	2.34	2.96
VMJH	15:29	0.83	4.66	143.04	21.91	2.29	2.95
VMJH	15:59	1.47	4.79	143.49	22.25	2.32	2.96
VMJH	16:29	1.30	4.73	144.93	21.72	2.34	2.94
VMJH	16:59	0.53	4.45	145.25	21.88	2.30	2.91
VMJH	17:29	0.40	4.55	145.77	21.67	2.18	2.93
VMJH	17:59	0.90	4.81	146.09	22.25	2.34	2.96
VMJH	18:29	1.90	4.59	144.97	21.21	2.34	2.90
VMJH	18:59	1.43	4.59	145.07	21.74	2.32	2.95
VMJH	19:29	1.27	4.92	144.77	21.86	2.36	2.94
VMJH	19:59	1.03	4.34	145.05	21.72	2.34	2.95
VMJH	20:29	0.97	4.94	145.90	21.84	2.33	2.98
VMJH	20:59	1.13	4.70	146.18	21.88	2.25	2.94
VMJH	21:29	1.10	4.90	144.69	21.31	2.32	2.90
VMJH	22:00	0.87	4.31	145.30	22.31	2.34	2.93
VMZ		0.99	4.69	144.99	21.81	2.31	2.94

Valori inregistrate MIR-IS HP-1250

Data:05/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 09:05	0.90	4.92	143.75	21.51	2.24	2.94
VMJH 09:35	0.77	2.90	145.15	17.39	3.06	3.44
VMJH 10:05	0.70	2.80	144.40	17.44	3.28	3.39
VMJH 10:35	0.87	2.89	145.08	17.60	3.18	3.38
VMJH 11:05	1.43	2.92	145.52	17.43	3.17	3.35
VMJH 11:35	1.27	2.82	144.36	17.40	3.14	3.35
VMJH 12:05	1.37	2.83	145.37	18.22	3.17	3.34
VMJH 12:35	1.93	2.80	145.56	17.70	3.21	3.20
VMJH 13:05	1.17	2.82	145.20	17.52	3.33	3.30
VMJH 13:35	1.23	2.85	144.77	18.42	3.20	3.34
VMJH 14:05	0.43	2.94	145.89	17.63	3.18	3.40
VMJH 14:35	1.10	2.78	143.68	18.51	3.21	3.42
VMJH 15:05	1.00	2.84	144.46	18.07	3.15	3.39
VMJH 15:35	0.97	2.79	145.81	18.45	3.14	3.25
VMJH 16:05	1.80	2.83	146.12	17.61	3.21	3.29
VMJH 16:35	0.90	2.82	143.87	19.19	3.18	3.36
VMJH 17:05	1.10	2.78	143.19	17.70	3.15	3.28
VMJH 17:35	1.57	2.85	145.78	17.93	3.16	3.34
VMJH 18:05	1.37	2.81	146.41	17.55	3.13	3.09
VMJH 18:35	0.83	2.83	145.11	17.84	3.27	3.31
VMJH 19:05	1.33	2.78	144.96	17.94	3.09	3.37
VMJH 19:35	1.03	3.19	146.19	18.44	3.00	3.15
VMJH 20:05	0.97	3.58	145.88	18.79	2.80	3.16
VMJH 20:35	1.23	3.44	146.28	18.08	2.74	3.18
VMJH 21:05	1.43	3.65	145.45	18.49	2.82	3.15
VMJH 21:24	0.89	3.55	147.22	18.92	2.75	3.16
VMZ	1.14	3.03	145.18	18.14	3.08	3.28

Valori inregistrate MIR-IS HP-1250

Data:06/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 08:59	1.57	3.50	145.71	18.53	2.79	3.20
VMJH 09:29	0.97	3.54	145.78	18.88	2.83	3.16
VMJH 09:59	1.40	3.53	146.31	18.55	2.73	3.16
VMJH 10:29	1.20	3.60	146.49	18.00	2.83	3.16
VMJH 10:59	0.43	3.50	146.83	18.95	2.72	3.17
VMJH 11:29	0.53	3.67	146.10	18.47	2.76	3.15
VMJH 11:59	0.73	3.52	146.26	18.25	2.80	3.17
VMJH 12:29	0.70	3.57	146.19	18.21	2.78	3.13
VMJH 12:59	0.60	3.44	146.75	18.75	2.70	3.16
VMJH 13:29	0.53	3.58	146.39	18.57	2.72	3.16
VMJH 13:59	0.53	3.51	146.30	18.52	2.74	3.18
VMJH 14:29	0.63	3.69	146.47	18.37	2.79	3.14
VMJH 14:59	0.90	3.67	145.45	18.70	2.72	3.14
VMJH 15:29	0.63	3.41	146.51	19.01	2.76	3.17
VMJH 15:59	1.03	3.53	146.00	18.51	2.76	3.14
VMJH 16:29	0.33	3.54	146.68	18.74	2.77	3.13
VMJH 16:59	0.47	3.58	147.07	18.63	2.72	3.13
VMJH 17:29	0.77	3.46	146.72	18.30	2.79	3.15
VMJH 17:59	0.30	3.47	145.83	18.43	2.75	3.13
VMJH 18:29	0.30	3.54	146.90	18.71	2.80	3.12
VMJH 18:59	0.47	3.42	146.98	18.33	2.78	3.15
VMJH 19:29	0.37	3.41	146.27	18.83	2.83	3.13
VMJH 19:59	0.47	3.41	145.84	17.84	2.77	3.15
VMJH 20:29	0.23	3.47	146.55	18.92	2.83	3.13
VMJH 20:59	0.70	3.50	145.86	18.80	2.76	3.16
VMJH 21:29	0.23	3.61	146.01	18.86	2.78	3.16
VMJH 21:59	0.60	3.52	146.34	18.03	2.78	3.16
VMJH 22:10	0.09	3.59	147.04	18.76	2.87	3.12
VMZ	0.65	3.53	146.33	18.55	2.77	3.15

Valori inregistrate MIR-IS HP-1250

Data:07/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:29	0.43	3.43	146.25	18.75	2.83	3.15
VMJH	08:59	0.43	3.60	146.41	18.64	2.77	3.18
VMJH	09:29	0.30	3.51	145.91	18.62	2.82	3.17
VMJH	09:59	0.77	3.69	146.20	18.39	2.81	3.13
VMJH	10:29	0.93	3.38	146.50	18.68	2.74	3.16
VMJH	10:59	0.60	3.58	146.42	18.48	2.74	3.19
VMJH	11:29	1.13	3.56	145.48	18.48	2.80	3.15
VMJH	11:59	1.07	3.58	146.62	18.44	2.69	3.14
VMJH	12:29	1.17	3.54	146.72	18.80	2.77	3.13
VMJH	12:59	0.87	3.63	145.88	18.51	2.82	3.19
VMJH	13:29	1.10	3.51	146.47	18.57	2.77	3.19
VMJH	13:59	1.27	3.49	146.08	18.59	2.76	3.19
VMJH	14:29	1.60	3.44	146.52	19.37	2.71	3.13
VMJH	14:59	1.30	3.38	145.47	18.78	2.76	3.16
VMJH	15:29	1.20	3.38	146.24	18.48	2.82	3.18
VMJH	15:59	1.10	3.49	145.87	18.93	2.74	3.16
VMJH	16:29	0.77	3.37	137.36	17.23	2.42	3.02
VMJH	16:59	0.40	3.21	131.72	16.16	2.25	2.94
VMJH	17:29	0.27	3.16	131.75	16.42	2.18	2.98
VMJH	17:59	0.50	3.18	131.77	17.18	2.20	2.96
VMJH	18:29	0.03	3.29	131.85	16.92	2.23	2.96
VMJH	18:59	0.33	3.38	132.14	17.04	2.13	2.96
VMJH	19:29	0.50	3.37	131.69	16.88	2.25	2.97
VMJH	19:59	1.20	3.12	131.26	16.62	2.17	3.03
VMJH	20:29	0.70	3.21	131.81	16.06	2.17	3.00
VMJH	20:59	0.73	3.16	131.20	17.00	2.20	2.94
VMJH	21:29	0.93	3.25	131.59	15.94	2.27	2.94
VMJH	21:59	1.47	3.26	131.52	16.70	2.23	2.92
VMJH	22:22	1.52	2.99	131.28	17.21	2.21	2.96
VMZ		0.84	3.39	139.93	17.79	2.53	3.08

Valori inregistrate MIR-IS HP-1250

Data:08/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10	
VMJH	08:29	1.00	3.44	131.62	16.73	2.21	2.96
VMJH	08:59	1.17	3.26	131.46	16.12	2.20	2.94
VMJH	09:29	0.77	3.39	131.66	17.18	2.22	2.89
VMJH	09:59	1.07	3.00	131.51	16.35	2.19	2.96
VMJH	10:29	1.60	3.19	131.67	16.66	2.19	3.02
VMJH	10:59	0.53	3.17	130.58	15.90	2.27	3.00
VMJH	11:29	0.47	3.22	130.87	16.61	2.23	3.04
VMJH	11:59	1.03	3.21	131.64	16.22	2.18	2.98
VMJH	12:29	1.50	3.39	131.97	16.56	2.19	3.03
VMJH	12:59	0.53	3.29	131.28	16.65	2.17	3.03
VMJH	13:29	1.20	3.40	131.52	16.10	2.23	3.00
VMJH	13:59	1.47	3.32	131.36	16.13	2.23	2.95
VMJH	14:29	0.97	3.07	131.66	16.49	2.18	2.95
VMJH	14:59	1.97	3.32	130.73	15.91	2.19	2.98
VMJH	15:29	1.50	3.35	131.67	16.90	2.19	3.00
VMJH	15:59	1.80	3.28	131.93	17.18	2.27	2.94
VMJH	16:29	1.30	3.27	131.56	16.39	2.18	2.95
VMJH	16:59	1.40	3.30	131.65	15.92	2.26	2.98
VMJH	17:29	1.60	3.16	131.98	16.63	2.21	3.00
VMJH	17:59	1.27	3.23	131.87	16.76	2.21	2.92
VMJH	18:29	1.70	3.33	131.82	16.25	2.22	2.97
VMJH	18:59	2.23	3.19	131.40	16.38	2.14	3.01
VMJH	19:29	1.00	3.32	131.58	16.90	2.25	2.96
VMJH	19:59	1.93	3.29	131.64	17.12	2.23	3.00
VMJH	20:29	2.27	3.45	131.36	16.80	2.15	2.95
VMJH	20:59	1.03	3.31	131.66	15.99	2.24	3.02
VMJH	21:29	0.90	3.21	131.37	16.32	2.20	2.97
VMJH	21:59	2.00	3.17	131.79	16.36	2.17	2.95
VMJH	22:12	0.54	3.38	131.48	16.74	2.13	2.94
VMZ		1.32	3.27	131.53	16.49	2.21	2.98

Valori inregistrate MIR-IS HP-1250

Data:09/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 09:11	1.57	3.22	132.14	16.71	2.20	2.97
VMJH 09:41	1.70	3.27	131.82	16.76	2.29	2.96
VMJH 10:11	1.87	3.24	131.93	15.77	2.24	2.95
VMJH 10:41	1.20	3.11	130.96	16.70	2.18	2.96
VMJH 11:11	2.80	3.28	131.64	16.85	2.20	2.92
VMJH 11:41	0.80	3.26	130.64	16.47	2.17	3.02
VMJH 12:11	2.53	3.27	131.39	16.41	2.24	2.98
VMJH 12:41	1.87	4.48	154.61	18.48	2.90	3.15
VMJH 13:11	2.30	4.77	158.29	19.21	3.09	3.22
VMJH 13:41	1.80	4.86	158.57	19.07	3.08	3.19
VMJH 14:11	0.57	4.72	158.28	19.35	3.05	3.24
VMJH 14:41	1.87	4.76	159.06	18.96	3.12	3.27
VMJH 15:11	1.80	5.03	159.29	19.37	3.17	3.24
VMJH 15:30	1.11	4.49	159.26	19.15	3.04	3.26
VMZ	1.71	3.97	144.47	17.77	2.63	3.09

Valori inregistrate MIR-IS HP-1250

Data:11/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10	
VMJH	10:59	0.90	4.71	160.71	19.55	3.11	3.19
VMJH	11:29	1.10	4.67	160.21	18.87	3.02	3.28
VMJH	11:59	0.80	4.57	158.11	19.20	3.09	3.27
VMJH	12:29	2.33	4.99	159.25	19.16	3.14	3.29
VMJH	12:59	2.33	4.62	160.79	19.29	3.06	3.23
VMJH	13:29	1.70	4.62	157.89	19.12	3.13	3.15
VMJH	13:59	1.47	4.87	158.92	19.44	3.11	3.31
VMJH	14:29	1.90	4.76	159.01	19.19	3.06	3.20
VMJH	14:59	1.83	4.43	159.49	19.05	3.09	3.23
VMJH	15:29	1.30	4.82	158.72	19.46	3.13	3.14
VMJH	15:59	2.30	4.37	159.88	19.39	3.12	3.20
VMJH	16:29	2.40	4.71	159.18	19.40	3.05	3.26
VMJH	16:59	1.43	4.67	158.53	18.98	3.10	3.19
VMJH	17:29	1.73	4.70	159.37	18.72	3.08	3.29
VMJH	17:59	1.33	4.39	157.90	19.16	3.12	3.24
VMJH	18:29	1.37	4.63	157.99	19.06	3.13	3.26
VMJH	18:59	1.13	4.81	158.15	19.39	3.09	3.19
VMJH	19:29	2.17	4.66	161.13	19.36	3.05	3.20
VMJH	19:59	1.77	4.58	159.16	19.41	3.13	3.22
VMJH	20:29	1.10	4.94	159.54	19.42	3.08	3.27
VMJH	20:59	0.23	4.54	158.47	19.04	3.11	3.22
VMJH	21:29	1.23	4.73	158.88	19.53	3.06	3.22
VMJH	21:59	0.50	4.80	158.67	19.00	3.10	3.22
VMJH	22:06	3.14	4.66	158.11	18.78	3.16	3.21
VMZ		1.51	4.68	159.12	19.22	3.09	3.23

Valori inregistrate MIR-IS HP-1250

Data:12/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 07:59	0.90	4.56	158.67	19.17	3.03	3.27
VMJH 08:29	1.33	4.60	159.12	19.02	3.18	3.28
VMJH 08:59	0.10	4.74	158.86	18.93	3.07	3.24
VMJH 09:29	0.83	4.68	159.37	19.52	3.17	3.23
VMJH 09:59	1.13	4.71	159.75	19.58	3.06	3.23
VMJH 10:29	2.23	4.48	159.16	18.66	3.05	3.22
VMJH 10:59	2.17	4.54	158.72	19.49	3.13	3.25
VMJH 11:29	1.90	4.96	159.01	19.17	3.09	3.25
VMJH 11:59	1.77	4.56	159.46	19.14	3.08	3.29
VMJH 12:29	1.77	4.51	159.98	19.17	3.11	3.23
VMJH 12:59	1.63	4.73	158.27	19.00	3.15	3.24
VMJH 13:29	1.90	5.00	159.01	19.45	3.08	3.29
VMJH 13:59	1.57	4.52	158.37	19.21	3.08	3.28
VMJH 14:29	1.73	4.89	159.60	19.55	3.15	3.20
VMJH 14:59	2.23	4.47	158.11	19.21	3.15	3.25
VMJH 15:29	2.13	4.50	158.40	19.31	3.16	3.29
VMJH 15:59	1.63	4.58	159.47	18.80	3.14	3.21
VMJH 16:29	1.77	4.77	158.87	19.46	3.11	3.22
VMJH 16:59	1.43	4.26	148.69	17.99	2.77	3.11
VMJH 17:29	1.47	4.06	145.39	17.88	2.66	3.12
VMJH 17:59	0.67	3.94	144.72	18.10	2.63	3.13
VMJH 18:29	1.50	4.01	145.17	18.00	2.65	3.14
VMJH 18:59	0.83	4.00	144.51	17.79	2.69	3.11
VMJH 19:29	0.73	4.05	145.69	18.12	2.63	3.07
VMJH 19:59	1.30	4.03	145.64	17.70	2.63	3.10
VMJH 20:29	1.00	4.06	145.21	17.59	2.65	3.08
VMJH 20:59	1.33	4.08	144.68	18.08	2.63	3.13
VMJH 21:29	1.00	3.83	145.03	17.68	2.66	3.11
VMJH 21:59	1.53	3.76	144.70	17.83	2.63	3.09
VMJH 22:10	1.55	3.99	145.68	17.85	2.61	3.11
VMZ	1.43	4.40	153.74	18.70	2.93	3.19

Valori inregistrate MIR-IS HP-1250

Data:13/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 08:29	1.60	4.09	145.82	17.41	2.69	3.02
VMJH 08:59	1.73	4.03	145.23	18.28	2.64	3.13
VMJH 09:29	1.70	3.87	146.22	17.48	2.65	3.12
VMJH 09:59	1.63	3.90	145.59	17.72	2.64	3.13
VMJH 10:29	1.13	4.01	145.29	17.93	2.64	3.07
VMJH 10:59	0.57	4.25	144.93	17.43	2.61	3.13
VMJH 11:29	1.50	3.83	145.29	17.67	2.64	3.12
VMJH 11:59	2.47	3.92	145.35	18.06	2.64	3.08
VMJH 12:29	1.63	3.81	145.84	17.76	2.68	3.06
VMJH 12:59	1.37	3.86	145.15	17.66	2.61	3.13
VMJH 13:29	1.27	4.00	145.22	17.82	2.64	3.11
VMJH 13:59	1.37	4.00	145.58	17.65	2.62	3.07
VMJH 14:29	1.53	4.05	146.09	17.73	2.66	3.12
VMJH 14:59	2.10	4.10	145.30	17.91	2.66	3.12
VMJH 15:29	1.20	4.00	145.45	18.14	2.64	3.06
VMJH 15:59	1.90	3.79	145.20	17.54	2.69	3.09
VMJH 16:29	1.93	3.99	145.12	17.99	2.63	3.09
VMJH 16:59	1.70	4.04	145.36	18.11	2.66	3.09
VMJH 17:29	1.90	4.16	144.77	18.09	2.63	3.07
VMJH 17:59	0.77	3.93	144.63	17.76	2.65	3.12
VMJH 18:29	1.07	4.02	145.87	17.85	2.63	3.09
VMJH 18:59	1.27	3.89	145.65	18.05	2.68	3.09
VMJH 19:29	0.83	3.92	144.71	18.20	2.64	3.12
VMJH 19:59	1.17	3.90	145.56	17.80	2.67	3.13
VMJH 20:29	0.43	4.08	145.30	17.73	2.68	3.09
VMJH 20:59	1.77	3.96	145.19	17.78	2.65	3.06
VMJH 21:29	0.60	3.91	144.94	17.81	2.66	3.09
VMJH 22:00	1.06	4.03	145.67	18.54	2.66	3.11
VMZ	1.40	3.98	145.37	17.85	2.65	3.10

Valori inregistrate MIR-IS HP-1250

Data:14/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 08:19	1.23	4.13	145.51	17.66	2.66	3.10
VMJH 08:49	1.53	3.99	145.84	17.92	2.67	3.13
VMJH 09:19	1.60	4.00	144.65	18.04	2.65	3.10
VMJH 09:49	1.57	4.09	144.91	17.77	2.66	3.07
VMJH 10:19	1.83	4.01	144.45	18.07	2.64	3.14
VMJH 10:49	1.47	4.01	145.24	18.08	2.65	3.10
VMJH 11:19	1.40	4.20	144.60	17.75	2.65	3.10
VMJH 11:49	1.57	4.07	145.22	17.77	2.67	3.15
VMJH 12:19	1.57	3.87	143.97	17.79	2.68	3.14
VMJH 12:49	0.60	3.12	133.97	16.83	2.35	2.99
VMJH 13:19	2.03	3.11	133.80	16.71	2.29	2.94
VMJH 13:49	1.57	3.42	133.92	17.22	2.39	3.01
VMJH 14:19	1.30	3.32	133.72	17.26	2.30	2.99
VMJH 14:49	1.90	3.20	133.53	16.87	2.39	2.96
VMJH 15:19	0.97	3.23	133.62	17.08	2.31	2.96
VMJH 15:49	1.03	3.17	133.48	16.90	2.41	3.00
VMJH 16:19	1.37	3.28	132.99	17.11	2.41	2.93
VMJH 16:49	1.70	3.24	134.29	17.33	2.27	2.94
VMJH 17:19	1.50	3.20	133.17	16.87	2.31	2.92
VMJH 17:49	1.67	3.27	134.18	16.84	2.36	2.94
VMJH 18:19	0.90	3.32	133.71	17.06	2.31	2.96
VMJH 18:49	1.50	3.05	133.34	16.23	2.27	2.95
VMJH 19:19	1.73	3.08	134.22	17.15	2.22	3.01
VMJH 19:49	1.40	3.32	133.69	17.07	2.30	3.03
VMJH 20:19	1.07	3.14	134.75	17.33	2.29	2.95
VMJH 20:49	0.73	3.32	133.53	16.54	2.39	3.05
VMJH 21:19	0.73	3.28	135.61	16.67	2.28	2.94
VMJH 21:50	0.90	3.22	133.85	16.66	2.29	2.94
VMZ	1.37	3.49	137.42	17.23	2.43	3.02

Valori inregistrate MIR-IS HP-1250

Data:15/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10	
VMJH	08:15	0.90	3.22	134.27	16.57	2.37	2.99
VMJH	08:45	0.57	3.27	135.13	17.02	2.30	2.97
VMJH	09:15	0.90	3.14	132.92	16.83	2.36	3.03
VMJH	09:45	0.40	3.07	133.76	16.98	2.44	2.96
VMJH	10:15	0.80	3.17	133.17	17.48	2.35	2.96
VMJH	10:45	0.87	3.31	134.04	17.07	2.37	2.97
VMJH	11:15	0.60	3.35	135.21	16.83	2.29	2.98
VMJH	11:45	1.33	3.35	132.97	17.01	2.30	2.97
VMJH	12:15	0.40	3.27	134.82	16.95	2.31	3.00
VMJH	12:45	0.77	3.27	134.32	16.81	2.45	2.95
VMJH	13:15	1.27	3.24	133.90	16.96	2.41	2.96
VMJH	13:45	0.97	3.09	135.62	16.56	2.37	2.95
VMJH	14:15	0.90	3.33	134.55	17.20	2.32	3.01
VMJH	14:45	1.77	3.25	133.11	16.77	2.36	2.99
VMJH	15:15	2.07	3.08	134.05	17.19	2.32	3.00
VMJH	15:45	1.23	3.21	134.35	16.82	2.40	2.96
VMJH	16:15	1.00	3.28	134.25	17.10	2.33	3.01
VMJH	16:45	2.33	3.38	134.26	16.70	2.34	3.01
VMJH	17:15	2.53	3.23	134.49	16.81	2.31	2.94
VMJH	17:45	1.77	3.31	133.71	16.88	2.23	3.01
VMJH	18:15	0.53	3.38	133.51	17.14	2.35	2.92
VMJH	18:45	2.20	3.27	134.05	17.32	2.36	2.98
VMJH	19:15	1.80	3.05	132.70	16.98	2.39	2.99
VMJH	19:45	1.40	3.11	134.37	16.56	2.33	2.96
VMJH	20:15	1.53	3.20	134.91	17.32	2.33	2.95
VMJH	20:45	1.20	3.27	133.51	16.85	2.40	2.95
VMJH	21:15	1.33	3.26	133.24	16.66	2.29	3.04
VMJH	21:45	1.00	3.28	133.22	17.04	2.36	2.93
VMJH	22:00	0.60	3.23	132.72	16.96	2.39	2.95
VMZ		1.22	3.24	133.99	16.94	2.35	2.98

Valori inregistrate MIR-IS HP-1250

Data:16/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10	
VMJH	08:41	0.87	5.35	149.53	18.54	2.83	3.09
VMJH	09:11	2.33	6.63	158.87	19.22	3.02	3.21
VMJH	09:41	2.67	6.66	157.98	18.94	3.00	3.17
VMJH	10:11	1.07	6.72	157.86	19.34	3.04	3.15
VMJH	10:41	2.30	6.74	158.51	19.49	3.00	3.18
VMJH	11:11	1.70	6.53	158.73	19.60	3.03	3.19
VMJH	11:41	1.30	6.43	159.77	19.44	3.00	3.15
VMJH	12:11	1.93	6.71	158.51	19.24	2.98	3.22
VMJH	12:41	1.53	6.45	159.35	19.37	3.00	3.16
VMJH	13:11	1.63	6.59	158.20	18.92	2.99	3.15
VMJH	13:41	1.50	6.29	158.92	19.17	2.99	3.18
VMJH	14:11	0.93	6.35	158.86	19.48	3.02	3.15
VMJH	14:41	1.33	6.83	159.23	19.10	2.96	3.19
VMJH	15:11	0.73	6.64	159.17	18.96	3.00	3.14
VMJH	15:30	1.42	6.46	158.66	19.02	2.99	3.10
VMZ		1.55	6.49	158.13	19.19	2.99	3.16

Valori inregistrate MIR-IS HP-1250

Data:18/12/2023

Ora	Pulberi	SO2 L1	NOx L1	CO L1	COT L1	HCL L1	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:14	1.07	6.53	158.76	19.09	2.98	3.20
VMJH	08:44	1.27	6.92	159.54	19.13	2.95	3.17
VMJH	09:14	1.07	6.56	159.90	19.29	3.04	3.16
VMJH	09:44	1.37	7.04	159.29	19.44	3.02	3.19
VMJH	10:14	0.73	6.29	158.52	19.34	3.05	3.15
VMJH	10:44	1.40	6.51	158.66	19.19	2.94	3.15
VMJH	11:14	1.33	6.62	158.84	19.39	3.01	3.17
VMJH	11:44	1.07	6.95	160.14	19.03	3.02	3.10
VMJH	12:14	0.93	6.44	157.26	19.52	3.04	3.17
VMJH	12:44	1.17	6.52	159.42	19.47	3.07	3.16
VMJH	13:14	1.20	6.29	157.38	19.16	3.03	3.16
VMJH	13:44	0.87	6.54	159.50	19.31	3.02	3.17
VMJH	14:14	2.03	6.94	158.96	19.65	2.98	3.19
VMJH	14:44	0.63	6.40	159.62	18.88	2.98	3.15
VMJH	15:14	1.57	6.25	159.74	19.40	2.97	3.16
VMJH	15:44	0.50	6.99	159.15	19.28	2.99	3.15
VMJH	16:14	1.57	6.82	158.69	19.36	3.07	3.18
VMJH	16:44	1.23	6.65	158.46	19.42	3.00	3.12
VMJH	17:14	1.33	6.74	159.53	19.43	2.97	3.15
VMJH	17:44	0.87	6.79	159.71	19.36	2.98	3.14
VMJH	18:14	1.90	6.60	159.60	19.05	2.99	3.20
VMJH	18:44	1.00	6.56	158.84	19.34	2.97	3.17
VMJH	19:14	1.70	6.22	159.22	19.36	2.99	3.19
VMJH	19:44	1.47	6.56	160.21	19.28	3.01	3.16
VMJH	20:14	0.90	6.25	158.73	18.98	3.01	3.18
VMJH	20:44	1.57	6.54	159.31	18.99	3.02	3.19
VMJH	21:14	0.97	6.57	158.24	19.29	2.93	3.17
VMJH	21:44	1.73	6.63	159.21	19.07	3.03	3.17
VMJH	22:00	1.81	6.52	157.66	19.61	2.98	3.14
VMZ		1.24	6.60	159.06	19.27	3.00	3.16

Valori inregistrate MIR-IS HP-1250

Data:19/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:09	1.80	6.73	158.30	19.56	3.01	3.16
VMJH	08:39	1.80	6.81	159.01	19.07	3.05	3.18
VMJH	09:09	1.70	6.69	159.54	19.07	3.03	3.07
VMJH	09:39	0.97	6.58	158.48	18.88	3.00	3.17
VMJH	10:09	1.63	6.70	158.57	19.10	3.02	3.17
VMJH	10:39	1.93	5.27	148.74	18.06	2.77	3.11
VMJH	11:09	1.03	4.77	146.83	18.29	2.66	3.07
VMJH	11:39	1.43	5.02	146.77	17.66	2.70	3.05
VMJH	12:09	1.23	4.98	146.03	18.30	2.70	3.07
VMJH	12:39	1.37	5.03	146.97	18.24	2.66	3.09
VMJH	13:09	0.97	5.00	146.67	18.27	2.69	3.08
VMJH	13:39	1.23	4.74	146.48	18.03	2.70	3.07
VMJH	14:09	1.40	4.89	146.23	18.27	2.62	3.09
VMJH	14:39	1.67	4.93	147.20	18.30	2.67	3.07
VMJH	15:09	1.03	4.86	145.75	18.00	2.65	3.05
VMJH	15:39	1.43	4.71	146.28	17.92	2.67	3.09
VMJH	16:09	1.13	4.94	146.10	18.20	2.67	3.10
VMJH	16:39	1.60	4.97	146.84	17.97	2.64	3.10
VMJH	17:09	2.37	4.93	146.91	17.83	2.64	3.03
VMJH	17:39	1.83	4.93	146.64	17.77	2.70	3.06
VMJH	18:09	1.13	5.07	146.50	18.05	2.61	3.07
VMJH	18:39	1.33	4.97	146.78	17.96	2.69	3.06
VMJH	19:09	2.47	5.03	147.11	18.07	2.65	3.06
VMJH	19:39	1.13	4.82	146.24	18.09	2.71	3.05
VMJH	20:09	1.70	4.82	146.07	17.96	2.70	3.09
VMJH	20:39	1.23	5.06	147.31	18.24	2.66	3.04
VMJH	21:09	0.80	4.88	146.78	17.92	2.66	3.07
VMJH	21:39	1.87	4.96	146.13	17.72	2.68	3.02
VMJH	22:00	1.48	4.73	145.50	18.58	2.70	3.08
VMZ		1.47	5.24	148.75	18.25	2.73	3.08

Valori inregistrate MIR-IS HP-1250

Data:20/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:05	1.40	4.97	147.41	18.22	2.67	3.06
VMJH	08:35	1.07	4.73	145.99	18.16	2.66	3.04
VMJH	09:05	1.27	4.90	147.02	18.06	2.66	3.09
VMJH	09:35	0.93	5.09	146.53	18.32	2.69	3.08
VMJH	10:05	1.57	4.71	146.68	18.17	2.67	3.05
VMJH	10:35	1.17	4.74	146.43	18.00	2.65	3.08
VMJH	11:05	1.43	5.04	146.11	18.31	2.67	3.08
VMJH	11:35	1.83	5.03	146.39	18.06	2.72	3.05
VMJH	12:05	1.03	4.98	146.71	18.22	2.67	3.05
VMJH	12:35	0.90	4.92	147.00	18.41	2.69	3.10
VMJH	13:05	1.77	4.96	146.76	17.97	2.62	3.07
VMJH	13:35	1.33	4.90	147.31	18.02	2.67	3.08
VMJH	14:05	1.43	4.96	146.17	18.20	2.63	3.09
VMJH	14:35	1.63	4.77	146.71	17.99	2.70	3.09
VMJH	15:05	1.87	4.81	147.19	18.11	2.69	3.07
VMJH	15:35	1.47	4.88	146.05	17.92	2.66	3.07
VMJH	16:05	1.90	4.78	146.29	17.84	2.74	3.08
VMJH	16:35	1.57	4.94	146.27	18.07	2.66	3.07
VMJH	17:05	1.00	4.98	146.34	17.94	2.71	3.10
VMJH	17:35	1.60	4.99	146.46	18.21	2.69	3.07
VMJH	18:05	1.30	4.89	146.06	17.68	2.71	3.12
VMJH	18:35	1.23	4.99	146.06	18.08	2.65	3.07
VMJH	19:05	1.57	4.93	146.46	17.73	2.62	3.10
VMJH	19:35	1.37	5.05	145.60	18.10	2.66	3.07
VMJH	20:05	1.07	5.27	147.57	18.11	2.64	3.10
VMJH	20:35	1.27	5.57	147.45	18.26	2.63	3.12
VMJH	21:05	1.63	5.49	147.43	18.46	2.65	3.11
VMJH	21:35	1.47	5.60	148.93	18.17	2.62	3.12
VMJH	22:05	0.90	5.59	148.36	18.26	2.65	3.12
VMJH	22:10	2.40	5.51	150.50	18.34	2.59	3.03
VMZ		1.38	5.02	146.77	18.11	2.67	3.08

Valori inregistrate MIR-IS HP-1250

Data:21/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:09	2.10	5.73	147.18	18.77	2.65	3.14
VMJH	08:39	1.17	5.58	148.42	18.39	2.66	3.11
VMJH	09:09	1.20	5.49	147.19	18.57	2.65	3.09
VMJH	09:39	1.53	5.56	148.25	18.58	2.62	3.13
VMJH	10:09	1.13	5.75	146.94	18.67	2.63	3.11
VMJH	10:39	1.10	5.85	147.00	18.22	2.67	3.09
VMJH	11:09	0.80	5.46	147.77	18.22	2.64	3.13
VMJH	11:39	1.23	5.80	147.55	18.49	2.61	3.16
VMJH	12:09	0.53	5.51	147.29	18.43	2.67	3.13
VMJH	12:39	0.97	5.75	147.02	18.50	2.62	3.13
VMJH	13:09	0.70	5.62	148.10	18.50	2.63	3.15
VMJH	13:39	0.70	5.75	147.92	18.51	2.65	3.12
VMJH	14:09	0.73	5.70	146.77	18.61	2.60	3.13
VMJH	14:39	0.53	5.52	147.71	18.73	2.62	3.14
VMJH	15:09	1.57	5.60	147.75	18.38	2.62	3.14
VMJH	15:39	0.67	5.45	147.93	18.16	2.60	3.13
VMJH	16:09	0.70	5.65	147.38	18.49	2.65	3.12
VMJH	16:39	0.50	5.64	147.54	18.39	2.61	3.16
VMJH	17:09	1.97	5.48	147.11	18.40	2.61	3.13
VMJH	17:39	0.70	5.37	148.01	18.72	2.63	3.14
VMJH	18:09	2.00	5.60	146.79	18.47	2.64	3.16
VMJH	18:39	0.83	5.61	148.18	18.55	2.65	3.13
VMJH	19:09	1.37	5.49	147.50	18.37	2.56	3.13
VMJH	19:39	1.07	5.67	147.38	18.73	2.60	3.13
VMJH	20:09	1.30	5.55	147.02	18.59	2.61	3.11
VMJH	20:39	1.27	5.53	146.76	18.25	2.60	3.09
VMJH	21:09	1.03	5.65	148.58	18.50	2.62	3.13
VMJH	21:39	0.57	5.66	148.48	18.37	2.62	3.14
VMJH	22:02	0.61	5.60	147.65	18.25	2.61	3.13
VMZ		1.06	5.61	147.56	18.48	2.63	3.13

Valori inregistrate MIR-IS HP-1250

Data:22/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:05	0.50	5.57	146.80	18.42	2.70	3.15
VMJH	08:35	0.93	5.69	147.35	18.32	2.62	3.13
VMJH	09:05	0.67	5.65	146.99	18.67	2.63	3.15
VMJH	09:35	0.47	5.60	148.12	18.57	2.62	3.14
VMJH	10:05	1.17	5.60	148.05	18.56	2.61	3.12
VMJH	10:35	0.37	5.67	147.54	18.62	2.63	3.11
VMJH	11:05	0.27	5.56	147.65	18.44	2.67	3.13
VMJH	11:35	0.50	5.44	147.61	18.43	2.62	3.17
VMJH	12:05	2.03	5.76	147.11	18.27	2.70	3.11
VMJH	12:35	1.50	5.54	147.68	18.50	2.63	3.13
VMJH	13:05	1.50	5.67	148.15	18.29	2.62	3.09
VMJH	13:35	0.20	5.77	148.02	18.55	2.65	3.14
VMJH	14:05	0.87	5.64	147.44	18.51	2.64	3.13
VMJH	14:35	1.70	5.64	147.26	18.60	2.65	3.10
VMJH	15:05	1.23	6.08	154.69	18.76	2.77	3.14
VMJH	15:35	1.27	6.65	160.60	19.20	2.93	3.17
VMJH	16:05	1.70	6.34	161.01	19.33	2.94	3.15
VMJH	16:35	0.07	6.81	162.27	19.19	2.93	3.13
VMJH	17:05	1.40	6.39	161.86	19.01	2.93	3.16
VMJH	17:35	0.90	6.86	160.93	19.52	2.93	3.16
VMJH	18:05	0.93	6.44	161.37	19.18	2.93	3.14
VMJH	18:35	2.00	6.55	160.98	19.49	2.90	3.18
VMJH	19:05	0.70	6.57	161.78	19.42	2.94	3.13
VMJH	19:35	2.47	6.39	161.11	19.31	2.94	3.14
VMJH	20:05	1.20	7.14	160.49	19.19	2.94	3.15
VMJH	20:35	2.30	6.49	163.02	18.85	2.95	3.14
VMJH	21:05	2.03	6.68	160.30	19.53	2.94	3.22
VMJH	21:35	1.67	6.48	161.60	19.26	2.90	3.18
VMJH	22:00	1.32	7.02	160.10	19.02	2.91	3.16
VMZ		1.17	6.12	154.38	18.86	2.78	3.14

Valori inregistrate MIR-IS HP-1250

Data:23/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 08:44	0.70	6.29	160.65	19.55	2.95	3.22
VMJH 09:14	1.10	6.69	162.71	19.30	2.92	3.18
VMJH 09:44	1.87	6.68	161.08	19.51	2.94	3.15
VMJH 10:14	0.97	6.69	160.02	19.58	2.90	3.15
VMJH 10:44	1.63	6.44	160.86	18.95	2.92	3.18
VMJH 11:14	0.53	6.45	160.40	19.28	2.91	3.18
VMJH 11:44	1.70	6.43	160.35	19.12	2.93	3.13
VMJH 12:14	2.57	6.68	161.08	19.19	2.92	3.19
VMJH 12:44	0.73	6.40	160.33	19.05	2.92	3.19
VMJH 13:14	1.50	6.21	161.94	19.52	2.91	3.18
VMJH 13:44	1.40	6.27	160.36	19.33	2.93	3.21
VMJH 14:14	1.70	6.69	161.76	19.42	2.93	3.18
VMJH 14:44	0.97	6.35	161.41	19.38	2.94	3.13
VMJH 15:14	1.60	6.50	160.84	19.53	2.91	3.22
VMJH 15:44	1.13	6.70	159.40	19.38	2.92	3.18
VMJH 16:07	1.13	6.67	159.66	18.96	2.92	3.09
VMZ	1.33	6.51	160.82	19.32	2.92	3.17

Valori inregistrate MIR-IS HP-1250

Data:26/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 09:09	0.77	6.37	160.97	18.99	2.90	3.14
VMJH 09:39	1.77	6.53	163.19	19.20	2.92	3.18
VMJH 10:09	1.47	6.68	161.53	19.03	2.90	3.16
VMJH 10:39	1.10	6.71	160.73	19.17	2.94	3.19
VMJH 11:09	2.70	6.72	161.48	19.09	2.92	3.20
VMJH 11:39	0.47	6.50	159.79	19.40	2.95	3.20
VMJH 12:09	1.13	6.55	161.51	19.31	2.95	3.18
VMJH 12:39	1.90	6.97	161.25	19.64	2.92	3.19
VMJH 13:09	2.27	6.53	161.53	19.77	2.93	3.14
VMJH 13:39	1.17	6.26	162.03	18.95	2.96	3.18
VMJH 13:55	0.00	6.75	160.49	19.34	2.96	3.17
VMZ	1.40	6.59	161.35	19.26	2.93	3.17

Valori inregistrate MIR-IS HP-1250

Data:27/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH 10 30/10	VMA VMJH 50 200/50	VMA VMJH 200 400/200	VMA 50	VMA VMJH 10 20/10	VMA VMJH 10 60/10
VMJH 10:53	0.87	6.22	161.43	19.25	2.95	3.21
VMJH 11:23	0.30	6.43	161.30	19.00	2.98	3.17
VMJH 11:53	1.23	6.54	160.51	19.58	2.94	3.18
VMJH 12:23	1.00	6.52	161.88	19.18	2.94	3.13
VMJH 12:53	1.80	6.69	162.05	19.37	2.93	3.18
VMJH 13:23	0.73	6.73	160.92	19.36	2.95	3.19
VMJH 13:53	2.03	6.70	161.33	19.29	2.91	3.13
VMJH 14:23	1.03	5.49	147.28	18.99	2.60	3.09
VMJH 14:53	1.67	4.58	135.43	17.78	2.24	3.07
VMJH 15:23	0.47	4.86	133.43	17.80	2.41	3.12
VMJH 15:53	0.43	4.65	134.06	17.66	2.34	3.08
VMJH 16:23	0.73	4.48	134.26	17.47	2.30	3.09
VMJH 16:53	1.17	4.51	133.96	17.86	2.38	3.12
VMJH 17:23	0.80	4.60	134.21	17.42	2.36	3.10
VMJH 17:53	0.83	4.63	133.40	17.53	2.31	3.12
VMJH 18:23	0.93	4.73	133.64	18.03	2.30	3.08
VMJH 18:53	1.53	4.77	134.05	17.74	2.26	3.11
VMJH 19:23	0.63	4.54	133.25	17.63	2.36	3.06
VMJH 19:53	1.13	4.69	133.22	17.39	2.37	3.10
VMJH 20:23	0.90	4.62	133.07	17.82	2.34	3.08
VMJH 20:53	0.83	4.71	134.06	17.57	2.27	3.10
VMJH 21:23	0.70	4.72	134.67	17.98	2.23	3.08
VMJH 21:53	2.10	4.68	133.32	17.85	2.31	3.07
VMJH 22:00	1.43	4.77	132.67	17.14	2.35	2.99
VMZ	1.04	5.26	142.70	18.23	2.52	3.11

Valori inregistrate MIR-IS HP-1250

Data:28/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	07:53	0.53	4.68	135.05	17.87	2.34	3.08
VMJH	08:23	2.00	4.84	133.38	17.64	2.30	3.06
VMJH	08:53	0.73	4.63	134.15	17.28	2.40	3.07
VMJH	09:23	0.87	4.65	133.43	17.55	2.36	3.08
VMJH	09:53	2.77	4.64	133.11	17.44	2.33	3.09
VMJH	10:23	1.43	4.65	134.72	17.46	2.33	3.14
VMJH	10:53	1.10	4.73	134.16	17.49	2.28	3.12
VMJH	11:23	0.97	4.84	133.84	17.34	2.34	3.10
VMJH	11:53	1.60	4.61	135.08	17.51	2.34	3.09
VMJH	12:23	1.77	4.68	134.93	17.52	2.32	3.12
VMJH	12:53	1.37	4.91	134.66	17.79	2.32	3.04
VMJH	13:23	1.23	4.82	134.05	17.98	2.26	3.04
VMJH	13:53	2.30	4.85	133.95	17.45	2.41	3.10
VMJH	14:23	0.53	4.58	134.01	17.70	2.35	3.11
VMJH	14:53	1.40	4.42	134.79	17.91	2.31	3.07
VMJH	15:23	1.67	4.61	135.17	17.83	2.35	3.07
VMJH	15:53	1.10	4.70	133.98	17.59	2.33	3.05
VMJH	16:23	1.20	4.48	133.32	17.63	2.38	3.07
VMJH	16:53	1.17	4.51	134.22	17.76	2.35	3.12
VMJH	17:23	1.33	4.78	134.40	17.94	2.39	3.09
VMJH	17:53	2.27	4.80	133.56	17.38	2.41	3.12
VMJH	18:23	0.40	4.74	133.71	17.81	2.31	3.06
VMJH	18:53	2.00	4.65	134.11	17.56	2.33	3.08
VMJH	19:23	1.50	4.59	134.74	17.56	2.38	3.11
VMJH	19:53	1.37	4.65	133.17	17.64	2.35	3.11
VMJH	20:23	1.27	4.79	133.61	17.31	2.40	3.12
VMJH	20:53	0.80	4.59	133.19	17.52	2.33	3.08
VMJH	21:23	2.27	4.71	134.14	17.97	2.26	3.06
VMJH	21:53	1.37	4.69	134.88	17.91	2.31	3.08
VMJH	21:58	2.00	4.63	131.59	19.07	2.29	3.09
VMZ		1.39	4.68	134.10	17.64	2.34	3.09

Valori inregistrate MIR-IS HP-1250

Data:29/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10	
VMJH	08:07	1.83	4.50	135.11	17.50	2.34	3.13
VMJH	08:37	2.23	4.73	135.83	17.57	2.47	3.07
VMJH	09:07	1.20	4.81	133.69	17.46	2.32	3.06
VMJH	09:37	0.93	4.64	134.60	18.18	2.37	3.02
VMJH	10:07	1.10	4.71	134.28	17.65	2.32	3.03
VMJH	10:37	1.20	4.76	135.16	17.98	2.22	3.04
VMJH	11:07	1.10	4.71	134.17	18.42	2.28	3.03
VMJH	11:37	1.10	4.69	133.39	18.04	2.33	3.06
VMJH	12:07	0.97	4.77	133.79	17.76	2.30	3.04
VMJH	12:37	1.53	4.62	134.29	17.75	2.30	3.05
VMJH	13:07	0.93	4.69	134.14	17.90	2.32	3.05
VMJH	13:37	1.63	4.70	133.78	17.86	2.29	3.04
VMJH	14:07	1.40	4.69	134.39	18.01	2.29	3.00
VMJH	14:37	1.40	4.71	134.63	17.75	2.30	3.04
VMJH	15:07	1.47	4.60	134.75	17.80	2.40	3.04
VMJH	15:37	1.90	4.59	133.82	17.91	2.25	3.03
VMJH	16:07	0.77	4.72	134.69	17.77	2.39	3.04
VMJH	16:37	0.83	4.59	134.26	17.89	2.36	3.02
VMJH	17:07	2.03	4.50	132.14	17.71	2.35	3.00
VMJH	17:37	1.20	4.75	134.41	18.07	2.40	3.00
VMJH	18:07	1.67	4.82	134.50	17.93	2.42	3.03
VMJH	18:37	1.60	4.47	133.33	17.46	2.26	3.03
VMJH	19:07	2.07	4.56	133.57	17.64	2.32	3.00
VMJH	19:37	2.20	4.66	133.59	18.16	2.30	3.00
VMJH	20:07	2.47	4.70	133.30	17.69	2.36	3.02
VMJH	20:37	1.77	4.55	133.41	18.26	2.40	3.03
VMJH	21:07	2.07	4.69	133.28	17.89	2.34	3.01
VMJH	21:37	1.03	4.56	134.74	17.92	2.35	3.02
VMJH	21:50	1.31	4.71	133.84	18.27	2.23	2.96
VMZ		1.48	4.66	134.10	17.86	2.33	3.03

Valori inregistrate MIR-IS HP-1250

Data:30/12/2023

Ora	Pulberi mg/Nm2	SO2 L1 mg/Nm3	NOx L1 mg/Nm3	CO L1 mg/Nm3	COT L1 mg/Nm3	HCL L1 mg/Nm3
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH
	10 30/10	50 200/50	200 400/200	50	10 20/10	10 60/10
VMJH 08:39	2.27	4.74	134.32	17.94	2.45	3.05
VMJH 09:09	1.17	4.85	133.88	18.05	2.36	3.00
VMJH 09:39	1.30	4.67	133.75	17.77	2.33	3.00
VMJH 10:09	2.00	4.86	134.79	18.06	2.38	3.00
VMJH 10:39	1.43	4.81	133.92	18.14	2.36	3.04
VMJH 11:09	1.43	4.62	134.40	18.21	2.29	3.04
VMJH 11:39	1.20	4.79	133.39	17.83	2.36	3.02
VMJH 12:09	1.53	4.68	133.61	18.27	2.32	3.02
VMJH 12:39	1.23	4.62	133.71	17.89	2.32	3.00
VMJH 13:09	1.23	4.72	133.69	18.04	2.29	3.01
VMJH 13:39	1.33	4.55	134.14	18.08	2.26	3.04
VMJH 14:09	1.20	4.79	133.85	17.83	2.37	3.02
VMJH 14:35	0.92	4.72	134.52	17.90	2.30	3.04
VMZ	1.41	4.72	133.99	18.00	2.34	3.02

Valori inregistrate MIR-IS HP-1250

Data:31/12/2023

Ora	Pulberi	SO2 L1	NOx L1	CO L1	COT L1	HCL L1	
	mg/Nm2	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	
	VMA VMJH	VMA VMJH	VMA VMJH	VMA	VMA VMJH	VMA VMJH	
	10 30/10	50 200/50	100 400/200	50	10 20/10	10 60/10	
VMJH	09:09	1.77	4.44	133.88	18.20	2.37	3.03
VMJH	09:39	0.37	4.54	133.89	18.34	2.25	3.02
VMJH	10:09	1.23	4.75	134.30	18.29	2.35	3.02
VMJH	10:39	1.83	4.58	134.24	18.02	2.42	3.04
VMJH	11:09	1.00	4.49	133.78	17.36	2.34	3.03
VMJH	11:39	1.40	4.75	133.89	17.82	2.38	3.03
VMJH	12:09	1.40	4.56	134.50	17.92	2.41	3.03
VMJH	12:39	1.00	4.74	134.53	18.03	2.32	3.02
VMJH	13:09	1.10	4.54	133.99	18.28	2.33	3.03
VMJH	13:27	1.50	4.51	135.24	17.50	2.41	3.03
VMZ		1.25	4.59	134.18	18.00	2.36	3.03